



PRE-RELEASE VERSION (FDIS)



**Field device tool (FDT) interface specification –
Part 309: Communication profile integration – IEC 61784 CPF 9**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 25.040.40; 35.100.05; 35.110

Warning! Make sure that you obtained this publication from an authorized distributor.



FINAL DRAFT INTERNATIONAL STANDARD (FDIS)

PROJECT NUMBER:

IEC 62453-309 ED3

DATE OF CIRCULATION:

2022-06-17

CLOSING DATE FOR VOTING:

2022-07-29

SUPERSEDES DOCUMENTS:

65E/785/CDV, 65E/879/RVC

IEC SC 65E : DEVICES AND INTEGRATION IN ENTERPRISE SYSTEMS	
SECRETARIAT: United States of America	SECRETARY: Mr Donald (Bob) Lattimer
OF INTEREST TO THE FOLLOWING COMMITTEES: SC 65C	HORIZONTAL STANDARD: <input type="checkbox"/>
FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Final Draft International Standard (FDIS) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is a draft distributed for approval. It may not be referred to as an International Standard until published as such.

In addition to their evaluation as being acceptable for industrial, technological, commercial and user purposes, Final Draft International Standards may on occasion have to be considered in the light of their potential to become standards to which reference may be made in national regulations.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

Field device tool (FDT) interface specification - Part 309: Communication profile integration - IEC 61784 CPF 9

PROPOSED STABILITY DATE: 2025

NOTE FROM TC/SC OFFICERS:

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms, definitions, symbols, abbreviated terms and conventions	9
3.1 Terms and definitions	9
3.2 Abbreviated terms	9
3.3 Conventions	9
3.3.1 Data type names and references to data types	9
3.3.2 Vocabulary for requirements	9
3.3.3 Use of UML	9
4 Bus category	10
5 Access to instance and device data	11
5.1 General	11
5.2 Process Channel objects provided by DTM	11
5.3 DTM services to access instance and device data	12
6 Protocol-specific behavior	12
6.1 Overview	12
6.2 Burst mode subscription	12
6.3 Usage of device addressing information	13
6.4 Extended Command Numbers	14
6.5 Handling of communication failures and time-outs	14
6.6 Handling of delayed responses	14
6.7 Topologies with mixed HART protocols	16
6.7.1 General	16
6.7.2 Behavior of DTMs supporting 'Extended_HART' only	16
6.7.3 Behavior of DTMs supporting 'Extended_HART' and 'HART_Basic'	17
6.7.4 Behavior of DTMs that require 'Extended_HART' or 'HART_Basic'	17
6.8 Nested communication with multiple gateways	18
6.9 Communication- and network structures in WirelessHART	19
6.9.1 General	19
6.9.2 Network topology	19
7 Protocol-specific usage of general data types	21
8 Protocol-specific common data types	22
9 Network management data types	22
9.1 General	22
9.2 Addressing modes	22
9.3 Address information	23
9.4 Additional address information for 'Extended HART' protocols	23
10 Communication data types	25
10.1 General	25
10.2 Protocol-specific Addressing Information	26
10.3 Datatype definitions	26
11 Channel parameter data types	31
12 Device identification	33

12.1	Protocol-specific handling of data type STRING	33
12.2	Address Range for Scan	33
12.3	Support for Extended Manufacturer and Device Type Code	34
12.4	Device type identification data types for protocol 'HART_Basic'	34
12.5	Common device type identification data types for 'Extended_HART' protocols.....	37
12.6	Topology scan data types	41
12.7	Scan identification data types for protocol 'HART_Basic'	42
12.8	Scan identification data types for 'Extended_HART' protocols.....	44
12.9	Device type identification data types – provided by DTM.....	46
	Bibliography.....	48
	Figure 1 – Part 309 of the IEC 62453 series	7
	Figure 2 – Burst mode subscription.....	13
	Figure 3 – Handling of delayed responses (scenario 1).....	15
	Figure 4 – Handling of delayed responses (scenario 2).....	16
	Figure 5 – Behavior of DTMs supporting 'Extended_HART' and 'HART_Basic'.....	17
	Figure 6 – Behavior of DTMs requires 'Extended_HART' or 'HART_Basic'	18
	Figure 7 – Host connected to a WirelessHART gateway device.....	19
	Figure 8 – FDT Topology of a WirelessHART network.....	20
	Figure 9 – Host connected to HART FSK	20
	Figure 10 – FDT Topology when directly connected to a WirelessHART adapter device.....	21
	Table 1 – Protocol identifiers	10
	Table 2 – Definition of PhysicalLayer	10
	Table 3 – Protocol specific usage of general data types.....	22
	Table 4 – Relation of ProtocolId and supported features	23
	Table 5 – Simple address information data types	24
	Table 6 – Structured address information data types	25
	Table 7 – Simple communication data types	26
	Table 8 – Structured communication data types.....	28
	Table 9 – Simple channel parameter data types.....	31
	Table 10 – Structured channel parameter data types	32
	Table 11 – Address range for device identification	34
	Table 12 – Identification data types with protocol-specific mapping for protocol 'HART_Basic'	35
	Table 13 – Identification data types with semantics for protocol 'HART_Basic'	36
	Table 14 – Simple identification data types for protocol 'HART_Basic' with protocol independent semantics	37
	Table 15 – Structured identification data types for protocol 'HART_Basic' with protocol independent semantics	37
	Table 16 – Identification data types for 'Extended_HART' protocols with protocol-specific mapping.....	38
	Table 17 – Identification data types for 'Extended_HART' protocols without protocol independent semantics	40

Table 18 – Simple identification data types for ‘Extended_HART’ protocols with protocol independent semantics.....	41
Table 19 – Structured identification data types for ‘Extended_HART’ protocols with protocol independent semantics.....	41
Table 20 – Structured device type identification data types.....	42
Table 21 – Simple scan identification data types for protocol ‘HART_Basic’.....	42
Table 22 – Structured scan identification data types for protocol ‘HART_Basic’.....	43
Table 23 – Simple scan identification data types for ‘Extended_HART’ protocols.....	44
Table 24 – Structured scan identification data types for ‘Extended_HART’ protocols.....	45
Table 25 – Structured device type identification data types.....	47

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

Part 309: Communication profile integration – IEC 61784 CPF 9

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62453-309 has been prepared by subcommittee 65E: Devices and integration in enterprise systems, of IEC technical committee 65: Industrial-process measurement, control and automation. It is an International Standard.

This third edition cancels and replaces the second edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- corrections in regard to accessing information in the respective device and
- corrections in regard to describing support for different protocol versions.

The text of this International Standard is based on the following documents:

Draft	Report on voting
65E/XX/FDIS	65E/XX/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

Each part of the IEC 62453-3xy series is intended to be read in conjunction with IEC 62453-2.

A list of all parts of the IEC 62453 series, under the general title *Field Device Tool (FDT) interface specification*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 62453 is an interface specification for developers of FDT¹ (Field Device Tool) components for function control and data access within a client/server architecture. The specification is a result of an analysis and design process to develop standard interfaces to facilitate the development of servers and clients by multiple vendors that need to interoperate seamlessly.

With the integration of fieldbuses into control systems, there are a few other tasks which need to be performed. In addition to fieldbus- and device-specific tools, there is a need to integrate these tools into higher-level system-wide planning or engineering tools. In particular, for use in extensive and heterogeneous control systems, typically in the area of the process industry, the unambiguous definition of engineering interfaces that are easy to use for all those involved is of great importance.

A device-specific software component, called DTM (Device Type Manager), is supplied by the field device manufacturer with its device. The DTM is integrated into engineering tools via the FDT interfaces defined in this specification. The approach to integration is in general open for all kind of fieldbuses and thus meets the requirements for integrating different kinds of devices into heterogeneous control systems.

Figure 1 shows how IEC 62453-309 is aligned in the structure of the IEC 62453 series.




Figure 1 – Part 309 of the IEC 62453 series

¹ FDT® is a trademark of products supplied by FDT Group AISBL. This information is given for convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

FIELD DEVICE TOOL (FDT) INTERFACE SPECIFICATION –

Part 309: Communication profile integration – IEC 61784 CPF 9

1 Scope

Communication Profile Family 9 (commonly known as HART®²) defines communication profiles based on IEC 61158-5-20 and IEC 61158-6-20. The basic profile CP 9/1 is defined in IEC 61784-1.

This part of IEC 62453 provides information for integrating the HART® technology into the FDT standard (IEC 62453-2).

This part of the IEC 62453 specifies communication and other services.

This document neither contains the FDT specification nor modifies it.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61158-5-20, *Industrial communication networks – Fieldbus specifications – Part 5-20: Application layer service definition – Type 20 elements*

IEC 61158-6-20, *Industrial communication networks – Fieldbus specifications – Part 6-20: Application layer protocol specification – Type 20 elements*

IEC 61784-1, *Industrial communication networks – Profiles – Part 1: Fieldbus profiles*

IEC 62453-1:–³, *Field device tool (FDT) interface specification – Part 1: Overview and guidance*

IEC 62453-2:–³, *Field device tool (FDT) interface specification – Part 2: Concepts and detailed description*

² HART® and WirelessHART® are trade names of products supplied by FieldComm Group. This information is given for convenience of users of this document and does not constitute an endorsement by IEC of the product named. Equivalent products may be used if they can be shown to lead to the same results.

³ Under preparation. Respective stage at the time of publication: IEC/CCDV 62453-1:2022 and IEC/RFDIS 62453-2:2022.