

# PRE-RELEASE VERSION (FDIS)

---

## Railway applications – Direct current signalling monostable relays – Part 2: Spring type relays

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 45.060.01

**Warning! Make sure that you obtained this publication from an authorized distributor.**



This is a preview - click here to buy the full publication

9/2513/FDIS

FINAL DRAFT INTERNATIONAL STANDARD (FDIS)

PROJECT NUMBER: <b>IEC 62912-2 ED1</b>	
DATE OF CIRCULATION: <b>2019-05-24</b>	CLOSING DATE FOR VOTING: <b>2019-07-05</b>
SUPERSEDES DOCUMENTS: <b>9/2316/CDV, 9/2364A/RVC</b>	

IEC TC 9 : ELECTRICAL EQUIPMENT AND SYSTEMS FOR RAILWAYS	
SECRETARIAT: France	SECRETARY: Mr Denis MIGLIANICO
OF INTEREST TO THE FOLLOWING COMMITTEES:	HORIZONTAL STANDARD: <input type="checkbox"/>
FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY	
<input type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING	<input checked="" type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is a draft distributed for approval. It may not be referred to as an International Standard until published as such.

In addition to their evaluation as being acceptable for industrial, technological, commercial and user purposes, Final Draft International Standards may on occasion have to be considered in the light of their potential to become standards to which reference may be made in national regulations.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:

**Railway applications – Direct current signalling monostable relays – Part 2: Spring type relays**

PROPOSED STABILITY DATE: 2020

NOTE FROM TC/SC OFFICERS:

Copyright © 2019 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references .....	7
3 Terms and definitions .....	7
4 Essential requirements of the relays and their construction.....	11
4.1 Generic requirements.....	11
4.1.1 Generic requirements for spring type signalling relays .....	11
4.1.2 Forcibly guided contacts .....	11
4.1.3 Forcibly guided operation .....	11
4.1.4 Degradation during service .....	11
4.2 Specific requirements .....	11
4.2.1 Non-welding characteristics .....	11
4.2.2 Opening of make contacts .....	11
4.2.3 Mounting orientation .....	12
4.3 Mechanical construction.....	12
4.3.1 Connecting device .....	12
4.3.2 Materials and arrangement .....	12
4.3.3 Prevention of spring breakage .....	12
4.3.4 Prevention of screw loosening .....	12
4.4 Environmental conditions .....	13
4.4.1 General .....	13
4.4.2 Vibrations and shocks.....	13
4.5 Magnetic system.....	13
4.5.1 Anti-residual magnetism design .....	13
4.5.2 Function .....	13
4.6 Design of insulation .....	13
4.6.1 General .....	13
4.6.2 Overvoltage.....	14
4.6.3 Test voltage.....	14
4.6.4 Pollution .....	14
4.7 Contacts .....	14
4.7.1 Spacing (contact gap).....	14
4.7.2 Break contact .....	14
4.7.3 Contact heating .....	15
4.7.4 Service life .....	15
4.7.5 Minimum distance apart of the relay contact elements .....	15
4.7.6 Contact force.....	15
4.7.7 Opening force of contacts.....	15
4.7.8 Self-cleaning .....	16
4.7.9 Bounce .....	16
4.7.10 Contact resistance.....	16
5 Application conditions.....	16
6 Measurement and test methods .....	16
Annex A (normative) Modified Goodman diagram.....	18

A.1	Modified Goodman diagram .....	18
A.2	Calculation method for maximum stress of return spring .....	18
A.3	Stress calculation example of return spring .....	20
Annex B (informative)	Example of service life agreement (lifetime expectation) .....	22
Annex C (informative)	Method of measuring the opening force of contacts .....	23
Bibliography	.....	24
Figure A.1	– Modified Goodman diagram .....	18
Figure A.2	– Example of railway direct current signalling monostable relay .....	19
Figure A.3	– Stress calculation model of return spring .....	19
Figure A.4	– Plot for an example stress of return spring at Modified Goodman Diagram.....	21
Figure C.1	– Method of measuring the opening force of contacts .....	23
Table 1	– Contact resistance .....	16
Table 2	– List of measurement and test items .....	17
Table B.1	– Example of service life agreement (minimum number of movements).....	22

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**RAILWAY APPLICATIONS – DIRECT CURRENT  
SIGNALLING MONOSTABLE RELAYS –**

**Part 2: Spring type relays**

**FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62912-2 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
9/XX/FDIS	9/XX/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The existing IEC 62912 will be renumbered as IEC 62912-1 on the occasion of its next revision.

A list of all parts in the IEC 62912 series, published under the general title *Railway applications – Direct current signalling monostable relays*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

## INTRODUCTION

This document gives a set of generic and specific requirements for non-proved direct current signalling relays of the spring type.

This document introduces a set of recommendations and requirements for signalling relay characteristics, construction, magnetic system, contacts and insulation. Requirements are coordinated with current International Standards on all-or-nothing relays.

This document is in addition to IEC 62912:2015. IEC 62912-2 describes the non-proved spring type relay.

All signalling relays must fulfil the requirements of IEC 62425:2007 and their characteristics are given by IEC 62425:2007, Annex C.7.22 which lists two types of physical properties to provide return forces for stability. Of these properties IEC 62912-2 considers only relays with a spring return force alone.

Meeting all the requirements in IEC 62912-2 is sufficient to ensure that further compliance to IEC 62425:2007 need not be evaluated.

IEC 62912-2 has been developed as a standard independent from IEC 62912:2015. It uses the same structure as IEC 62912:2015. IEC 62912-2 does not refer to the IEC 61810 series because the relays defined in it are exclusively used in the signalling system, unlike the electromagnetic type elementary relays defined by IEC 61810.

# RAILWAY APPLICATIONS – DIRECT CURRENT SIGNALLING MONOSTABLE RELAYS –

## Part 2: Spring type relays

### 1 Scope

This document gives requirements for direct current relays intended for safety-related applications in railway signalling installations.

This document is applicable to non-proved signalling monostable relays of the spring type, whose return force is generated by elasticity of spring.

The return force can be provided either from a separate spring and/or from the contact springs themselves.

NOTE “Non-proved” means the feature of relays fulfilling all the safety conditions without the aid of other relays or without control of operations in the circuit.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 62425:2007, *Railway applications – Communication, signalling and processing systems – Safety related electronic systems for signalling*

IEC 62497-1, *Railway applications – Insulation coordination – Part 1: Basic requirements – Clearances and creepage distances for all electrical and electronic equipment*

IEC 62498-3:2010, *Railway applications – Environmental conditions for equipment – Part 3: Equipment for signalling and telecommunications*

IEC 62912:2015, *Railways applications – Direct current signalling monostable relays of type N and type C*