

PRE-RELEASE VERSION (FDIS)

Multi-channel radio-frequency connectors – Part 2: Sectional specification for MQ4 series circular connectors

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.120.30

Warning! Make sure that you obtained this publication from an authorized distributor.



FINAL DRAFT INTERNATIONAL STANDARD (FDIS)

PROJECT NUMBER: IEC 63138-2 ED1	
DATE OF CIRCULATION: 2020-10-02	CLOSING DATE FOR VOTING: 2020-11-13
SUPERSEDES DOCUMENTS: 46F/449/CDV, 46F/474/RVC	

IEC SC 46F : RF AND MICROWAVE PASSIVE COMPONENTS	
SECRETARIAT: United States of America	SECRETARY: Mr John Morelli
OF INTEREST TO THE FOLLOWING COMMITTEES:	HORIZONTAL STANDARD: <input type="checkbox"/>
FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Final Draft International Standard (FDIS) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is a draft distributed for approval. It may not be referred to as an International Standard until published as such.

In addition to their evaluation as being acceptable for industrial, technological, commercial and user purposes, Final Draft International Standards may on occasion have to be considered in the light of their potential to become standards to which reference may be made in national regulations.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

TITLE:
Multi-channel radio-frequency connectors - Part 2: Sectional specification for MQ4 series circular connectors

PROPOSED STABILITY DATE: 2022

NOTE FROM TC/SC OFFICERS:
Project leaded has reviewed CO editorial comments and made dispositions

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	6
4 Mating face and gauge information.....	6
4.1 Mating face dimensions.....	6
4.1.1 MQ4 socket connector.....	6
4.1.2 MQ4 plug connector.....	8
4.1.3 Mating face of RF channel.....	11
4.2 Gauges.....	12
4.2.1 Gauge for RF channel.....	12
4.2.2 Gauge rings for plug outer contact.....	13
4.2.3 Gauge for MQ4 socket connector	14
4.2.4 Gauge for MQ4 plug connector.....	15
5 Quality assessment procedure	16
5.1 General.....	16
5.2 Rating and characteristics	16
5.3 Quality assessment.....	18
5.3.1 General	18
5.3.2 Inspection procedure.....	18
5.3.3 Lot-by-lot inspection.....	19
5.3.4 Periodic inspections	20
6 Instructions for preparation of detail specifications	21
6.1 General.....	21
6.2 Identification of the component.....	22
6.3 Performance	22
6.4 Marking, ordering information and related matters.....	22
6.5 Selection of tests, test conditions and severities	22
6.6 Blank detail specification pro forma for MQ4 series circular connectors	23
7 Marking	27
7.1 Marking of components	27
7.2 Marking and contents of package	27
Figure 1 – MQ4 socket connector.....	7
Figure 2 – MQ4 quick-lock plug connector	9
Figure 3 – MQ4 threaded plug connector	10
Figure 4 – Mating face of RF channel.....	11
Figure 5 – Gauge for socket contact of RF channel.....	12
Figure 6 – Gauge for plug outer contact	13
Figure 7 – Gauge for MQ4 socket connector.....	14
Figure 8 – Gauge for MQ4 plug connector	15
Table 1 – Dimensions of MQ4 socket connector	8

Table 2 – Dimensions of MQ4 quick-lock plug connector.....	9
Table 3 – Dimensions of MQ4 threaded plug connector	10
Table 4 – Dimensions of RF channel	11
Table 5 – Dimensions of gauge for socket contact	12
Table 6 – Dimensions of gauge for outer contact	13
Table 7 – Dimensions of gauge for MQ4 socket connector	14
Table 8 – Dimensions of gauge for MQ4 plug connector	15
Table 9 – Rating and characteristics.....	16
Table 10 – Qualification inspection.....	18
Table 11 – Lot-by-lot inspection	20
Table 12 – Sampling plans for mechanical compatibility and return loss inspection.....	20
Table 13 – Periodic inspection	21

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MULTI-CHANNEL RADIO-FREQUENCY CONNECTORS –

Part 2: Sectional specification for MQ4 series circular connectors

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 63138-2 has been prepared by subcommittee 46F: RF and microwave passive components, of IEC technical committee 46F: Cables, wires, waveguides, RF connectors, RF and microwave passive components and accessories.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
46F/XX/FDIS	46F/XX/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 63138 series, published under the general title *Multi-channel radio-frequency connectors*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

MULTI-CHANNEL RADIO-FREQUENCY CONNECTORS –

Part 2: Sectional specification for MQ4 series circular connectors

1 Scope

This part of IEC 63138, which is a sectional specification (SS), provides information and rules for the preparation of detail specifications (DS) for MQ4 series circular connectors with four RF channels, as well as a detailed specification of the blank format.

An MQ4 series circular connector with 50 Ω nominal impedance has four RF channels which can be engaged and disengaged at the same time. There are two versions of plug connectors, one is a quick-lock version, and the other is a threaded version. The socket connector provides two coupling mechanisms, a quick-lock and a threaded coupling.

MQ4 series circular connectors can be used in mobile communication systems and in other communication equipment.

This document also specifies the mating face dimensions and gauging information of MQ4 series circular connectors, and tests selected from IEC 63138-1, applicable to all detail specifications relating to MQ4 series circular connectors.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 63138-1:2019, *Multi-channel radio frequency connectors – Part 1: Generic specification – General requirements and test methods*