

This is a preview - click here to buy the full publication



IEC 63356-2

Edition 2.0 2024-07

# PRE-RELEASE VERSION (FDIS)



---

## LED light source characteristics – Part 2: Design parameters and values

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 29.140.99

**Warning! Make sure that you obtained this publication from an authorized distributor.**



This is a preview - click here to buy the full publication

# 34A/2405/FDIS

## FINAL DRAFT INTERNATIONAL STANDARD (FDIS)

PROJECT NUMBER:

**IEC 63356-2 ED2**

DATE OF CIRCULATION:

**2024-06-28**

CLOSING DATE FOR VOTING:

**2024-08-09**

SUPERSEDES DOCUMENTS:

**34A/2377/CDV, 34A/2404/RVC**

IEC SC 34A : ELECTRIC LIGHT SOURCES	
SECRETARIAT: United Kingdom	SECRETARY: Mr Petar Luzajic
OF INTEREST TO THE FOLLOWING COMMITTEES: TC 34, SC 34B, SC 34C, SC 34D	HORIZONTAL STANDARD: <input type="checkbox"/>
FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING  <b>Attention IEC-CENELEC parallel voting</b>  The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Final Draft International Standard (FDIS) is submitted for parallel voting.  The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is a draft distributed for approval. It may not be referred to as an International Standard until published as such.

In addition to their evaluation as being acceptable for industrial, technological, commercial and user purposes, Final Draft International Standards may on occasion have to be considered in the light of their potential to become standards to which reference may be made in national regulations.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to consider for future work to include relevant "In Some Countries" clauses. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR NEW [GUIDANCE DOC](#)).

TITLE:

**LED light source characteristics - Part 2: Design parameters and values**

PROPOSED STABILITY DATE: 2027

NOTE FROM TC/SC OFFICERS:

Edition 2 is proposed for the transfer of information from IEC PAS 63324 Zhaga interface specification Book 1 and Book 10 and IEC PAS 63328 Zhaga interface specification Book 1 and Book 12 to IEC 63356-2.

**Copyright © 2024 International Electrotechnical Commission, IEC.** All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

## CONTENTS

FOREWORD .....	5
1 Scope .....	7
2 Normative references .....	7
3 Terms and definitions .....	7
4 Overview and common information .....	8
4.1 General.....	8
4.2 Numbering system .....	8
5 Rectangular LED modules with undefined light emitting surface.....	8
5.1 General.....	8
5.2 Mechanical references .....	8
5.3 LED module categories .....	9
5.3.1 General .....	9
5.3.2 L6W6 .....	9
5.3.3 L14W2 .....	10
5.3.4 L28W2 .....	11
5.3.5 L28W4 .....	12
5.3.6 L28W6 .....	13
5.3.7 L28W28 .....	14
5.3.8 L38W38 .....	16
5.3.9 L56W56 .....	19
5.3.10 L56W2 .....	21
5.3.11 L56W4 .....	21
5.3.12 L112W2 .....	22
5.3.13 L115W2 .....	25
5.3.14 L140W2 .....	27
5.3.15 L145W2 .....	29
5.3.16 L30W1 .....	31
5.3.17 L58W1 .....	32
5.3.18 L115W1 .....	33
5.3.19 L145W1 .....	34
6 Circular LED modules with a circular light emitting surface for spot lighting .....	35
6.1 General.....	35
6.2 Mechanical references .....	35
6.3 Mechanical interface of the LED module .....	37
6.3.1 LED module demarcation.....	37
6.3.2 Optics contact area.....	38
6.3.3 Requirements on screw holes .....	40
6.3.4 LED module electrical interconnect.....	40
6.3.5 Luminaire exclusion limits for electrical interconnects .....	40
6.3.6 Inner feature.....	41
6.3.7 Luminaire mechanical properties .....	41
7 LEDni modules with a rectangular shape and a circular light emitting surface .....	41
7.1 General.....	41
7.2 Mechanical references for an LEDni module .....	42
7.3 Mechanical interface of the LEDni module .....	43

7.4	LEDni module outlines .....	43
7.4.1	General .....	43
7.4.2	LEDni modules without mounting features .....	44
7.4.3	LEDni modules with mounting holes .....	45
7.4.4	LEDni modules with recessed corners .....	45
7.5	Electrical contact areas .....	46
7.5.1	Contact location .....	46
7.5.2	Minimum contact size .....	46
7.5.3	Contact overlap area .....	47
7.5.4	Maximum electrical contact area .....	47
7.6	PCB thickness .....	48
7.7	Inclusion limit zone .....	48
	Bibliography .....	50
	Figure 1 – Example of a luminaire with two LED modules .....	8
	Figure 2 – Positions of the reference point and the reference plane of the LED module .....	9
	Figure 3 – LED module demarcation of the L6W6 category .....	10
	Figure 4 – LED module demarcation of the L14W2 category .....	11
	Figure 5 – LED module demarcation of the L28W2 category .....	12
	Figure 6 – LED module demarcation of the L28W4 category .....	13
	Figure 7 – LED module demarcation of the L28W6 category .....	14
	Figure 8 – LED module demarcation of the L28W28 category .....	16
	Figure 9 – LED module demarcation of the L38W38 category .....	18
	Figure 10 – LED module demarcation of the L56W56 category .....	20
	Figure 11 – LED module demarcation of the L56W2 category .....	21
	Figure 12 – LED module demarcation of the L56W4 category .....	22
	Figure 13 – LED module demarcation of the L112W2 category .....	24
	Figure 14 – LED module demarcation of the L115W2 category .....	26
	Figure 15 – LED module demarcation of the L140W2 category .....	28
	Figure 16 – LED module demarcation of the L145W2 category .....	30
	Figure 17 – LED module demarcation of the L30W1 category .....	31
	Figure 18 – LED module demarcation of the L58W1 category .....	32
	Figure 19 – LED module demarcation of the L115W1 category .....	33
	Figure 20 – LED module demarcation of the L145W1 category .....	34
	Figure 21 – Positions of the reference point and reference plane of the LED module .....	36
	Figure 22 – Positions of the reference point, plane and axis for the LED module (example for D50 category) .....	36
	Figure 23 – Drawing of the demarcation of a D35 LED module .....	37
	Figure 24 – Drawing of the demarcation of the D50 LED module .....	38
	Figure 25 – Optics contact area of a D35 LED module .....	39
	Figure 26 – Dimensions of OCAs for a D50 category .....	39
	Figure 27 – Maximum inner feature outlines .....	41
	Figure 28 – Positions of the reference point and the reference plane of an LEDni module .....	42
	Figure 29 – Definition of the LEDni module border and mechanical references .....	43

Figure 30 – Demarcation model for the outline of an LEDni module without mounting features .....	44
Figure 31 – Demarcation model for the outline of an LEDni module having mounting holes.....	45
Figure 32 – Demarcation model for the outline of an LEDni module having recessed corners .....	46
Figure 33 – Location of the electrical contacts for LEDni modules .....	46
Figure 34 – Minimum size contact area for LEDni module electrical contacts .....	47
Figure 35 – Overlap area for the electrical contacts of LEDni modules .....	47
Figure 36 – Maximum electrical contact area for LEDni modules .....	48
Figure 37 – Inclusion limit zone for LEDni module components .....	48
Table 1 – LED module demarcation of the L6W6 category .....	9
Table 2 – LED module demarcation of the L14W2 category .....	11
Table 3 – LED module demarcation of the L28W2 category .....	12
Table 4 – LED module demarcation of the L28W4 category .....	13
Table 5 – LED module demarcation of the L28W6 category .....	14
Table 6 – LED module demarcation of the L28W28 category .....	15
Table 7 – LED module demarcation of the L38W38 category .....	17
Table 8 – LED module demarcation of the L56W56 category .....	19
Table 9 – LED module demarcation of the L56W2 category .....	21
Table 10 – LED module demarcation of the L56W4 category .....	22
Table 11 – LED module demarcation of the L112W2 category.....	23
Table 12 – LED module demarcation of the L115W2 category.....	25
Table 13 – LED module demarcation of the L140W2 category.....	27
Table 14 – LED module demarcation of the L145W2 category.....	29
Table 15 – LES category specifications for circular LED modules for spot lighting .....	35
Table 16 – Dimensions of D35 LED module demarcation .....	38
Table 17 – Maximum inner OCA diameter .....	39
Table 18 – Minimum and maximum OCA heights .....	40
Table 19 – Maximum height <i>b</i> of inner feature.....	41
Table 20 – Circular LES category specifications for LEDni modules .....	42
Table 21 – Values of dimensions for LEDni module categories .....	44
Table 22 – Inclusion limit zone values of dimension $\phi_{\text{keep-in}}$ by LEDni module and LES category .....	49

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

## LED LIGHT SOURCE CHARACTERISTICS –

### Part 2: Design parameters and values

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63356-2 has been prepared by subcommittee 34A: Electric light sources, of IEC technical committee 34: Lighting. It is an International Standard.

This second edition cancels and replaces the first edition published in 2022. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) a new Clause 6 for circular LED modules with a circular light emitting surface for spot lighting has been added;
- b) a new Clause 7 for LEDni modules with a rectangular shape and a circular light emitting surface has been added.

The text of this International Standard is based on the following documents:

Draft	Report on voting
34A/XX/FDIS	34A/XX/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

A list of all parts in the IEC 63356 series, published under the general title *LED light source characteristics*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

**IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## LED LIGHT SOURCE CHARACTERISTICS –

### Part 2: Design parameters and values

#### 1 Scope

This part of IEC 63356 specifies design parameters and design values of an LED light source or related interface characteristics.

NOTE 1 Interface characteristics can cover interfaces between the LED light source and the luminaire or the controlgear, or the LED light source and additional attachments.

NOTE 2 Interfaces can be related to for example electrical, mechanical, or optical aspects.

This document does not cover interchangeability between products from different LED light source manufacturers.

NOTE 3 Interchangeability is covered by IEC 63356-1.

Lamp caps and lampholders specified in the IEC 60061 series are not within the scope of this document.

Compliance criteria relating to parameters in this document are covered by:

- IEC 62031:—<sup>1</sup>, LED modules – Safety requirements, or;
- IEC 63554:—<sup>2</sup>, LED lamps – Safety requirements, or;
- IEC 63555:—<sup>3</sup>, LED light sources – Performance requirements.

#### 2 Normative references

There are no normative references in this document.

---

<sup>1</sup> Third edition under preparation. Stage at the time of publication IEC CCDV 62031:2024.

<sup>2</sup> First edition under preparation. Stage at the time of publication IEC CCDV 63554:2024.

<sup>3</sup> First edition under preparation. Stage at the time of publication IEC CCDV 63555:2024.