



PRE-RELEASE VERSION (FDIS)

Electrical relays – Tests and measurements – Part 48: Contact failure rate test

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.120.70

Warning! Make sure that you obtained this publication from an authorized distributor.



FINAL DRAFT INTERNATIONAL STANDARD (FDIS)

PROJECT NUMBER:

IEC 63522-48 ED1

DATE OF CIRCULATION:

2024-06-21

CLOSING DATE FOR VOTING:

2024-08-02

SUPERSEDES DOCUMENTS:

94/945/CDV, 94/986/RVC

IEC TC 94 : ELECTRICAL RELAYS	
SECRETARIAT: Austria	SECRETARY: Mr Bernhard Spalt
OF INTEREST TO THE FOLLOWING COMMITTEES:	HORIZONTAL STANDARD: <input type="checkbox"/>
FUNCTIONS CONCERNED: <input type="checkbox"/> EMC <input type="checkbox"/> ENVIRONMENT <input type="checkbox"/> QUALITY ASSURANCE <input type="checkbox"/> SAFETY	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Final Draft International Standard (FDIS) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is a draft distributed for approval. It may not be referred to as an International Standard until published as such.

In addition to their evaluation as being acceptable for industrial, technological, commercial and user purposes, Final Draft International Standards may on occasion have to be considered in the light of their potential to become standards to which reference may be made in national regulations.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to consider for future work to include relevant "In Some Countries" clauses. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR NEW [GUIDANCE DOC](#)).

TITLE:

Electrical relays - Tests and measurements - Part 48: Contact failure rate test

PROPOSED STABILITY DATE: 2025

NOTE FROM TC/SC OFFICERS:

Copyright © 2024 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

CONTENTS

FOREWORD	4
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
3.1 Terms and definitions related to failure rate	7
3.2 Terms and definitions related to conditions and operations	8
3.3 Terms and definitions related to contact faults	8
4 Test procedure	8
4.1 Purpose	8
4.2 Procedure	8
4.2.1 General	8
4.2.2 Test circuit.....	9
4.2.3 Contact load	9
4.2.4 Test cycle	10
4.2.5 Method 1: Continuous monitoring	10
4.2.6 Method 2: Intermediate monitoring.....	11
4.3 Conditions to be specified	11
5 Evaluation	12
5.1 Acceptance criterion	12
5.2 Final tests (if applicable).....	12
5.3 Visual inspection (if applicable).....	12
5.4 Test report	12
Annex A (informative) Test procedures for electromechanical elementary relays	14
Annex B (normative) Test procedures for particular reed switch (reed contact) types and similar products.....	16
Annex C (normative) Test circuits for contact failure rate test	18
C.1 Test circuit with monitoring equipment using relays.....	18
C.2 Test circuit with monitoring equipment using a monitoring device with capability of storing measurement results	19
C.3 ON check and OFF check timing portion	19
Annex D (normative) Assessment of test results	20
D.1 General.....	20
D.2 Calculation of upper limit value of failure rate.....	20
D.3 Calculation of total number of operations	21
D.4 Failure rate level	22
Annex E (informative) Practical example	24
E.1 Purpose	24
E.2 Basic assumptions	24
E.3 Example.....	24
Bibliography.....	26
Figure C.1 – Test circuit with monitoring equipment using relays	18
Figure C.2 – Test circuit with monitoring equipment using a monitoring device with capability of storing measurement results	19
Figure C.3 – ON check and OFF check timing portion	19

Figure D.1 – Example of test results in the case of fixed number testing plan	22
Table 1 – Contact load characteristics	9
Table 2 – Recommended test current.....	9
Table 3 – Recommended test voltage	10
Table 4 – Recommended number of testing cycles	10
Table 5 – Recommended value of contact-circuit resistance	11
Table A.1 – Test procedures for electromechanical elementary relays	15
Table B.1 – Test procedures for particular reed switch (reed contact) types and similar products.....	17
Table D.1 – Factor for calculating failure rate.....	21
Table D.2 – Failure rate level.....	22
Table D.3 – Acceptable number and total testing cycles (number of testing cycles)	23
Table E.1 – Example with number of cycles at which ON failures have been recorded	24

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICAL RELAYS – TESTS AND MEASUREMENTS –

Part 48: Contact failure rate test

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63522-48 has been prepared by IEC technical committee 94: Electrical relays. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
94/xxx/FDIS	94/xxx/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of IEC 63522 series, published under the general title *Electrical relays*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

ELECTRICAL RELAYS – TESTS AND MEASUREMENTS –

Part 48: Contact failure rate test

1 Scope

This part of IEC 63522 is used for testing electromechanical elementary relays (electromechanical relays, reed relays, reed contacts, reed switches and technology combinations of these) and evaluates their ability to perform under expected conditions of transportation, storage and all aspects of operational use.

This document defines a standard test method for contact failure rate test of electromechanical elementary relays applied to low-load applications (e.g., CC 0, CC 1) and failure rates and failure rate levels at low loads under specified conditions.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60605-4:2001, *Equipment reliability testing – Part 4: Statistical procedures for exponential distribution – Point estimates, confidence intervals, prediction intervals and tolerance intervals*

IEC 61810-1, *Electromechanical elementary relays – Part 1: General and safety requirements*

IEC 61810-2, *Electromechanical elementary relays – Part 2: Reliability*

IEC 61810-4, *Electromechanical elementary relays – Part 4: General and safety requirements for reed relays*

IEC 62246-1, *Reed switches – Part 1: Generic specification*

IEC 62246-1-1:2018, *Reed switches – Part 1-1: Generic specification – Blank detail specification*

IEC 62246-4:2023, *Reed switches – Part 4: Application in conjunction with magnetic actuator used for magnetic sensing devices*

IEC 63522-0:^{–1}, *Electrical relays – Tests and measurements – Part 0: General and guidance*

IEC 63522-6, *Electrical relays – Tests and measurements – Part 6: Contact-circuit resistance (or voltage drop)*

IEC 63522-7, *Electrical relays – Tests and measurements – Part 7: Functional tests*

¹ Under preparation. Stage at the time of publication: IEC CDV 63522-0:2024.

IEC 63522-45:⁻², *Electrical relays – Tests and measurements – Part 45: Maximum frequency of operation*

² Under preparation. Stage at the time of publication: IEC FDIS 63522-45:2024.