

This is a preview - click here to buy the full publication



IEEE

IEC/IEEE 61850-9-3

Edition 1.0 2016-05

INTERNATIONAL STANDARD

**Communication networks and systems for power utility automation –
Part 9-3: Precision time protocol profile for power utility automation**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.200

ISBN 978-2-8322-3354-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms, definitions, abbreviations, acronyms, and conventions	6
3.1 Terms and definitions	6
3.2 Abbreviations and acronyms.....	8
4 Identification.....	8
5 Clock types	8
6 Protocol specifications	9
7 Requirements	9
7.1 Measurement conditions.....	9
7.2 Network time inaccuracy	9
7.3 Network elements	10
7.4 Requirements for grandmasters.....	10
7.4.1 Grandmaster time inaccuracy	10
7.4.2 Grandmaster holdover.....	10
7.4.3 Grandmaster clockQuality in start-up, holdover and recovery	10
7.4.4 Grandmaster traceable flags	10
7.5 Requirements for TCs	10
7.6 Requirements for BCs	11
7.6.1 BC time inaccuracy	11
7.6.2 BC as free-running grandmaster.....	11
7.6.3 BC as master in holdover	11
7.7 Requirements for media converters	11
7.8 Requirements for links.....	11
7.9 Network engineering	12
8 Default settings	13
9 Redundant clock handling	13
10 Protocol Implementation Conformance Statement (PICS)	13
10.1 Conventions.....	13
10.2 PICS.....	14
Table 1 – PTP attributes for the power utility automation profile	13
Table 2 – PICS for clocks.....	14

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 9-3: Precision time protocol profile for power utility automation

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation.

IEEE Standards documents are developed within IEEE Societies and Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of IEEE and serve without compensation. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards. Use of IEEE Standards documents is wholly voluntary. *IEEE documents are made available for use subject to important notices and legal disclaimers (see <http://standards.ieee.org/IPR/disclaimers.html> for more information).*

IEC collaborates closely with IEEE in accordance with conditions determined by agreement between the two organizations. This Dual Logo International Standard was jointly developed by the IEC and IEEE under the terms of that agreement.

- 2) The formal decisions of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees. The formal decisions of IEEE on technical matters, once consensus within IEEE Societies and Standards Coordinating Committees has been reached, is determined by a balanced ballot of materially interested parties who indicate interest in reviewing the proposed standard. Final approval of the IEEE standards document is given by the IEEE Standards Association (IEEE-SA) Standards Board.
- 3) IEC/IEEE Publications have the form of recommendations for international use and are accepted by IEC National Committees/IEEE Societies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC/IEEE Publications is accurate, IEC or IEEE cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications (including IEC/IEEE Publications) transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC/IEEE Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC and IEEE do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC and IEEE are not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or IEEE or their directors, employees, servants or agents including individual experts and members of technical committees and IEC National Committees, or volunteers of IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board, for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC/IEEE Publication or any other IEC or IEEE Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that implementation of this IEC/IEEE Publication may require use of material covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. IEC or IEEE shall not be held responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patent Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

International Standard IEC IEEE 61850-9-3 has been prepared by IEC Technical Committee 57, Power systems management and associated information exchange, in cooperation with

IEC subcommittee 65C, Industrial networks, and with IEEE Power Systems Relaying Committee Working Group H24/Substation Committee Working Group C7, of the Power & Energy Society¹ of the IEEE, under the IEC/IEEE Dual Logo Agreement.

This standard cancels and replaces IEC/PAS 61850-9-3 published in 2015.

The text of this standard is based on the following IEC documents:

FDIS	Report on voting
57/1679/FDIS	57/1713/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

International standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61850 series, published under the general title *Communication networks and systems for power utility automation*, can be found on the IEC website.

The IEC Technical Committee and IEEE Technical Committee have decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

¹ A list of IEEE participants can be found at the following URL: http://standards.ieee.org/downloads/61850-9-3/61850-9-3-2016/61850-9-3-2016_wg-participants.pdf

INTRODUCTION

General

This part of IEC 61850 specifies a precision time protocol (PTP) profile of IEC 61588:2009 | IEEE Std 1588-2008 applicable to power utility automation, which allows compliance with the highest synchronization classes of IEC 61850-5 and IEC 61869-9.

This part of IEC 61850 applies Layer 2 communication according to IEC 61588:2009 | IEEE Std 1588-2008, Annex F, and uses peer-to-peer delay measurement according to the default profile of IEC 61588:2009 | IEEE Std 1588-2008, Annex J.4, with restricted range of values.

When clocks are singly attached, this profile is a subset of IEC 61588:2009 | IEEE Std 1588-2008 with above restrictions.

When clocks are doubly attached, this profile extends the BMCA of IEC 61588:2009 | IEEE Std 1588-2008 as IEC 62439-3:2016, Annex A, specifies.

NOTE IEC 62439-3:2016, Annex B is identical to this part of IEC 61850, except that doubly attached clocks are mandatory, while this part of IEC 61850 leaves them optional.

COMMUNICATION NETWORKS AND SYSTEMS FOR POWER UTILITY AUTOMATION –

Part 9-3: Precision time protocol profile for power utility automation

1 Scope

This part of IEC 61850 specifies a precision time protocol (PTP) profile of IEC 61588:2009¹ ; IEEE Std 1588-2008 applicable to power utility automation, which allows compliance with the highest synchronization classes of IEC 61850-5 and IEC 61869-9.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61588:2009, *Precision clock synchronization protocol for networked measurement and control systems*¹ ; IEEE Std 1588-2008, *IEEE Standard for a Precision Clock Synchronization Protocol for Networked Measurement and Control Systems*²

IEC TR 61850-90-4:2013, *Communication networks and systems for power utility automation – Part 90-4: Network engineering guidelines*

IEC 62439-3:2016, *Industrial communication networks – High availability automation networks – Part 3: Parallel Redundancy Protocol (PRP) and High availability Seamless Redundancy (HSR)*

ISO/IEC 9646-7, *Open systems interconnection – Conformance testing methodology and framework – Part 7: Implementation conformance statements*

² IEEE Std 1588-2008 was adopted as IEC 61588:2009.