

TECHNICAL REPORT

IEC TR 61000-1-5

First edition
2004-11

Electromagnetic compatibility (EMC) –

Part 1-5:

General –

High power electromagnetic (HPEM) effects on civil systems

© IEC 2004 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembe, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

X

For price, see current catalogue

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 General introduction	12
4.1 Past experience with HPEM effects on systems.....	13
4.2 General EM protection techniques as applied to civil systems	14
5 Classification of HPEM environments	15
5.1 Radiated and conducted HPEM environments	17
5.2 Narrowband (CW) waveform.....	17
5.3 Ultrawideband/short pulse transient environment.....	19
5.4 Repetitive excitations	20
6 HPEM effects on systems.....	21
6.1 Topological representation of the system	21
6.2 Examples of HPEM effects on electronic systems and components	24
6.3 Component/subsystem burnout and permanent damage.....	26
6.4 Logic upset or service interruption.....	34
7 HPEM protection concepts	34
7.1 Strategy for selecting immunity levels.....	34
7.2 Overview of HPEM protection techniques	35
7.3 Realisation of HPEM protection	35
Bibliography.....	41
Figure 1 – Illustration of the spectral content of HPM and UWB signals, together with other EM signals	16
Figure 2 – Plot of a normalised Gaussian modulated sine wave, serving as a simple representation of a narrowband HPEM waveform.....	18
Figure 3 – Illustration of a wideband transient HPEM waveform together with its spectral magnitude	19
Figure 4 – Illustration of a repetitive waveform of pulses similar to that of Figure 2	20
Figure 5 – Simplified illustration of a hypothetical facility excited by an external electromagnetic field.....	22
Figure 6 – The topological diagram for the simple system shown in Figure 5	23
Figure 7 – General interaction sequence diagram for the facility of Figure 5	23
Figure 8 – Example of measured susceptibility thresholds in a DM74LS00N [TTL] quad 2-input NAND gate as a function of frequency, illustrating increased susceptibility thresholds at higher frequencies	27
Figure 9 – Example of damage caused by the telecom pulse generator due to a single shot of 4,5 kV	29
Figure 10 – Description of conducted disturbance injection experiment.....	32
Figure 11 – Illustration of the deliberate and inadvertent penetrations into the hypothetical system of Figure 5	36

Figure 12 – Example of a hypothetical deliberate coupling path into a system.....	37
Figure 13 – Insertion of a protective device in the deliberate coupling path to provide EM protection against out-of-band disturbances.....	38
Figure 14 – Illustration of typical HPEM inadvertent penetration protection methods.....	39
Table 1 – Description of PCs tested, the environment and effects (after LoVetri)	24
Table 2 – HPEM effects on an automobile as a function of range and source power (Based on measured data from Bäckström).....	25
Table 3 – Summary of results of testing power and data ports with the telecom and CWG pulse generators.....	28
Table 4 – Results of injecting EFT pulses on an AppleTalk cable with the number of upsets/number of test sequences indicated	30
Table 5 – Results of injecting EFT pulses on a 10Base-T cable with the number of upsets/number of test sequences indicated.....	30
Table 6 – Results of injecting EFT pulses on a 10Base-2 cable with the number of upsets/number of test sequences indicated.....	31

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 1-5: General – High power electromagnetic (HPEM) effects on civil systems

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 61000-1-5, which is a technical report, has been prepared by subcommittee 77C: High power transient phenomena, of IEC technical committee 77: Electromagnetic compatibility. This document has the status of a Basic EMC Publication in accordance with IEC Guide 107, *Electromagnetic compatibility – Guide to the drafting of electromagnetic compatibility publications*.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
77C/146/DTR	77C/152/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

IEC 61000 is published in separate parts according to the following structure:

Part 1: General

General considerations (introduction, fundamental principles)
Definitions, terminology

Part 2: Environment

Description of the environment
Classification of the environment
Compatibility levels

Part 3: Limits

Emission limits
Immunity limits (in so far as they do not fall under the responsibility of the product committees)

Part 4: Testing and measurement techniques

Measurement techniques
Testing techniques

Part 5: Installation and mitigation guidelines

Installation guidelines
Mitigation methods and devices

Part 6: Generic standards

Part 9: Miscellaneous

Each part is further subdivided into several parts and published either as International Standards or as technical specifications or technical reports, some of which have already been published as sections. Others will be published with the part number followed by a dash and a second number identifying the subdivision (example: 61000-6-1).

ELECTROMAGNETIC COMPATIBILITY (EMC) –

Part 1-5: General –

High power electromagnetic (HPEM) effects on civil systems

1 Scope

This part of IEC 61000 is a technical report that provides background material describing the motivation for developing IEC standards on the effects of high power electromagnetic (HPEM) fields, currents and voltages on civil systems. In the light of newly emerging transient antenna technology and the increasing use of digital electronics, the possibility of equipment being upset or damaged by these environments is of concern. This document begins with a general introduction to this subject and a listing of the pertinent definitions used. Following these clauses, the HPEM environments that are of concern are described and a discussion of the various effects that these environments can induce in civil systems is presented. Finally, techniques used to protect systems against these environments are summarised. More detailed information will be provided in separate documents in this 61000 series.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies. Members of IEC and ISO maintain registers of currently valid International Standards.

IEC 60050-161, *International Electrotechnical Vocabulary (IEV) – Chapter 161: Electromagnetic compatibility*

IEC 61000-2-13, *Electromagnetic compatibility (EMC) – Part 2-13: Environment – High-power electromagnetic (HPEM) environments – Radiated and conducted*¹

IEC 61000-4-4, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-5, *Electromagnetic compatibility (EMC) – Part 4: Testing and measurement techniques – Section 5: Surge immunity test*²
Amendment 1 (2000)

IEC 61000-5-3, *Electromagnetic compatibility (EMC) – Part 5-3: Installation and mitigation guidelines – HEMP protection concepts*

IEC 61000-5-6, *Electromagnetic compatibility (EMC) – Part 5-6: Installation and mitigation guidelines – Mitigation of external EM influences*

¹ To be published.

² A consolidated edition 1.1 exists comprising IEC 61000-4-5:1995 and its Amendment 1 (2000).