

REDLINE VERSION



**Electrical interface specifications for self ballasted lamps and controlgear
in phase-cut dimmed lighting systems**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.140.99

ISBN 978-2-8322-7182-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	2
1 Scope.....	7
2 Normative references	7
3 Terms, definitions, abbreviated terms and symbols.....	7
3.1 Terms and definitions.....	7
3.2 Abbreviated terms and symbols	9
4 General description	11
5 General requirements	11
5.1 Voltage rating	11
5.2 Frequency rating.....	12
5.3 Marking of controlgear	12
6 Description of the lighting system and its components	12
6.1 Wiring method.....	12
6.2 Wiring diagram.....	12
7 Electrical Specifications.....	13
7.1 General.....	13
7.2 Electrical characteristics during the on-state of a phase-cut dimming lighting system	13
7.2.1 General	13
7.2.2 Electrical characteristics for leading edge dimming method	14
7.2.3 Electrical characteristics for trailing edge dimming method	18
7.3 Electrical characteristics during the off-state of a phase-cut dimming lighting system	23
7.4 Audible noise	24
7.5 Ghosting	24
7.6 Flicker of light output	25
7.7 Dimming range.....	25
7.8 Maximum number of cycles.....	26
8 Test procedures	26
8.1 General.....	26
8.2 Parameters	26
8.3 Tests for leading edge dimmable devices.....	26
8.3.1 General	26
8.3.2 Test related to the non-conducting phase	27
8.3.3 Test related to the conducting phase and to the transition from the non-conducting to the conducting phase.....	27
8.4 Tests for trailing edge dimmable devices	28
8.4.1 General	28
8.4.2 Test related to the conducting phase	28
8.4.3 Test related to the transition from the conducting phase to the non-conducting phase	28
8.4.4 Test related to the non-conducting phase	29
8.5 Tests for characteristics during electronic off-state	29
8.6 Testing audible noise	29
8.6.1 General	29

8.6.2	Test setup	30
8.6.3	Test procedures.....	31
8.7	Testing ghosting	32
8.8	Measurement method for determining flicker.....	32
8.9	Measurement method for determining dimming range	32
Annex A (informative)	Voltage shapes to be used for tests in IEC TR 63037	34
A.1	General.....	34
A.2	Waveform description	34
Annex B (informative)	Equivalent phase-cut dimmer circuit	35
Bibliography	36
Figure 1	– Example of wiring diagram	13
Figure 2	– Timing leading edge dimming method	14
Figure 3	– Timing trailing edge dimming method	19
Figure 4	– Test setup for testing the conducting phase	27
Figure 5	– Test setup for the transition from conducting to the non-conducting phase.....	28
Figure 6	– Test setup for the non-conducting phase.....	29
Figure 7	– Test enclosure	30
Figure 8	– Geometry of microphone placement in relation to the DUT	31
Figure 9	– Test setup for determination of RMLO	33
Figure A.1	– Waveform of AC voltage source	34
Figure A.2	– Waveform of AC voltage source.....	34
Figure B.1	– Scheme Schematic diagram of EC_D circuit	35
Table 1	– Nominal mains voltage 100 V; frequency 50 Hz or 60 Hz.....	15
Table 2	– Nominal mains voltage 120 V; frequency 50 Hz or 60 Hz.....	15
Table 3	– Nominal mains voltage 200 V; frequency 50 Hz or 60 Hz.....	15
Table 4	– Nominal mains voltage 230 V; frequency 50 Hz or 60 Hz.....	16
Table 5	– Nominal mains voltage 277 V; frequency 50 Hz or 60 Hz.....	16
Table 6	– Slew rate for voltage decrease across the phase-cut dimmer	17
Table 7	– Nominal mains voltage 100 V; frequency 50 Hz or 60 Hz.....	17
Table 8	– Nominal mains voltage 120 V; frequency 50 Hz or 60 Hz.....	17
Table 9	– Nominal mains voltage 200 V; frequency 50 Hz or 60 Hz.....	18
Table 10	– Nominal mains voltage 230 V; frequency 50 Hz or 60 Hz.....	18
Table 11	– Nominal mains voltage 277 V; frequency 50 Hz or 60 Hz.....	18
Table 12	– Nominal mains voltage from 100 V to 277 V; frequency 50 Hz or 60 Hz.....	20
Table 13	– Nominal mains voltage 100 V; frequency 50 Hz or 60 Hz.....	21
Table 14	– Nominal mains voltage 120 V; frequency 50 Hz or 60 Hz.....	21
Table 15	– Nominal mains voltage 200 V; frequency 50 Hz or 60 Hz.....	22
Table 16	– Nominal mains voltage 230 V; frequency 50 Hz or 60 Hz.....	22
Table 17	– Nominal mains voltage 277 V; frequency 50 Hz or 60 Hz.....	23
Table 18	– Currents and voltages for controlgear during the electronic off-state	24
Table 19	– Light output when connected to a dimmer.....	25
Table 20	– Parameters for testing purposes.....	26

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICAL INTERFACE SPECIFICATIONS FOR SELF BALLASTED LAMPS AND CONTROLGEAR IN PHASE-CUT DIMMED LIGHTING SYSTEMS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Redline version is not an official Standard and is intended to provide the user with an indication of what changes have been made to the previous version. Only the IEC International Standard provided in this package is to be considered the official Standard.

This Redline version provides you with a quick and easy way to compare all the changes between this standard and its previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a Technical Report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 63037, which is a Technical Report, has been prepared by IEC technical committee 34: Lamps and related equipment.

This second edition cancels and replaces the first edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) emission of audible noise;
- b) ghosting caused by issues that are not related to the power supply of the dimmer or synchronization;
- c) stability of phase angle waveform (for the dimmer), including symmetry and stability tests;
- d) flicker of light loads;
- e) repetitive ring up voltage;
- f) dimming range; and
- g) number of switching cycles have been added.

The text of this Technical Report is based on the following documents:

Draft TR	Report on voting
34/517/DTR	34/583A/RVDTR

Full information on the voting for the approval of this Technical Report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The “colour inside” logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.

INTRODUCTION

This document describes the technical requirements for self-ballasted lamps and controlgear to work with phase-cut dimmers. For a complete picture of the technical requirements the user should also refer to IEC TR 63036 (see also IEC 60669-2-1:—,¹ Annex EE), the companion document that contains technical requirements and testing methods for phase-cut dimmers.

¹ Under preparation. Stage at the time of publication IEC AFDIS 60669-2-1:2019.

ELECTRICAL INTERFACE SPECIFICATIONS FOR SELF BALLASTED LAMPS AND CONTROLGEAR IN PHASE-CUT DIMMED LIGHTING SYSTEMS

1 Scope

~~This document specifies the electrical interface between phase-cut dimming equipment and lighting equipment, such as LED integrated lamps and light sources with external controlgear, with the intention of helping designers of both types of equipment to develop products that will work together properly.~~

~~This document describes both the dimming phase and the off phase. In addition to the specification of the interface, test procedures are given for testing the proper operation.~~

~~It may be expected that controlgear fulfilling the requirements of this document are also suited to be used with electronic switches that use a circuitry comparable with that of a phase-cut dimmer, but do not contain means for the adjustability of the phase-cut angle.~~

This document provides guidance to controlgear/integrated lamp designers for the development of products suitable to operate with future phase-cut dimmers. It describes the possible voltage signals and the expected response of the controlgear/integrated lamps.

This document describes the expected response of controlgear during all operation states of a phase-cut lighting system and provides a complete understanding of the requirements for phase-cut dimmers. The response of a phase-cut dimmer is described in IEC 60669-2-1:—, Annex EE.

This document specifies the system performance aspects and test procedures for the control by mains voltage phase-cut dimming of the brightness of mains operated electronic lighting equipment intended to be controlled by mains voltage phase-cut dimmers, such as LED integrated lamps and light sources with external controlgear.

Safety requirements are not covered by this document, but by respective product standards.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-845, *International Electrotechnical Vocabulary – Part 845: Lighting* (available at <http://www.electropedia.org>)

IEC 62504, *General lighting – Light emitting diode (LED) products and related equipment – Terms and definitions*

TECHNICAL REPORT

**Electrical interface specifications for self ballasted lamps and controlgear
in phase-cut dimmed lighting systems**



CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms, definitions, abbreviated terms and symbols.....	7
3.1 Terms and definitions.....	7
3.2 Abbreviated terms and symbols	9
4 General description	11
5 General requirements	11
5.1 Voltage rating	11
5.2 Frequency rating.....	11
5.3 Marking of controlgear	11
6 Description of the lighting system and its components	12
6.1 Wiring method.....	12
6.2 Wiring diagram.....	12
7 Specifications	12
7.1 General.....	12
7.2 Electrical characteristics during the on-state of a lighting system	13
7.2.1 General	13
7.2.2 Electrical characteristics for leading edge dimming method	13
7.2.3 Electrical characteristics for trailing edge dimming method	18
7.3 Electrical characteristics during the off-state of a lighting system	23
7.4 Audible noise	24
7.5 Ghosting	24
7.6 Flicker of light output	25
7.7 Dimming range.....	25
7.8 Maximum number of cycles.....	25
8 Test procedures	26
8.1 General.....	26
8.2 Parameters	26
8.3 Tests for leading edge dimmable devices.....	26
8.3.1 General	26
8.3.2 Test related to the non-conducting phase	26
8.3.3 Test related to the conducting phase and to the transition from the non-conducting to the conducting phase	27
8.4 Tests for trailing edge dimmable devices	27
8.4.1 General	27
8.4.2 Test related to the conducting phase	27
8.4.3 Test related to the transition from the conducting phase to the non-conducting phase	28
8.4.4 Test related to the non-conducting phase	28
8.5 Tests for characteristics during electronic off-state	28
8.6 Testing audible noise	29
8.6.1 General	29
8.6.2 Test setup	29
8.6.3 Test procedures.....	31

8.7	Testing ghosting	31
8.8	Measurement method for determining flicker	31
8.9	Measurement method for determining dimming range	32
Annex A (informative) Voltage shapes to be used for tests		34
A.1	General.....	34
A.2	Waveform description	34
Annex B (informative) Equivalent phase-cut dimmer circuit		35
Bibliography.....		36
Figure 1	– Example of wiring diagram	12
Figure 2	– Timing leading edge dimming method	14
Figure 3	– Timing trailing edge dimming method	19
Figure 4	– Test setup for testing the conducting phase	27
Figure 5	– Test setup for the transition from conducting to the non-conducting phase.....	28
Figure 6	– Test setup for the non-conducting phase.....	29
Figure 7	– Test enclosure	30
Figure 8	– Geometry of microphone placement in relation to the DUT	30
Figure 9	– Test setup for determination of RMLO	32
Figure A.1	– Waveform of AC voltage	34
Figure A.2	– Waveform of AC voltage source.....	34
Figure B.1	– Schematic diagram of EC_D circuit.....	35
Table 1	– Nominal mains voltage 100 V; frequency 50 Hz or 60 Hz.....	15
Table 2	– Nominal mains voltage 120 V; frequency 50 Hz or 60 Hz.....	15
Table 3	– Nominal mains voltage 200 V; frequency 50 Hz or 60 Hz.....	15
Table 4	– Nominal mains voltage 230 V; frequency 50 Hz or 60 Hz.....	15
Table 5	– Nominal mains voltage 277 V; frequency 50 Hz or 60 Hz.....	16
Table 6	– Slew rate for voltage decrease across the phase-cut dimmer	16
Table 7	– Nominal mains voltage 100 V; frequency 50 Hz or 60 Hz.....	17
Table 8	– Nominal mains voltage 120 V; frequency 50 Hz or 60 Hz.....	17
Table 9	– Nominal mains voltage 200 V; frequency 50 Hz or 60 Hz.....	17
Table 10	– Nominal mains voltage 230 V; frequency 50 Hz or 60 Hz.....	18
Table 11	– Nominal mains voltage 277 V; frequency 50 Hz or 60 Hz.....	18
Table 12	– Nominal mains voltage from 100 V to 277 V; frequency 50 Hz or 60 Hz.....	20
Table 13	– Nominal mains voltage 100 V; frequency 50 Hz or 60 Hz.....	21
Table 14	– Nominal mains voltage 120 V; frequency 50 Hz or 60 Hz.....	21
Table 15	– Nominal mains voltage 200 V; frequency 50 Hz or 60 Hz.....	22
Table 16	– Nominal mains voltage 230 V; frequency 50 Hz or 60 Hz.....	22
Table 17	– Nominal mains voltage 277 V; frequency 50 Hz or 60 Hz.....	23
Table 18	– Currents and voltages for controlgear during the electronic off-state	24
Table 19	– Light output when connected to a dimmer.....	25
Table 20	– Parameters for testing purposes.....	26

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICAL INTERFACE SPECIFICATIONS FOR SELF BALLASTED LAMPS AND CONTROLGEAR IN PHASE-CUT DIMMED LIGHTING SYSTEMS

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a Technical Report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 63037, which is a Technical Report, has been prepared by IEC technical committee 34: Lamps and related equipment.

This second edition cancels and replaces the first edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) emission of audible noise;
- b) ghosting caused by issues that are not related to the power supply of the dimmer or synchronization;

- c) stability of phase angle waveform (for the dimmer), including symmetry and stability tests;
- d) flicker of light loads;
- e) repetitive ring up voltage;
- f) dimming range; and
- g) number of switching cycles have been added.

The text of this Technical Report is based on the following documents:

Draft TR	Report on voting
34/517/DTR	34/583A/RVDTR

Full information on the voting for the approval of this Technical Report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

This document describes the technical requirements for self-ballasted lamps and controlgear to work with phase-cut dimmers. For a complete picture of the technical requirements the user should also refer to IEC TR 63036 (see also IEC 60669-2-1:—,¹ Annex EE), the companion document that contains technical requirements and testing methods for phase-cut dimmers.

¹ Under preparation. Stage at the time of publication IEC AFDIS 60669-2-1:2019.

ELECTRICAL INTERFACE SPECIFICATIONS FOR SELF BALLASTED LAMPS AND CONTROLGEAR IN PHASE-CUT DIMMED LIGHTING SYSTEMS

1 Scope

This document provides guidance to controlgear/integrated lamp designers for the development of products suitable to operate with future phase-cut dimmers. It describes the possible voltage signals and the expected response of the controlgear/integrated lamps.

This document describes the expected response of controlgear during all operation states of a phase-cut lighting system and provides a complete understanding of the requirements for phase-cut dimmers. The response of a phase-cut dimmer is described in IEC 60669-2-1:—, Annex EE.

This document specifies the system performance aspects and test procedures for the control by mains voltage phase-cut dimming of the brightness of mains operated electronic lighting equipment intended to be controlled by mains voltage phase-cut dimmers, such as LED integrated lamps and light sources with external controlgear.

Safety requirements are not covered by this document, but by respective product standards.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-845, *International Electrotechnical Vocabulary – Part 845: Lighting* (available at <http://www.electropedia.org>)

IEC 62504, *General lighting – Light emitting diode (LED) products and related equipment – Terms and definitions*