

This is a preview - click here to buy the full publication



IEC TS 60825-19

Edition 1.0 2024-03

TECHNICAL SPECIFICATION



**Safety of laser products –
Part 19: Moving platform laser products**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.260

ISBN 978-2-8322-8346-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms, definitions, symbols and abbreviated terms.....	6
4 Classification principles	8
5 Determination of the accessible emission level and product classification.....	8
5.1 General.....	8
5.2 Evaluation of moving platform laser products	8
6 Engineering specifications	10
7 Labelling and user information	10
Annex A (informative) Flowcharts and examples for the classification of moving platform laser products	11
Bibliography.....	15
Figure 1 – Example in side view and top view of a swept volume, filled in blue, where human access can be excluded (VCPHA is represented by dashed red line) for a moving platform laser product moving at velocity \bar{v}	9
Figure A.1 – Schematic flow chart of the classification of moving platform laser products.....	11
Figure A.2 – Calculation of the VCPHA for a moving platform laser product according to 5.2 for a specific averaged velocity \bar{v} over the time period t_{move}	12
Figure A.3 – Example of a moving platform laser product emitting in direction of movement with a reference point at the emitting chip or the vertex of the fan angle according to IEC 60825-1:2014, Table 11 and emitting visible or near infrared radiation resulting in a minimum measurement distance of 100 mm according to IEC 60825-1:2014, Table 10.....	13
Figure A.4 – Example of a moving platform laser product emitting perpendicular to the direction of movement with a reference point at the emitting chip or the vertex of the fan angle according to IEC 60825-1:2014, Table 11 and emitting visible or near-infrared radiation resulting in a minimum measurement distance of 100 mm according to IEC 60825-1:2014, Table 10	13
Figure A.5 – Position of the stationary and the moving aperture over time when evaluating neighbouring platforms	14
Figure A.6 – Example of a moving platform laser product.....	14
Table 1 – Values for the parameters t_{move} and δ_{max}	8

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SAFETY OF LASER PRODUCTS –

Part 19: Moving platform laser products

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC TS 60825-19 has been prepared by IEC technical committee 76: Optical radiation safety and laser equipment. It is a Technical Specification.

The text of this Technical Specification is based on the following documents:

Draft	Report on voting
76/746/DTS	76/749/RVDTS

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this Technical Specification is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Laser products are sometimes used on moving platforms. Currently the standard IEC 60825-1:2014 considers only a stationary aperture; it does not address the situations where the emitting aperture is mounted on a platform, such as a vehicle, that can be in motion. Failure to consider the effects of the motion of the platform can result in overly restrictive assessment of the hazard.

Although accounting for a platform's movement during the assessment of a laser product's classification can lead to less restrictive measurement conditions, it is important not to overlook that there can be apertures, even on other moving platforms, moving at a relative speed of zero or close to zero with respect to the moving platform laser product being classified.

SAFETY OF LASER PRODUCTS –

Part 19: Moving platform laser products

1 Scope

This part of IEC 60825 specifies the velocity-dependent closest points of human access (VCPHA) for the classification of moving platform laser products when considering the movement of the platform with respect to a stationary frame of reference. This presupposes that the inherent kinetic hazard of the moving platform creates a zone in which persons would not be reasonably expected to be located. Additionally, it takes neighbouring moving platforms into account by defining stationary and moving apertures.

This document is applicable to all laser products whose laser apertures are on a moving platform.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60825-1:2014, *Safety of laser products – Part 1: Equipment classification and requirements*