



# TECHNICAL SPECIFICATION

---

**Process management for avionics – Electronic components for aerospace,  
defence and high performance (ADHP) applications –  
Part 1: General requirements for high reliability integrated circuits and discrete  
semiconductors**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 03.100.50; 31.020; 49.060

ISBN 978-2-8322-8011-9

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	8
1 Scope.....	9
2 Normative references .....	9
3 Terms, definitions and abbreviated terms .....	10
3.1 Terms and definitions.....	10
3.2 Abbreviated terms.....	12
4 Technical requirements .....	14
4.1 General.....	14
4.1.1 Overview .....	14
4.1.2 Automotive components.....	15
4.2 Procedures .....	15
4.2.1 General .....	15
4.2.2 Product discontinuance .....	15
4.2.3 ESD protection during manufacture .....	15
4.2.4 Specification control .....	16
4.2.5 Traceability including anti-counterfeit measures .....	16
4.3 Product or process change notification (PCN).....	16
4.3.1 General .....	16
4.3.2 Notification .....	16
4.3.3 Notification details .....	16
4.3.4 Notifiable changes .....	17
4.4 Shipment controls .....	17
4.4.1 General .....	17
4.4.2 Shipping container and date code marking .....	17
4.4.3 Date code remarking .....	17
4.4.4 Inner container formation.....	17
4.4.5 Date code age on delivery .....	18
4.4.6 ESD marking .....	18
4.4.7 MSL.....	18
4.4.8 Lead-free marking .....	18
4.4.9 Labels .....	18
4.5 Electrical.....	19
4.5.1 General .....	19
4.5.2 Electrical test.....	19
4.5.3 Electrical parameter assessment .....	19
4.5.4 SDRAM memories .....	20
4.5.5 Logic families .....	20
4.5.6 Power MOSFETs .....	20
4.5.7 Silicon rectifier diodes .....	20
4.6 Mechanical .....	20
4.6.1 General .....	20
4.6.2 Device marking.....	20
4.6.3 Small packages .....	20
4.6.4 Moisture sensitivity .....	20
4.6.5 Robustness of hermetic seals .....	21

4.6.6	Termination finishes .....	21
4.7	Audit capability .....	21
4.7.1	General .....	21
4.7.2	Internal quality audits .....	21
4.7.3	Subcontract manufacturing .....	22
4.8	Quality assurance .....	22
4.8.1	General .....	22
4.8.2	Quality system .....	22
4.8.3	Sampling plans .....	22
4.8.4	Failure analysis support .....	22
4.8.5	Outgoing quality .....	22
4.9	Qualification .....	23
4.9.1	General .....	23
4.9.2	Methodology .....	24
4.9.3	Test samples .....	25
4.9.4	Qualification categories .....	26
4.9.5	Maintenance of qualification standard .....	26
4.9.6	In-process test results .....	26
4.9.7	Product monitor results .....	30
4.9.8	References .....	30
4.9.9	Qualification report .....	30
4.9.10	Archiving .....	30
4.9.11	Qualification by similarity .....	30
4.9.12	Similarity assessment .....	30
4.10	Reliability .....	31
4.10.1	General .....	31
4.10.2	Operating reliability .....	31
4.10.3	Failure criteria .....	31
4.10.4	Corrective action .....	32
4.10.5	Warranty .....	32
4.10.6	Single event effects (SEEs) .....	32
4.11	Product monitor .....	32
4.11.1	General .....	32
4.11.2	Monitor programme .....	32
4.11.3	Problem notification .....	32
4.11.4	Data reporting .....	33
4.11.5	Samples .....	33
4.11.6	Corrective action .....	33
4.11.7	Product monitor results .....	33
4.11.8	Accumulated test data .....	33
4.12	Environmental health and safety (EHS) .....	34
4.12.1	General .....	34
4.12.2	EHS compliance .....	34
4.12.3	Device handling .....	34
4.12.4	Device materials .....	34
4.13	Shipping containers .....	34
4.13.1	General .....	34
4.13.2	ESD requirements .....	34
4.13.3	Magazine reuse .....	36

4.13.4	Tubes .....	36
4.13.5	Trays .....	36
4.13.6	Tape and reel .....	37
4.14	Compliance with internal standards.....	37
Annex A	(informative) Test code (TC) information.....	38
A.1	General.....	38
A.2	TC1 – Autoclave (ATC) .....	38
A.3	TC2 – Bond strength, internal (BS) .....	38
A.4	TC3 – Die shear strength (DS).....	38
A.5	TC4 – Electromigration (EM).....	38
A.6	TC5 – Electrostatic discharge (ESD).....	39
A.7	TC6 – Electrical test (ET).....	39
A.8	TC7 – Electrical distributions (EDs).....	39
A.9	TC8 – Flammability (FL).....	40
A.10	TC9 – Hot carrier injection (HCI).....	40
A.11	TC10 – Hermeticity (HE) .....	40
A.12	TC11 – High temperature bake (HTB) .....	40
A.13	TC12 – High temperature blocking bias (HTBB) .....	41
A.14	TC13 – High temperature gate bias (HTGB).....	41
A.15	TC14 – High temperature reverse bias (HTRB) .....	41
A.16	TC15 – High temperature operating life (HTOL) .....	41
A.16.1	General .....	41
A.16.2	Qualification conditions.....	41
A.16.3	Test results assessment .....	42
A.16.4	Temperature acceleration factor .....	42
A.16.5	Supply voltage acceleration factor .....	43
A.17	TC16 – Latch-up (LU) .....	43
A.18	TC17 – Lead integrity (LI) .....	43
A.19	TC18 – Lid torque (LT).....	43
A.20	TC19 – Mechanical sequence (MS).....	43
A.20.1	General .....	43
A.20.2	Constant acceleration .....	44
A.20.3	Vibration (variable frequency).....	44
A.20.4	Mechanical shock .....	44
A.21	TC20 – Marking permanency (MP).....	44
A.22	TC21 – Non-volatile memory operating life (NVL).....	44
A.23	TC22 – Time dependent dielectric breakdown (oxide integrity) (OI).....	45
A.24	TC23 – Package dimensions (PD).....	45
A.25	TC24 – Power cycling (PTC).....	45
A.26	TC25 – Resistance to solder heat (RSH).....	45
A.27	TC26 – Solder preconditioning (PC).....	46
A.28	TC27 – Solderability (SD) .....	46
A.29	TC28 – Soft error rate (SER).....	46
A.30	TC29 – Steady state operating life (SSOL).....	47
A.31	TC30 – Temperature cycling (TPC).....	47
A.32	TC31 – Temperature humidity reverse bias (THRB) .....	48
A.33	TC32 – Temperature humidity bias (THB or HAST) .....	48
A.34	TC33 – Terminal strength (TS).....	48
A.35	TC34 – Thermal resistance (thermal impedance) (TR) .....	48

A.36	TC35 – Visual inspection (VI).....	49
A.36.1	TC35a – External visual inspection .....	49
A.36.2	TC35b – Internal visual inspection .....	49
A.37	TC36 – Water vapour content, internal (WV) .....	50
A.38	TC37 – X-ray inspection (XR) .....	50
A.39	TC38 – Moisture sensitivity level (MSL) .....	50
A.40	TC39 – Ball shear test (BST) .....	50
A.41	TC40 – Negative bias temperature instability (NBTI) .....	50
A.42	TC41 – Accelerated tin whisker test .....	51
Annex B (informative)	Typical automotive component requirements .....	52
Annex C (informative)	Requirement matrix for IEC TS 62686-1 verification .....	54
Bibliography	.....	78
Table 1	– Label requirements.....	19
Table 2	– Internal quality audit requirements.....	21
Table 3	– Outgoing quality .....	23
Table 4	– Technology/family qualification and device qualification (1 of 3) .....	27
Table 5	– Product monitor tests .....	34
Table A.1	– Conditions of the DC over voltage stress method of JP001.01 or IEC 62416 test.....	40
Table A.2	– Examples of temperature acceleration factors .....	42
Table A.3	– Dip and look test references.....	46
Table A.4	– Parameter values for consideration .....	47
Table A.5	– Test conditions.....	47
Table A.6	– Test methods .....	48
Table C.1	– Requirement matrix.....	54

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

# PROCESS MANAGEMENT FOR AVIONICS – ELECTRONIC COMPONENTS FOR AEROSPACE, DEFENCE AND HIGH PERFORMANCE (ADHP) APPLICATIONS –

## Part 1: General requirements for high reliability integrated circuits and discrete semiconductors

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a Technical Specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical Specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62686-1, which is a Technical Specification, has been prepared by IEC technical committee 107: Process management for avionics.

This third edition cancels and replaces the second edition, published in 2015. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) update related to obsolescence of STACK Specification S/0001 revision 14 notice 3;
- b) addition of alternative automotive methods of compliance and revision of Annex B initially related to cross-reference to STACK Specification S/0001;
- c) addition of an Annex C to include a requirement matrix for IEC TS 62686-1 verification.

The text of this Technical Specification is based on the following documents:

Draft TS	Report on voting
107/349/DTS	107/361A/RVDTS 107/361/RVDTS

Full information on the voting for the approval of this Technical Specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62686 series, published under the general title *Process management for avionics – Electronic components for aerospace, defence and high performance (ADHP) applications*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

## INTRODUCTION

This part of IEC 62686 includes all the requirements of the now obsolete STACK Specification S/0001 revision 14 notice 3 and also contains revisions for alternative strategies using for example automotive standards together with the option of using various qualification test methods and additional test information.

This document complements IEC TS 62564-1 which is used for ADHP applications when additional manufacturers' data is required beyond the publicly available original component manufacturers' published data sheets (for example when additional thermal performance data is required for thermally challenging applications or when additional verification data is needed, for example to comply with the requirements of RTCA DO-254/EUROCAE ED-80 for complex components for flight critical applications, etc.).

This document can also be used to comply with the typical qualification requirements of IEC TS 62564-1. Further guidance is given in IEC 62239-1.

NOTE Existing STACK certified manufacturers can be audited by IECQ under the new STACK-IECQ joint venture or alternatively to the new IECQ automotive scheme.



# PROCESS MANAGEMENT FOR AVIONICS – ELECTRONIC COMPONENTS FOR AEROSPACE, DEFENCE AND HIGH PERFORMANCE (ADHP) APPLICATIONS –

## Part 1: General requirements for high reliability integrated circuits and discrete semiconductors

### 1 Scope

This part of IEC 62686, which is a Technical Specification, defines the minimum requirements for general purpose "off the shelf" COTS (commercial off-the-shelf) integrated circuits and discrete semiconductors for ADHP (aerospace, defence and high performance) applications.

This document applies to all components that can be operated in ADHP applications within the manufacturers' publicly available data sheet limits in conjunction with IEC 62239-1. It can be used by other high performance and high reliability industries, at their discretion.

ADHP application requirements are not necessarily fulfilled by this document alone. ADHP OEMs (original equipment manufacturers) might need to consider redesigning their products or conducting further testing to verify suitability in ADHP applications using their IEC 62239-1 ECMP procedures. Alternatively, a component in accordance with IEC TS 62564-1 can be more suitable.

NOTE Component qualification and outgoing quality discussed herein do not address component atmospheric radations SEE effects per IEC 62396-1.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

*ANSI/EIA-556, Outer Shipping Container Bar Code Label Standard*

*ANSI/ESD S541, Packaging Materials Standards for ESD Sensitive Items*

*IPC/JEDEC J-STD-609, Marking and Labeling of Components, PCBs and PCBAs to Identify Lead (Pb), Lead-Free (Pb-Free) and Other Attributes*

*JEDEC/IPC/ECIA J-STD-048, Notification Standard for Product Discontinuance*

*JEP130, Guidelines for Packing and Labeling of Integrated Circuits in Unit Container Packing*

*JESD471, Symbol and Label for Electrostatic Sensitive Devices*

*J-STD-046, Customer Notification of Product/Process Changes by Solid-State Suppliers*