
INTERNATIONAL STANDARD



1113

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Information processing — Representation of the 7-bit coded character set on punched tape

Traitement de l'information — Représentation sur bande perforée du jeu de caractères codés à 7 éléments

Second edition — 1979-02-15

UDC 681.327.44 : 681.3.04

Ref. No. ISO 1113-1979 (E)

Descriptors : data processing, character sets, coded character sets, representation of characters, punched tapes, ISO seven-bit codes.

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 1113 was developed by Technical Committee ISO/TC 97, *Computers and information processing*. This second edition was circulated to the member bodies in February 1978.

It has been approved by the member bodies of the following countries :

Australia	Germany, F. R.	South Africa, Rep. of
Belgium	Iran	Spain
Brazil	Italy	Switzerland
Canada	Japan	Turkey
Czechoslovakia	Netherlands	United Kingdom
Denmark	Poland	U.S.S.R.
France	Romania	

No member body expressed disapproval of the document.

This second edition cancels and replaces the first edition (ISO 1113-1973).

Information processing — Representation of the 7-bit coded character set on punched tape

1 SCOPE AND FIELD OF APPLICATION

This International Standard specifies the representation of the 7-bit coded character set on punched tape 25,4 mm (1 in) wide.

2 REFERENCES

ISO 646, *7-bit coded character set for information processing interchange.*

ISO 1154, *Information processing — Punched paper tape — Dimensions and locations of feed holes and code holes.*

ISO 1729, *Information processing — Unpunched paper tape — Specification.*