

INTERNATIONAL STANDARD

ISO/IEC
14834

First edition
1996-08-15

Information technology — Distributed Transaction Processing — The XA Specification

*Technologies de l'information — Traitement transactionnel réparti —
La spécification XA*



Reference number
ISO/IEC 14834:1996(E)

ISO/IEC 14834:1996(E)

Contents

Chapter 1	General	1
1.1	Scope	1
1.2	X/Open DTP Model.....	1
1.3	Document Structure.....	2
1.4	Normative References	2
 Chapter 2	 Model and Definitions.....	 3
2.1	X/Open DTP Model.....	4
2.2	Definitions.....	5
2.2.1	Transaction.....	5
2.2.2	Distributed Transaction Processing	5
2.2.3	Application Program.....	5
2.2.4	Resource Manager	5
2.2.5	Global Transactions	6
2.2.6	Transaction Branches	6
2.2.7	Transaction Manager	6
2.2.8	Thread of Control.....	7
2.2.9	Tightly- and Loosely-coupled Threads.....	7
2.3	Transaction Completion and Recovery	8
2.3.1	Rolling Back the Global Transaction	8
2.3.2	Protocol Optimisations	8
2.3.3	Heuristic Branch Completion.....	9
2.3.4	Failures and Recovery	9
 Chapter 3	 Interface Overview.....	 11
3.1	Index to Services in the XA Interface	12
3.2	Opening and Closing Resource Managers	13
3.3	Association of Threads with Transaction Branches.....	14
3.3.1	Registration of Resource Managers	15
3.4	Branch Completion	16
3.5	Synchronous, Non-blocking, and Asynchronous Modes	17
3.6	Failure Recovery.....	17
 Chapter 4	 The "xa.h"Header.....	 19
4.1	Naming Conventions.....	19
4.2	Transaction Identification.....	19
4.3	Resource Manager Switch	21
4.4	Flag Definitions	22

© ISO/IEC 1996

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

	4.5	Return Codes	24
Chapter	5	Reference Manual Pages	27
		<i>ax_reg()</i>	28
		<i>ax_unreg()</i>	31
		<i>xa_close()</i>	32
		<i>xa_commit()</i>	34
		<i>xa_complete()</i>	37
		<i>xa_end()</i>	38
		<i>xa_forget()</i>	41
		<i>xa_open()</i>	43
		<i>xa_prepare()</i>	45
		<i>xa_recover()</i>	48
		<i>xa_rollback()</i>	50
		<i>xa_start()</i>	53
Chapter	6	State Tables	57
	6.1	Resource Manager Initialisation	58
	6.2	Association of Threads of Control with Transactions.....	59
	6.2.1	Dynamic Registration of Threads	59
	6.3	Transaction States	61
	6.4	Asynchronous Operations	63
Chapter	7	Implementation Requirements	65
	7.1	Application Program Requirements	65
	7.2	Resource Manager Requirements.....	66
	7.2.1	The Application Program (Native) Interface	68
	7.3	Transaction Manager Requirements.....	69
Appendix A		Complete Text of "xa.h".....	71
Appendix B		DTP Model — Introduction.....	75
	B.1	Overview	75
	B.2	Benefits of X/Open DTP.....	76
	B.3	Areas Not Addressed.....	76
	B.4	Relationship to International Standards	76
Appendix C		DTP Model — Definitions	77
	C.1	Transaction Definitions.....	77
	C.2	Model Definitions	79
Appendix D		DTP Model — The Model	81
	D.1	Functional Model.....	82
	D.2	Functional Components	83
	D.2.1	Application Program (AP).....	83
	D.2.2	Transaction Manager (TM).....	83
	D.2.3	Resource Manager (RM).....	83
	D.2.4	Communication Resource Manager (CRM)	84

D.3	Interfaces between Functional Components	85
D.3.1	Functional Component Interfaces	85
D.3.2	Data Interfaces	87
D.4	Activity Involving a Single AP	88
D.4.1	Transaction Initiation	88
D.4.2	Transaction Association	88
D.4.3	Transaction Commitment	88
D.4.4	Transaction Rollback.....	89
D.4.5	Heuristic Transaction Completion	89
D.4.6	Recovery after Failure.....	90
D.5	Distributed Communication Facilities.....	91
D.5.1	Communication within TM Domains	91
D.5.2	Communication across TM Domains.....	91
D.5.3	Sharing Resources across TM Domains	91
D.5.4	Global Transaction Demarcation	91
D.5.5	Global Transaction Tree Structure	91
D.5.6	Global Transactions and the Transaction Tree	92
D.5.7	Tightly- and Loosely-coupled Threads.....	93
D.5.8	Commitment Coordination.....	93
D.6	Activity Involving Two or More APs.....	94
D.6.1	Transaction Initiation	94
D.6.2	Transaction Association	94
D.6.3	Transaction Commitment	94
D.6.4	Transaction Rollback.....	95
D.6.5	Heuristic Transaction Completion	95
D.6.6	Recovery after Failure.....	95
D.7	CRM Communication Paradigms with APs.....	96
D.7.1	The TxRPC Interface	96
D.7.2	The XATMI Interface	96
D.7.3	The CPI-C Version 2 Interface	97
D.7.4	Relationships between the Communication Paradigms.....	97
D.8	High-level TP Language.....	98
Appendix E	DTP Model — Frequently Asked Questions.....	99
Appendix F	Bibliography.....	103
	Index.....	105
 List of Figures		
2-1	Functional Components and Interfaces	4
3-1	The XA Interface.....	11
C-1	A TM Domain with Four Instances.....	79
D-1	Functional Components and Interfaces	82
D-2	Global Transaction Tree Structure	92
E-1	Projection of Model onto Processes	101

List of Tables

4-1	Flags used in Particular Function Calls	23
6-1	State Table for Resource Manager Initialisation	58
6-2	State Table for Transaction Branch Association	59
6-3	State Table for Transaction Branch Association (Dynamic Registration)	60
6-4	State Table for Transaction Branches	62
6-5	State Table for Asynchronous Operations.....	63

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 14834 was prepared by X/Open Company Ltd. (as XO/CAE/91/300) and was adopted, under a special "fast-track procedure", by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

Appendix A forms an integral part of this International Standard. Appendices B to F are for information only.

Introduction

(This introduction is not a normative part of ISO/IEC 14834, Information technology—Distributed Transaction Processing—The XA Specification, but is included for information only.)

This International Standard specifies the bidirectional interface between a transaction manager and resource manager (the XA interface) in an X/Open Distributed Transaction Processing (DTP) environment. It is based on X/Open CAE Specification, Distributed Transaction Processing: The XA Specification (December 1991). This International Standard is technically identical to the X/Open version. For informative purposes, this International Standard also contains the text of the X/Open DTP Reference Model Version 3 which X/Open has published as a separate Guide.

Typographical Conventions

The following typographical conventions are used throughout this document:

- Constant width strings are code examples or literals and are to be typed just as they appear.
- *Italic* strings are used for emphasis or to identify the first instance of a word requiring definition. Italics also denote:
 - variable names
 - commands or utilities
 - functions; these are shown as follows: *name()*.
- The notation "**file.h**" indicates a header.
- The notation [ABCD] is the name of a return value.
- Ellipses (...) are used to show that additional arguments are optional.

Trademarks

X/Open[®] is a registered trade mark, and the "X" device is a trade mark, of X/Open Company Limited.

Information technology — Distributed Transaction Processing — The XA Specification

Chapter 1: General

1.1 Scope

This International Standard specifies the *XA interface*: the bidirectional interface between a transaction manager and a resource manager in an X/Open Distributed Transaction Processing (DTP) environment. The XA interface is not an ordinary Application Programming Interface (API); it is a system-level interface between DTP software components.

This International Standard is technically identical to X/Open CAE Specification, Distributed Transaction Processing: The XA Specification (December 1991). Like that specification, this International Standard does not define the full aspects of the DTP model that pertain to communication.

1.2 X/Open DTP Model

The X/Open Distributed Transaction Processing (DTP) model is a software architecture that allows multiple application programs to share resources provided by multiple resource managers, and allows their work to be coordinated into global transactions.

The full X/Open DTP model comprises five basic functional components:

- an Application Program (AP), which defines transaction boundaries and specifies actions that constitute a transaction
- Resource Managers (RMs) such as databases or file access systems, which provide access to resources
- a Transaction Manager (TM), which assigns identifiers to transactions, monitors their progress, and takes responsibility for transaction completion and for coordinating failure recovery.

- Communication Resource Managers (CRMs), which control communication between distributed applications within or across TM domains.
- a communication protocol, which provides the underlying communication services used by distributed applications and supported by CRMs.

1.3 Document Structure

Relevant definitions and other important concepts that pertain to this International Standard are discussed in Chapter 2. That chapter also defines the AP, TM, and RM in more detail, and describes their interaction. Chapter 3 is an overview of the XA interface, describing the situations in which each of the services is used. Chapter 4 discusses the data structures that are part of the XA interface. Reference manual pages for each routine in the XA interface are presented in Chapter 5; state tables follow in Chapter 6. Chapter 7 summarises the implications of this International Standard on the implementors of RMs and TMs; it also identifies features that are optional. Appendix A presents the contents of an "xa.h" header file in both ANSI C and Common Usage C. Appendix F contains a bibliography.

For informative purposes, this International Standard also contains the text of the X/Open DTP Reference Model Version 2 (November 1993) which X/Open publishes as a separate Guide. (See Appendix B, Appendix C, Appendix D, and Appendix E.)

1.4 Normative References

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

1. ISO/IEC 8824:1990, *Information technology—Open Systems Interconnection—Specification of Abstract Syntax Notation One (ASN.1)*.
2. ISO/IEC 8825:1990, *Information technology—Open Systems Interconnection—Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN.1)*.
3. ISO/IEC 9804:1994, *Information technology—Open Systems Interconnection—Service definition for the commitment, concurrency and recovery service element*.
4. ISO/IEC 9805-1:1994, *Information technology—Open Systems Interconnection—Protocol for the Commitment, Concurrency and Recovery service element: Protocol Specification*.
5. ISO/IEC 9899:1990, *Programming languages—C*.
6. ISO/IEC 10026-1:1992, *Information technology—Open Systems Interconnection—Distributed Transaction Processing—Part 1: OSI TP Model*.
7. ISO/IEC 10026-2:1996, *Information technology—Open Systems Interconnection—Distributed Transaction Processing—Part 2: OSI TP Service*.
8. ISO/IEC 10026-3:1996, *Information technology—Open Systems Interconnection—Distributed Transaction Processing—Part 3: Protocol Specification*.

See Appendix F for bibliographic references.