

This is a preview - click here to buy the full publication



ISO/IEC 15067-3

Edition 1.0 2012-07

INTERNATIONAL STANDARD



**Information technology – Home electronic system (HES) application model –
Part 3: Model of a demand-response energy management system for HES**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE



ICS 35.200

ISBN 978-2-83220-191-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	8
2 Normative references	8
3 Terms, definitions and abbreviations	8
3.1 Terms and definitions	8
3.2 Abbreviations	11
4 Conformance.....	11
5 Energy management using demand response.....	12
5.1 Model for energy management	12
5.2 Demand response overview.....	15
5.3 Demand response methods	16
5.3.1 Direct load control	16
5.3.2 Demand response via pricing and event notification	17
6 Distributed control architecture and strategies	18
6.1 Smart appliances.....	18
6.2 Prices-to-devices.....	18
6.3 Energy management agent (EMA).....	19
6.3.1 EMA overview	19
6.3.2 EMA grid-to-home functionality.....	21
6.3.3 Home-to-grid functionality.....	21
7 HES energy management taxonomy and lexicon	21
7.1 Introduction to energy management taxonomy and lexicon	21
7.2 Examples of logical and physical models.....	22
7.3 Taxonomy of HES energy management use cases	23
7.3.1 Structure of use cases	23
7.3.2 Case 1: local control.....	23
7.3.3 Case 2: direct control without supervision.....	24
7.3.4 Case 3: direct control with supervision.....	25
7.3.5 Case 4: distributed control.....	27
7.3.6 Case 5: advanced distributed control.....	28
7.3.7 Case 6: distributed control for intelligent appliances	28
7.3.8 Case 7: utility telemetry services	30
7.4 Lexicon for HES energy management.....	31
7.4.1 HES message lexicon overview	31
7.4.2 HES message list	31
Annex A (informative) Premises equipment for energy management.....	35
Annex B (informative) Demand-side management.....	37
Annex C (informative) Value added services.....	40
Bibliography.....	41

Figure 1 – Elements of the HES energy management model	13
Figure 2 – HES energy management model	14
Figure 3 – Example of building energy management	15
Figure 4 – Direct load control	16
Figure 5 – Price-to-devices	19
Figure 6 – Distributed load control system	20
Figure 7 – Energy management agent	20
Figure 8 – Typical HES energy management model components	22
Figure 9 – Logical model for HES energy management	23
Figure 10 – Logical model of minimal HES energy management	23
Figure 11 – Case 1: local control, physical model	24
Figure 12 – Case 1: local control, logical model	24
Figure 13 – Case 2: direct control, physical model	25
Figure 14 – Case 2: direct control, logical model	25
Figure 15 – Case 3: direct control with supervision, physical model	26
Figure 16 – Case 3: direct control with supervision, logical model	26
Figure 17 – Case 7: utility telemetry services, physical model	30
Figure 18 – Case 7: utility telemetry services, logical model	30

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) APPLICATION MODEL –

Part 3: Model of a demand-response energy management system for HES

FOREWORD

- 1) ISO (International Organization for Standardization) and IEC (International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards. Their preparation is entrusted to technical committees; any ISO and IEC member body interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with ISO and IEC also participate in this preparation.
- 2) In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.
- 3) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO member bodies.
- 4) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 5) In order to promote international uniformity, IEC and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 6) ISO and IEC provide no marking procedure to indicate their approval and cannot be rendered responsible for any equipment declared to be in conformity with an ISO/IEC publication.
- 7) All users should ensure that they have the latest edition of this publication.
- 8) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 9) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 10) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 15067-3 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

This International Standard replaces ISO/IEC TR 15067-3, first edition, published in 2000, and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- the demand response options have been expanded;
- distributed energy resources such as local generation and storage have been included;
- the terminology for demand response has been aligned with smart grid.

The list of all currently available parts of the ISO/IEC 15067 series, under the general title *Information technology – Home electronic system (HES) application model*, can be found on the IEC web site.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

ISO/IEC 15067 currently consists of three parts. All parts were previously published as Technical Reports. ISO/IEC 15067-3, energy management, is being upgraded to a standard at the request of the IEC Standards Management Board study group on energy efficiency (SG1 SMB-SG 1/0027/INF, July 2008, Recommendation 16). Energy management is becoming an essential part of the worldwide development of smart grids for electricity.

Part 2: Lighting model for HES

Part 3: Model of a demand-response energy management system for HES (this document)

Part 4: Model of a security system for HES

SC 25/WG 1, the Home Electronic System (HES) working group, has developed these models to foster interoperability among products from competing or complementary manufacturers. Product interoperability is essential when using home control standards, such as HES. This International Standard defines a standard framework for a generic energy management system and describes the communications services needed. A high-level model for an energy management system using HES is presented.

Homebuilders, suppliers of building materials and consumer product manufacturers all affect energy consumption in buildings. Products and services intended for energy management can be provided by

- programs developed for consumers by electricity suppliers, typically a public utility,
- products purchased by consumers independent of electricity supplier programs.

Various methods for managing the electricity supply network, called the “electricity grid,” have been developed. The goal of these methods is to match the customer demand for power with the available supply. The need for such methods results from

- electric supply limitations,
- public resistance to building large generating plants,
- public concern for environmental pollution, including greenhouse gases,
- public opposition to siting of new transmission lines,
- an anticipated demand for and availability of electricity for charging electric vehicles,
- public interest and support for renewable sources of energy,
- the introduction of distributed energy resources (DER) with local generators such as wind turbines and solar photo-voltaic (PV) panels,
- the variable and unpredictable nature of wind and solar distributed generation with output that may fluctuate with time and weather,
- the development of batteries and other advanced premises storage technologies plus power conditioning and management equipment,
- the introduction of alternative electricity pricing methods or tariffs that encourage efficiency.

The model presented in this standard focuses primarily on methods known as “demand response” (DR). Because demand response systems extend beyond the meter into customer premises, those impacted by demand response technology choices include utilities, third-party suppliers of demand response services, home network developers, appliance and DER manufacturers and consumers. An example of a third-party provider of demand response services is an aggregator serving a large building or neighbourhood.

Three types of DR are specified in this standard: direct control, local control and distributed control. The choice of DR method will vary by utility to achieve the load shape that aligns with supply limitations, transmission and distribution capabilities, regulatory constraints and

business considerations. However, distributed control offers consumers the most flexibility in adapting appliance operation to constraints imposed by the utility. The various standards developed by JTC 1/SC 25 for the *Home Electronic System* are important for effective distributed control, as specified.

DR is one element in the concept of the “smart grid”. The smart grid for electricity integrates subsystems for generation, transmission, distribution and customer services to improve the reliability and efficiency of electricity systems. The smart grid also extends these subsystems to accommodate distributed energy resources and demand response. A goal of the smart grid is to enable all these subsystems to interoperate using information technology. Therefore, this standard is an important contribution to the smart grid.

As the market develops for energy management products, consumer electronics companies, appliance manufacturers and other residential suppliers may offer products that combine load management using demand response with energy conservation. Energy conservation may offer methods for consumers to reduce energy consumption overall, in addition to reducing consumption at times of peak demand. These methods include products and systems for electricity generation, storage and management. Such products and systems are located on premises and can communicate with other on-premises products and systems in order to interoperate as a larger system. Examples are included in Annex A. Standards for these products are anticipated to expand this energy management model in future updates.

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) APPLICATION MODEL –

Part 3: Model of a demand-response energy management system for HES

1 Scope

This part of ISO/IEC 15067 focuses on products and services that can manage energy consumption and generation of devices dynamically in response to electricity supply and prices that may vary over time. The model specified here for energy management is intended to be generic and representative of a wide range of situations. This part of ISO/IEC 15067 applies to the customer services portion of the electricity smart grid.

This standard specifies an energy management model for programs that manage the consumer demand for electricity using a method known as “demand response”. Three types of demand response are specified in this standard: direct control (5.3.1), local control (5.3.2.2) and distributed control (5.3.2.3).

NOTE Customers and customer equipment may use these methods to control the energy consumption and generation of devices such as appliances and distributed energy resources (for example, photo-voltaic [PV], wind, fuel cell [FC], combined heat and power [CHP], electric vehicle [EV], and stationary battery [SB]). The taxonomy and lexicon of an energy management model that supports these demand response methods are presented in 7.3 and 7.4.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 14543-2-1, *Information technology – Home electronic system (HES) architecture – Part 2-1: Introduction and device modularity*