

---

---

**Information technology —  
Telecommunications and information  
exchange between systems — Private  
Integrated Services Network —  
Inter-exchange signalling protocol —  
Wireless Terminal Authentication  
supplementary services**

*Technologies de l'information — Télécommunications et échange  
d'information entre systèmes — Réseau privé à intégration de  
services — Protocole de signalement d'interéchange — Services  
supplémentaires d'authentification de terminal sans fil*

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

Foreword	vi
Introduction	vii
1 Scope	1
2 Conformance	1
3 Normative references	1
4 Terms and definitions	2
4.1 External definitions	2
4.2 Other definitions	3
4.2.1 Authentication Server PINX	3
5 Symbols and abbreviated terms	3
6 Signalling protocol for the support of SS-WTAT	3
6.1 SS-WTAT description	3
6.2 SS-WTAT operational requirements	3
6.2.1 Requirements on a Visitor PINX	3
6.2.2 Requirements on a Home PINX	3
6.2.3 Requirements on the Authentication Server PINX	3
6.2.4 Requirements on a Transit PINX	3
6.3 SS-WTAT coding requirements	4
6.3.1 Operations	4
6.3.2 Information elements	7
6.3.3 Messages	7
6.4 SS-WTAT state definitions	7
6.4.1 States at the Home PINX for initiation of SS-WTAT	7
6.4.2 States at the Home PINX for requesting authentication parameters	8
6.4.3 States at the Home PINX when fetching authentication parameters	8
6.4.4 States at the Visitor PINX for execution of SS-WTAT	8
6.4.5 States at the Visitor PINX for requesting authentication parameters	8
6.4.6 States at the Authentication Server PINX	8
6.5 SS-WTAT Signalling procedures	8
6.5.1 Actions at the Home PINX for initiation of SS-WTAT	8
6.5.2 Actions at the Home PINX for requesting authentication parameters	9
6.5.3 Actions at the Home PINX when fetching authentication parameters	9
6.5.4 Actions at the Visitor PINX for local initiation of SS-WTAT	10
6.5.5 Actions at the Visitor PINX for execution of SS-WTAT	10
6.5.6 Actions at the Visitor PINX for requesting authentication parameters	11
6.5.7 Actions at the Authentication Server PINX	11
6.5.8 Actions at a Transit PINX	12
6.6 SS-WTAT Impact of interworking with public ISDNs	12
6.7 SS-WTAT Impact of interworking with non-ISDNs	12
6.8 Protocol interactions between SS-WTAT and other supplementary services and ANFs	12
6.8.1 Interaction with Calling Name Identification Presentation (SS-CNIP)	12
6.8.2 Interaction with Connected Name Identification Presentation (SS-CONP)	12

<b>6.8.3</b>	Interaction with Completion of Calls to Busy Subscriber (SS-CCBS)	<b>12</b>
<b>6.8.4</b>	Interaction with Completion of Calls on No Reply (SS-CCNR)	<b>12</b>
<b>6.8.5</b>	Interaction with Call Transfer (SS-CT)	<b>12</b>
<b>6.8.6</b>	Interaction with Call Forwarding Unconditional (SS-CFU)	<b>12</b>
<b>6.8.7</b>	Interaction with Call Forwarding Busy (SS-CFB)	<b>12</b>
<b>6.8.8</b>	Interaction with Call Forwarding No Reply (SS-CFNR)	<b>12</b>
<b>6.8.9</b>	Interaction with Call Deflection (SS-CD)	<b>12</b>
<b>6.8.10</b>	Interaction with Path Replacement (ANF-PR)	<b>12</b>
<b>6.8.11</b>	Interaction with Call Offer (SS-CO)	<b>13</b>
<b>6.8.12</b>	Interaction with Call Intrusion (SS-CI)	<b>13</b>
<b>6.8.13</b>	Interaction with Do Not Disturb (SS-DND)	<b>13</b>
<b>6.8.14</b>	Interaction with Do Not Disturb Override (SS-DNDO)	<b>13</b>
<b>6.8.15</b>	Interaction with Advice Of Charge (SS-AOC)	<b>13</b>
<b>6.8.16</b>	Interaction with Recall (SS-RE)	<b>13</b>
<b>6.8.17</b>	Interaction with Call Interception (ANF-CINT)	<b>13</b>
<b>6.8.18</b>	Interaction with Transit Counter (ANF-TC)	<b>13</b>
<b>6.8.19</b>	Interaction with Route Restriction Class (ANF-RRC)	<b>13</b>
<b>6.8.20</b>	Interaction with Message Waiting Information (SS-MWI)	<b>13</b>
<b>6.8.21</b>	Interaction with Wireless Terminal Location Registration (SS-WTLR)	<b>13</b>
<b>6.8.22</b>	Interaction with Wireless Terminal information exchange (ANF-WTINFO)	<b>13</b>
<b>6.8.23</b>	Interaction with Wireless Terminal Incoming Call (ANF-WTMI)	<b>13</b>
<b>6.8.24</b>	Interaction with Wireless Terminal Outgoing Call (ANF-WTMO)	<b>13</b>
<b>6.8.25</b>	Interaction with Authentication of the PISN (SS-WTAN)	<b>13</b>
<b>6.9</b>	SS-WTAT parameter values (timers)	<b>13</b>
<b>6.9.1</b>	Timer T1	<b>13</b>
<b>6.9.2</b>	Timer T2	<b>14</b>
<b>6.9.3</b>	Timer T3	<b>14</b>
<b>7</b>	Signalling protocol for the support of SS-WTAN	<b>14</b>
<b>7.1</b>	SS-WTAN description	<b>14</b>
<b>7.2</b>	SS-WTAN operational requirements	<b>14</b>
<b>7.2.1</b>	Requirements on the Visitor PINX	<b>14</b>
<b>7.2.2</b>	Requirements on the Home PINX	<b>14</b>
<b>7.2.3</b>	Requirements on the Authentication Server PINX	<b>14</b>
<b>7.2.4</b>	Requirements on a Transit PINX	<b>14</b>
<b>7.3</b>	SS-WTAN coding requirements	<b>14</b>
<b>7.3.1</b>	Operations	<b>14</b>
<b>7.3.2</b>	Information elements	<b>14</b>
<b>7.3.3</b>	Messages	<b>14</b>
<b>7.4</b>	SS-WTAN state definitions	<b>15</b>
<b>7.4.1</b>	States at the Visitor PINX	<b>15</b>
<b>7.4.2</b>	States at the Home PINX	<b>15</b>
<b>7.4.3</b>	States at the Authentication Server PINX	<b>15</b>
<b>7.5</b>	SS-WTAN signalling procedures	<b>15</b>
<b>7.5.1</b>	Actions at the Visitor PINX	<b>15</b>
<b>7.5.2</b>	Actions at the Home PINX	<b>16</b>
<b>7.5.3</b>	Actions at the Authentication Server PINX	<b>16</b>
<b>7.5.4</b>	Actions at a Transit PINX for authentication of a PISN	<b>17</b>
<b>7.6</b>	SS-WTAN impact of interworking with public ISDNs	<b>17</b>
<b>7.7</b>	SS-WTAN impact of interworking with non-ISDNs	<b>17</b>
<b>7.8</b>	Protocol interactions between SS-WTAN and other supplementary services and ANFs	<b>17</b>

<b>7.8.1</b>	Interaction with Calling Name Identification Presentation (SS-CNIP)	<b>17</b>
<b>7.8.2</b>	Interaction with Connected Name Identification Presentation (SS-CONP)	<b>17</b>
<b>7.8.3</b>	Interaction with Completion of Calls to Busy Subscriber (SS-CCBS)	<b>17</b>
<b>7.8.4</b>	Interaction with Completion of Calls on No Reply (SS-CCNR)	<b>17</b>
<b>7.8.5</b>	Interaction with Call Transfer (SS-CT)	<b>17</b>
<b>7.8.6</b>	Interaction with Call Forwarding Unconditional (SS-CFU)	<b>18</b>
<b>7.8.7</b>	Interaction with Call Forwarding Busy (SS-CFB)	<b>18</b>
<b>7.8.8</b>	Interaction with Call Forwarding No Reply (SS-CFNR)	<b>18</b>
<b>7.8.9</b>	Interaction with Call Deflection (SS-CD)	<b>18</b>
<b>7.8.10</b>	Interaction with Path Replacement (ANF-PR)	<b>18</b>
<b>7.8.11</b>	Interaction with Call Offer (SS-CO)	<b>18</b>
<b>7.8.12</b>	Interaction with Call Intrusion (SS-CI)	<b>18</b>
<b>7.8.13</b>	Interaction with Do Not Disturb (SS-DND)	<b>18</b>
<b>7.8.14</b>	Interaction with Do Not Disturb Override (SS-DNDO)	<b>18</b>
<b>7.8.15</b>	Interaction with Advice Of Charge (SS-AOC)	<b>18</b>
<b>7.8.16</b>	Interaction with Recall (SS-RE)	<b>18</b>
<b>7.8.17</b>	Interaction with Call Interception (ANF-CINT)	<b>18</b>
<b>7.8.18</b>	Interaction with Transit Counter (ANF-TC)	<b>18</b>
<b>7.8.19</b>	Interaction with Route Restriction Class (ANF-RRC)	<b>18</b>
<b>7.8.20</b>	Interaction with Message Waiting Information (SS-MWI)	<b>18</b>
<b>7.8.21</b>	Interaction with Wireless Terminal Location Registration (SS-WTLR)	<b>18</b>
<b>7.8.22</b>	Interaction with Wireless Terminal information exchange (ANF-WTINFO)	<b>18</b>
<b>7.8.23</b>	Interaction with Wireless Terminal Incoming Call (ANF-WTMI)	<b>18</b>
<b>7.8.24</b>	Interaction with Wireless Terminal Outgoing Call (ANF-WTMO)	<b>18</b>
<b>7.8.25</b>	Interaction with Authentication of the PISN (SS-WTAT)	<b>18</b>
<b>7.9</b>	SS-WTAN parameter values (timers)	<b>19</b>
<b>7.9.1</b>	Timer T4	<b>19</b>
<b>7.9.2</b>	Timer T5	<b>19</b>
<b>Annexes</b>		
<b>A</b>	Protocol Implementation Conformance Statement (PICS) proforma	<b>20</b>
<b>B</b>	Imported ASN.1 definitions	<b>29</b>
<b>C</b>	Examples of message sequences	<b>30</b>
<b>D</b>	Specification and Description Language (SDL) representation of procedures	<b>35</b>
<b>E</b>	ASN.1 definitions according to ITU-T Recs. X.208 / X.209	<b>45</b>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 15433 was prepared by ECMA (as ECMA-306) and was adopted, under a special “fast-track procedure”, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

This second edition cancels and replaces the first edition (ISO/IEC 15433:1999), which has been technically revised.

## Introduction

This International Standard is one of a series of Standards defining Wireless Terminal Mobility (WTM) services and signalling protocols applicable to Private Integrated Services Networks (PISNs). The series uses ISDN concepts as developed by ITU-T and conforms to the framework of International Standards for Open Systems Interconnection as defined by ISO/IEC.

This International Standard specifies the signalling protocol for use at the Q reference point in support of the Wireless Terminal Authentication supplementary services. The protocol defined in this International Standard forms part of the PSS1 protocol (informally known as QSIG).

This International Standard is based upon the practical experience of ECMA member companies and the results of their active and continuous participation in the work of ISO/IEC JTC 1, ITU-T, ETSI and other international and national standardization bodies. It represents a pragmatic and widely based consensus.

# Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Inter-exchange signalling protocol — Wireless Terminal Authentication supplementary services

## 1 Scope

This International Standard specifies the signalling protocol for the support of the Wireless Terminal Authentication supplementary services (SS-WTAT and SS-WTAN) at the Q reference point between Private Integrated services Network eXchanges (PINXs) connected together within a Private Integrated Services Network (PISN).

Authentication of a WTM user (SS-WTAT) is a supplementary service that enables a PISN, as a security measure, to validate the identity provided by the WTM user.

Authentication of the PISN (SS-WTAN) is a supplementary service that enables a served WTM user, as a security measure, to validate the identity of the PISN.

The mechanisms used in these services are based on the challenge and response method of authentication.

Authentication algorithms to be used by these supplementary services are outside the scope of this International Standard.

The Q reference point is defined in ISO/IEC 11579-1.

Service specifications are produced in three stages and according to the method specified in ITU-T Rec. I.130. This International Standard contains the stage 3 specification for the Q reference point and satisfies the requirements identified by the stage 1 and stage 2 specifications in ISO/IEC 15432.

The signalling protocol for SS-WTAT and SS-WTAN uses certain aspects of the generic procedures for the control of supplementary services specified in ISO/IEC 11582.

This International Standard also specifies additional signalling protocol requirements for the support of interactions at the Q reference point between SS-WTAT / SS-WTAN and other supplementary services and ANFs.

This International Standard is applicable to PINXs which can interconnect to form a PISN.

## 2 Conformance

In order to conform to this International Standard, a PINX shall satisfy the requirements identified in the Protocol Implementation Conformance Statement (PICS) proforma in annex A.

## 3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 11571:1998, *Information technology - Telecommunications and information exchange between systems - Private Integrated Services Networks - Addressing*

ISO/IEC 11574:2000, *Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Circuit-mode 64 kbit/s bearer services - Service description, functional capabilities and information flows*

ISO/IEC 11579-1:1994, *Information technology - Telecommunications and information exchange between systems - Private integrated services network - Part 1: Reference configuration for PISN Exchanges (PINX)*

ISO/IEC 11582:2002, *Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Generic functional protocol for the support of supplementary services - Inter-exchange signalling procedures and protocol*



ISO/IEC 15428:1999, *Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Specification, functional model and information flows - Wireless Terminal Location Registration supplementary service and Wireless Terminal Information Exchange additional network feature*

ISO/IEC 15429:2003, *Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Inter-exchange signalling protocol - Wireless Terminal Location Registration supplementary service and Wireless Terminal Information exchange additional network feature*

ISO/IEC 15432:1999, *Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Specification, functional model and information flows - Wireless Terminal Authentication supplementary services (WTAT and WTAN)*

ITU-T Rec. I.112:1993, *Vocabulary of terms for ISDNs*

ITU-T Rec. I.130:1988, *Method for the characterization of telecommunication services supported by an ISDN and network capabilities of an ISDN (Blue Book)*

ITU-T Rec. I.210:1993, *Principles of telecommunication services supported by an ISDN and the means to describe them*

ITU-T Rec. Q.950:2000, *Supplementary services protocols, structure and general principles*

ITU-T Rec. Z.100:1999, *Specification and description language (SDL)*