

This is a preview - click here to buy the full publication

INTERNATIONAL STANDARD

ISO/IEC
15444-2

Third edition
2023-11

Information technology — JPEG 2000 image coding system —

Part 2: Extensions

Technologies de l'information — Système de codage d'images JPEG 2000 —

Partie 2: Extensions



Reference number
ISO/IEC 15444-2:2023(E)

© ISO/IEC 2023



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted.

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by ITU-T (as Rec. ITU-T T.801) and drafted in accordance with its editorial rules, in collaboration with Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

This third edition cancels and replaces the second edition (ISO/IEC 15444-2:2021), which has been technically revised.

The main changes are as follows:

- Support for progression order extensions.

A list of all parts in the ISO/IEC 15444 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

CONTENTS

| | Page |
|---|------|
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Definitions..... | 2 |
| 4 Abbreviations | 4 |
| 5 Conventions..... | 4 |
| 6 General description..... | 4 |
| 6.1 Extensions specified by this Recommendation International Standard | 5 |
| 6.2 Relation between extensions | 6 |
| Annex A – Compressed data syntax, extension..... | 8 |
| A.1 Extended capabilities | 8 |
| A.2 Extensions to Rec. ITU-T T.800 ISO/IEC 15444-1 marker segment parameters | 8 |
| A.3 Extended marker segments..... | 16 |
| Annex B – Variable DC offset, extension | 35 |
| B.1 Variable DC offset flow | 35 |
| B.2 Inverse DC offset | 35 |
| B.3 Forward DC offset (informative) | 35 |
| Annex C – Variable scalar quantization, extension | 37 |
| C.1 Variable scalar quantization | 37 |
| C.2 Variable scalar dequantization for irreversible filters | 37 |
| C.3 Variable scalar quantization for irreversible filters (informative) | 37 |
| Annex D – Trellis coded quantization extensions | 39 |
| D.1 Introduction to TCQ..... | 39 |
| D.2 Sequence definition..... | 40 |
| D.3 Forward TCQ quantization (informative) | 41 |
| D.4 Inverse quantization (normative) | 42 |
| D.5 Lagrangian rate allocation (informative)..... | 45 |
| Annex E – Visual masking, extensions..... | 50 |
| E.1 Introduction to visual masking (informative)..... | 50 |
| E.2 Point-wise extended non-linearity (informative)..... | 50 |
| E.3 Decoding with visual masking | 52 |
| E.4 Encoding with visual masking (informative) | 53 |
| E.5 Setting parameters (informative)..... | 53 |
| E.6 Compatibility with other technologies (informative) | 53 |
| Annex F – Arbitrary decomposition of tile-components, extensions..... | 54 |
| F.1 Wavelet sub-bands | 54 |
| F.2 Equation, text and decomposition updates | 55 |
| F.3 Inverse discrete wavelet transformation for general decompositions..... | 64 |
| F.4 Forward discrete wavelet transformation for general decompositions (informative)..... | 71 |
| Annex G – Whole-sample symmetric transformation of images, extensions | 78 |
| G.1 Wavelet transformation parameters, definitions and normalizations | 78 |
| G.2 Whole-sample symmetric (WS) wavelet transformations reconstruction | 78 |
| G.3 Whole-sample symmetric (WS) wavelet transformation decomposition (informative) | 81 |
| G.4 Examples of WS wavelet transformations (informative) | 82 |
| Annex H – Transformation of images using arbitrary wavelet transformations | 85 |
| H.1 Wavelet transformation parameters and normalizations | 85 |
| H.2 Arbitrary (ARB) wavelet transformation reconstruction procedures | 85 |
| H.3 Arbitrary (ARB) wavelet transformation decomposition procedures (informative) | 91 |
| H.4 Examples of ARB wavelet transformations (informative) | 94 |

| | Page |
|--|------|
| Annex I – Single sample overlap discrete wavelet transform, code-block anchor point and progression order extensions | 98 |
| I.1 Introduction to single sample overlapping | 98 |
| I.2 The code-block anchor points (CBAP) extension | 98 |
| I.3 The SSO extension | 102 |
| I.4 The TSSO extension | 110 |
| I.5 Combining the SSO and TSSO extensions (informative) | 111 |
| Annex J – Multiple component transformations, extension..... | 112 |
| J.1 Introduction to multiple component transformation concepts..... | 112 |
| J.2 Overview of inverse processing | 112 |
| J.3 Transformations | 118 |
| Annex K – Non-linear transformation | 128 |
| K.1 Signalling the use of the non-linear transformations..... | 128 |
| K.2 Non-linear transformation specifications | 129 |
| Annex L – Region of interest coding and extraction, extensions..... | 133 |
| L.1 Decoding of ROI | 133 |
| L.2 Description of the Scaling based method | 133 |
| L.3 Region of interest mask generation | 134 |
| L.4 Remarks on region of interest coding..... | 138 |
| Annex M – JPX extended file format syntax | 139 |
| M.1 File format scope..... | 139 |
| M.2 Introduction to JPX | 139 |
| M.3 Greyscale/Colour/Palette/multi-component specification architecture | 142 |
| M.4 Fragmenting the codestream between one or more files | 143 |
| M.5 Combining multiple codestreams..... | 145 |
| M.6 Using reader requirements masks to determine how a file can be used | 149 |
| M.7 Extensions to the JPX file format..... | 156 |
| M.8 Differences from the JP2 binary definition | 157 |
| M.9 Conformance | 157 |
| M.10 Key to graphical descriptions (informative)..... | 161 |
| M.11 Defined boxes | 161 |
| M.12 Dealing with unknown boxes | 210 |
| M.13 Using the JPX file format in conjunction with other multi-media standards (informative) | 210 |
| M.14 Decomposing an XML document into multiple boxes..... | 211 |
| Annex N – JPX file format extended metadata definition and syntax | 213 |
| N.1 Introduction to extended metadata | 213 |
| N.2 Additional references for extended metadata | 213 |
| N.3 Scope of metadata definitions | 213 |
| N.4 Metadata syntax | 214 |
| N.5 Defined boxes | 215 |
| N.6 Metadata definitions | 217 |
| N.7 Fundamental type and element definitions..... | 258 |
| N.8 JPX extended metadata document type definition | 284 |
| N.9 JPX extended metadata XML Schema | 304 |
| Annex O – Examples and guidelines, extensions | 347 |
| O.1 Arbitrary decomposition examples | 347 |
| O.2 Odd Tile Low Pass First (OTLPF) convention | 368 |
| O.3 Multiple component collection example | 369 |
| O.4 Background to enhancement of quantization | 379 |
| O.5 Wrapping JPEG XR (Rec. ITU-T T.832 ISO/IEC 29199-2) Codestreams by the JPX file format..... | 379 |
| O.6 Representing floating point numbers within JPEG 2000 | 382 |
| O.7 Working with ROI Description boxes..... | 383 |

Page

| | |
|---|-----|
| Annex P – Block coder extensions | 384 |
| P.1 Selective arithmetic coding bypass (lazy mode) | 384 |
| P.2 Enhancement of selective arithmetic coding bypass (fast mode)..... | 384 |
| Bibliography | 386 |

List of Tables

| | |
|---|----|
| Table A.1 – Syntax support for extensions | 8 |
| Table A.2 – Capability Rsiz parameter, extended | 9 |
| Table A.3 – Start of tile-part parameter values, extended..... | 9 |
| Table A.4 – Number of tile-parts, TNsot, parameter value, extended | 9 |
| Table A.5 – Coding style parameter values for the Scod parameter..... | 10 |
| Table A.6 – Coding style parameter values of the SGcod parameter | 11 |
| Table A.7 – Coding style parameter values of the SPcod and SPcoc parameters, extended | 11 |
| Table A.7bis – Progression order for the SGcod and Ppoc parameters | 11 |
| Table A.8 – Multiple component transformation for the SGcod parameters | 11 |
| Table A.9 – Decomposition for the SPcod and SPcoc parameters, extended | 12 |
| Table A.10 – Transformation for the SPcod and SPcoc parameters, extended..... | 12 |
| Table A.11 – SSO parameters, extended | 12 |
| Table A.11bis – SXcod parameter | 12 |
| Table A.11ter – Progression order change, tile parameter values..... | 13 |
| Table A.12 – Quantization default values for the Sqcd, Sqcc, Sqpd, and Sqpc parameters, extended | 14 |
| Table A.13 – Quantization values (irreversible transformation only), extended | 14 |
| Table A.14 – SPqcd, SPqcc, SPqpd, and SPqpc parameters (irreversible transformation only), extended | 14 |
| Table A.15 – SPqcd, SPqcc, SPqpd, and SPqpc parameters (irreversible transformation only), extended | 15 |
| Table A.16 – Region-of-interest parameter values for the Srgn parameter | 15 |
| Table A.17 – Component index parameter value for the Crgn parameter | 15 |
| Table A.18 – Region-of-interest values from SPrgn parameter (Srgn = 1 or Srgn = 2) | 15 |
| Table A.19 – List of markers and marker segments | 16 |
| Table A.20 – Variable DC offset parameter values | 17 |
| Table A.21 – Variable DC offset parameter values for the Sdco parameter..... | 17 |
| Table A.22 – Visual masking parameter values | 18 |
| Table A.23 – Component parameter value for the Cvms parameter..... | 18 |
| Table A.24 – Visual masking for the Svms parameters..... | 18 |
| Table A.25 – Downsampling factor styles parameter values..... | 19 |
| Table A.26 – Arbitrary decomposition styles parameter values | 20 |
| Table A.27 – Arbitrary transformation parameter values | 21 |
| Table A.28 – Arbitrary transformation values for the Satk parameter..... | 22 |
| Table A.29 –Component bit depth definition parameter values | 23 |
| Table A.30 – Component bit depth definition values for the Ncbd parameter | 23 |
| Table A.31 – Component bit depth definition values for the BDcbdi parameter..... | 23 |
| Table A.32 – Multiple component transformation definition parameter values | 24 |
| Table A.33 – Multiple component transformation definition values for the Imct parameter | 24 |
| Table A.34 – Multiple component collection parameter values | 26 |
| Table A.35 – Multiple component collection values for the Xmcci parameter | 26 |

| | Page |
|--|------|
| Table A.36 – Multiple component collection values for the Nmcci parameter | 26 |
| Table A.37 – Multiple component collection values for the Mmcci parameter..... | 27 |
| Table A.38 – Multiple component collection values for the Tmcci parameter (array-based)..... | 27 |
| Table A.39 – Multiple component collection values for the Tmcci parameter (wavelet-based) | 27 |
| Table A.40 – Multiple component intermediate collection parameter values | 28 |
| Table A.41 – Non-linearity transformation parameter values | 29 |
| Table A.42 – Non-linearity transformation parameter values for the Cnlt parameter | 29 |
| Table A.43 – Decoded image component bit depth parameter values for the BDnlt parameter..... | 29 |
| Table A.44 – Non-linearity transformation parameter values of the Tnlt parameter..... | 30 |
| Table A.45 – Non-linearity transformation parameter values of the STnlt parameter (Tnlt = 1) | 30 |
| Table A.46 – Non-linearity transformation parameter values of the STnlt parameter (Tnlt = 2) | 30 |
| Table A.47 – Quantization default, precinct parameter values | 32 |
| Table A.48 – Quantization precinct component parameter values | 33 |
| Table A.49 – Ccap2 syntax and semantics | 33 |
| Table A.50 – Precinct length, tile-part header parameter values | 34 |
| Table A.51 – Sr1t values and semantics | 34 |
| Table A.52 – Semantics of Jrlti values when Sr1t is in the range [0, 231 – 1] | 34 |
| Table D.1 – Parent LUTs for k > 0 in the trellis of Figure D.3..... | 42 |
| Table D.2 – Description of functional blocks in Figure D.4..... | 42 |
| Table D.3 – Description of functional blocks in Figure D.5..... | 43 |
| Table D.4 – Look-up table for A(s) | 44 |
| Table D.5 – Look-up table for S(s,qk)..... | 44 |
| Table D.6 – Description of functional blocks for Figure D.6 | 45 |
| Table D.7 – Sub-band statistics required for LRA..... | 46 |
| Table D.8 – ρ_b parameters for TCQ | 46 |
| Table D.9 – Δ_b parameters for TCQ | 46 |
| Table D.10 – ρ_b parameters for SQ | 47 |
| Table D.11 – Δ_b parameters for SQ | 47 |
| Table D.12 – Description of functional blocks in Figure D.7..... | 49 |
| Table F.1 – Updates to contexts for significance propagation and cleanup coding passes..... | 56 |
| Table F.2 – Quantities for sub-band info calculation..... | 60 |
| Table F.3 – S(ab) and J(ab) as a function of dS(i) | 64 |
| Table F.4 – S(ab) and J(ab) as a function of dR(i)..... | 64 |
| Table F.5 – Characteristics for sample wavelet decomposition in Figure F.14 | 65 |
| Table G.1 – Parameters for wavelet transformations..... | 78 |
| Table G.2 – Parameters of the 5-3 reversible wavelet transformation..... | 83 |
| Table G.3 – Parameters of the 13-7 reversible wavelet transformation..... | 83 |
| Table G.4 – Parameters of the 5-3 irreversible wavelet transformation | 84 |
| Table G.5 – Parameters of the irreversible 7-5 wavelet transformation | 84 |
| Table G.6 – Parameters of the irreversible 9-7 wavelet transformation | 84 |
| Table H.1 – Additional parameters for arbitrary wavelet transformations | 85 |
| Table H.2 – Minimum left extension length..... | 89 |
| Table H.3 – Minimum right extension length..... | 89 |
| Table H.4 – Parameters of the reversible Haar 2-2 wavelet transformation | 95 |

Page

| | |
|--|-----|
| Table H.5 – Parameters of the reversible 2-6 wavelet transformation..... | 95 |
| Table H.6 – Parameters of the reversible 2-10 wavelet transformation..... | 95 |
| Table H.7 – Parameters of the irreversible 6-10 wavelet transformation | 96 |
| Table H.8 – Parameters of the irreversible 10-18 wavelet transformation | 96 |
| Table M.1bis – Brand Values for JPEG XR Codestreams..... | 142 |
| Table M.1 – Example expression | 151 |
| Table M.2 – Expanded expression..... | 151 |
| Table M.3 – Example factored expression | 151 |
| Table M.4 – Example of a Reader Requirements expressions for Equations M-6 and M-7..... | 153 |
| Table M.5 – Example of a Reader Requirements box for Equations M-6 and M-7 | 153 |
| Table M.6 – Reader Requirements table for Equations M-10 and M-11..... | 154 |
| Table M.7 – Reader Requirements box data for Equations M-10 and M-11 | 154 |
| Table M.8 – Reader Requirements box data for Equations M-16 and M-17 | 155 |
| Table M.9 – Example Reader Requirements box to test..... | 155 |
| Table M.10 – Table intentionally left blank | 156 |
| Table M.11 – Items which can be extended through Recommendations International Standards | 156 |
| Table M.12 – Items which can be extended by registration | 157 |
| Table M.13 – Boxes defined within this Recommendation International Standard..... | 163 |
| Table M.14 – Legal values of the SF _i field | 165 |
| Table M.15 – Format of the contents of the Reader Requirements box | 167 |
| Table M.16 – Format of the contents of the Data Reference box | 168 |
| Table M.17 – Format of the contents of the Fragment List box | 169 |
| Table M.18 – Format of the contents of the Cross-Reference box | 170 |
| Table M.19 – Legal C values..... | 171 |
| Table M.20 – BPC and BPC _i parameters | 172 |
| Table M.21 – Format of the contents of the Image Header box | 172 |
| Table M.22 – Legal METH values | 176 |
| Table M.23 – Legal APPROX values..... | 177 |
| Table M.24 – Format of the contents of the Colour Specification box | 177 |
| Table M.24bis – Nominal maximum sample values..... | 177 |
| Table M.25 – Additional legal EnumCS values | 178 |
| Table M.26 – Format of the contents of the METHDAT field for the Enumerated method | 179 |
| Table M.27 – Format of the contents of the METHDAT field for the Any ICC method | 180 |
| Table M.28 – Format of the contents of the METHDAT field for the Vendor Colour method..... | 180 |
| Table M.28bis – Format of the METHDAT field for the Parameterized method..... | 181 |
| Table M.29 – Standard illuminant values for CIELab..... | 182 |
| Table M.29bis – Default Offset Values and Encoding of Offsets for the CIELab Colourspace..... | 182 |
| Table M.30 – Format of the contents of the EP field for CIELab (EnumCS = 14) | 183 |
| Table M.30bis – Default Offset Values and Encoding of Offsets for the CIEJab Colourspace | 184 |
| Table M.31 – Format of the contents of the EP field for CIEJab (EnumCS = 19) | 184 |
| Table M.32 – Colours indicated by the Asoci field | 185 |
| Table M.33 – Otyp field values | 186 |
| Table M.34 – Format of the contents of the Opacity box | 186 |
| Table M.35 – Format of the contents of the Codestream Registration box | 188 |

| | Page |
|--|------|
| Table M.35bis – Allowed values for the pixel format | 189 |
| Table M.35ter – Common floating point formats (informative)..... | 189 |
| Table M.36 – Format of the contents of the Composition box | 190 |
| Table M.37 – Format of the contents of the Composition Options box..... | 191 |
| Table M.38 – Ityp field values..... | 192 |
| Table M.39 – Format of the contents of the Instruction Set box | 192 |
| Table M.40 – Format of the contents of the INSTi parameter in the Instruction Set box..... | 194 |
| Table M.40bis – Encoding of the ROT field | 194 |
| Table M.41 – Format of the contents of the Association box..... | 196 |
| Table M.42 – ANi field values | 196 |
| Table M.43 – Format of the contents of the Number List box | 196 |
| Table M.44 – Legal Filter types..... | 197 |
| Table M.45 – Format of the contents of the Binary Filter box | 198 |
| Table M.46 – Format of the contents of the Graphics Technology Standard Output box | 199 |
| Table M.47 – Legal Ri values..... | 199 |
| Table M.48 – Allowed Rtypi values..... | 200 |
| Table M.49 – Format of the contents of the ROI Description box | 200 |
| Table M.49bis – Interpreting the 2 bit D field of Rtypi for quadrilateral refinements..... | 201 |
| Table M.50 – Legal Styp values | 202 |
| Table M.51 – Legal Ptyp values | 203 |
| Table M.52 – Format of the contents of the Digital Signature box | 203 |
| Table M.53 – Format of the contents of the Multiple Codestream box | 208 |
| Table M.54 – Format of the contents of the Multiple Codestream Info box | 209 |
| Table N.1 – Format of the contents of the Image Creation box..... | 215 |
| Table N.2 – Format of the contents of the Content Description box | 216 |
| Table N.3 – Format of the contents of the History box | 216 |
| Table N.4 – Format of the contents of the Intellectual Property Rights box | 217 |
| Table N.5 – Format of the contents of the Image Identifier box..... | 217 |
| Table N.6 – Image Source values | 219 |
| Table N.7 – Scene type values..... | 219 |
| Table N.8 – Sensor technology values..... | 222 |
| Table N.9 – Exposure program values..... | 228 |
| Table N.10 – Metering mode values..... | 228 |
| Table N.11 – Scene illuminant values | 229 |
| Table N.12 – Back light values..... | 229 |
| Table N.13 – Auto focus values..... | 230 |
| Table N.14 – Name description values | 252 |
| Table N.15 – Date description values | 254 |
| Table N.16 – Additional name description values | 258 |
| Table N.17 – Address component type values..... | 264 |
| Table N.18 – Address type values | 264 |
| Table N.19 – Phone number type values | 265 |
| Table N.20 – Name component type values | 268 |
| Table N.21 – Latitude reference values | 276 |

Page

| | |
|--|-----|
| Table N.22 – Latitude values | 276 |
| Table N.23 – Longitude reference values | 276 |
| Table N.24 – Longitude values | 277 |
| Table N.25 – GPS Status values | 277 |
| Table N.26 – GPS Measure mode values | 277 |
| Table N.27 – GPS Speed reference unit values | 277 |
| Table N.28 – Direction reference values | 278 |
| Table N.29 – GPS Destination distance reference unit values | 278 |
| Table O.1 – Sub-band labels for Figure O.15 | 352 |
| Table O.2 – Mapping between ROT and SPATIAL_XFRM_SUBORDINATE | 381 |
| Table P.1 – Selective arithmetic coding bypass (default); (the same as Table D.9 of ITU-T T.800 ISO/IEC 15444-1) | 384 |
| Table P.2 – Example of two bit planes (fast mode) | 385 |

List of Figures

| | |
|---|----|
| Figure 6-1 – Decoder block diagram | 7 |
| Figure A.1bis – Coding style default syntax | 10 |
| Figure A.1 – Variable DC offset syntax | 16 |
| Figure A.2 – Visual masking syntax | 17 |
| Figure A.3 – Downsampling factor styles syntax | 18 |
| Figure A.4 – Arbitrary decomposition styles syntax | 19 |
| Figure A.5 – Arbitrary transformation default syntax | 20 |
| Figure A.6 – Component bit depth definition syntax | 22 |
| Figure A.7 – Multiple component transformation definition syntax | 23 |
| Figure A.8 – Multiple component collection syntax | 25 |
| Figure A.9 – Multiple component transformation ordering syntax | 28 |
| Figure A.10 – Non-linearity point transformation syntax | 28 |
| Figure A.11 – Quantization default, precinct syntax | 31 |
| Figure A.12 – Quantization precinct component syntax | 32 |
| Figure A.13 – Precinct length, tile-part header syntax | 34 |
| Figure B.1 – Placement of the DC offset with multiple component transformation | 35 |
| Figure B.2 – Placement of the DC offset without multiple component transformation | 35 |
| Figure D.1 – Scalar quantizers used for TCQ | 39 |
| Figure D.2 – Union quantizers for TCQ | 40 |
| Figure D.3 – Trellis showing node indices | 40 |
| Figure D.4 – Forward TCQ processing | 41 |
| Figure D.5 – Full inverse processing for TCQ indices | 43 |
| Figure D.6 – Approximate dequantization of TCQ indices | 45 |
| Figure D.7 – Lagrangian rate allocation | 48 |
| Figure E.1 – System diagram for point-wise extended masking extension | 50 |
| Figure E.2 – Non-uniform quantization for self-contrast masking | 51 |
| Figure E.3 – Causal neighbourhood | 52 |
| Figure F.1 – Possible splits of sub-bands | 55 |
| Figure F.2 – Parameters for the GET_HOR_DEPTH and GET_VER_DEPTH procedures | 56 |
| Figure F.3 – The GET_HOR_DEPTH and GET_VER_DEPTH procedures | 57 |

| | Page |
|---|------|
| Figure F.4 – Parameters for the SET_SUBBAND_INFO procedure | 58 |
| Figure F.5 – The SET_SUBBAND_INFO procedure | 58 |
| Figure F.6 – Parameters for the RECUR_INFO procedure | 59 |
| Figure F.7 – The RECUR_INFO procedure | 59 |
| Figure F.8 – Parameters for the INIT_□ procedure..... | 60 |
| Figure F.9 – Procedure for setting maximum number of sub-levels, □(lev) | 61 |
| Figure F.10 – Parameters for the INIT_S_R procedure | 61 |
| Figure F.11 – Upper level procedure for defining S(ab) and R(lev)..... | 62 |
| Figure F.12 – Parameters for the LEV_S procedure..... | 63 |
| Figure F.13 – Procedure for defining S(ab) | 63 |
| Figure F.14 – Sample wavelet decomposition with labelled sub-bands | 64 |
| Figure F.15 – Parameters for the MOD_IDWT procedure | 65 |
| Figure F.16 – The MOD_IDWT procedure | 66 |
| Figure F.17 – Parameters for the MOD_2D_SR procedure..... | 66 |
| Figure F.18 – The MOD_2D_SR procedure..... | 67 |
| Figure F.19 – Parameters for the MOD_2D_INTERLEAVE procedure..... | 67 |
| Figure F.20 – The MOD_2D_INTERLEAVE procedure..... | 68 |
| Figure F.21 – Parameters for the 2D_HV_INTERLEAVE procedure | 68 |
| Figure F.22 – The 2D_HV_INTERLEAVE procedure | 69 |
| Figure F.23 – Parameters for the 2D_H_INTERLEAVE procedure | 70 |
| Figure F.24 – The 2D_H_INTERLEAVE procedure | 70 |
| Figure F.25 – Parameters for the 2D_V_INTERLEAVE procedure | 71 |
| Figure F.26 – The 2D_V_INTERLEAVE procedure | 71 |
| Figure F.27 – Parameters for the MOD_FDWT procedure | 71 |
| Figure F.28 – The MOD_FDWT procedure | 72 |
| Figure F.29 – Parameters for the MOD_2D_SD procedure | 72 |
| Figure F.30 – The MOD_2D_SD procedure | 73 |
| Figure F.31 – Parameters for the MOD_2D_DEINTERLEAVE procedure..... | 73 |
| Figure F.32 – The MOD_2D_DEINTERLEAVE procedure | 74 |
| Figure F.33 – Parameters for the 2D_HV_DEINTERLEAVE procedure | 74 |
| Figure F.34 – The 2D_HV_DEINTERLEAVE procedure | 75 |
| Figure F.35 – Parameters for the 2D_H_DEINTERLEAVE procedure | 76 |
| Figure F.36 – The 2D_H_DEINTERLEAVE procedure..... | 76 |
| Figure F.37 – Parameters for the 2D_V_DEINTERLEAVE procedure | 76 |
| Figure F.38 – The 2D_V_DEINTERLEAVE procedure..... | 77 |
| Figure G.1 – Parameters of the 1D_SR_WS procedures | 79 |
| Figure G.2 – The 1D_SR_WS procedure | 79 |
| Figure G.3 – Parameters of the 1D_FILTR_WS procedure | 80 |
| Figure G.4 – Parameters of the 1D_FILTR_WS procedure | 80 |
| Figure G.5 – Parameters of the 1D_SD_WS procedure | 81 |
| Figure G.6 – The 1D_SD_WS procedure | 81 |
| Figure G.7 – Parameters of the 1D_FILTD_WS procedure | 82 |
| Figure G.8 – Parameters of the 1D_FILTD_WS procedure | 82 |
| Figure H.1 – Parameters of the extended 1D_SR_ARB procedure | 86 |

Page

| | |
|---|-----|
| Figure H.2 – Extended procedure 1D_SR_ARB | 87 |
| Figure H.3 – Parameters of the 1D_SCALER procedure | 87 |
| Figure H.4 – Parameters of the 1D_STEPR procedure..... | 88 |
| Figure H.5 – Procedure 1D_STEPR..... | 88 |
| Figure H.6 – Parameters of the 1D_EXT_WS procedure..... | 89 |
| Figure H.7 – Parameters of the 1D_EXT_CON procedure | 89 |
| Figure H.8 – Parameters of the 1D_UPDATER_REV procedure | 90 |
| Figure H.9 – Parameters of the 1D_UPDATER_IRR procedure..... | 90 |
| Figure H.10 – Parameters of the extended 1D_SD_ARB procedure..... | 91 |
| Figure H.11 – Extended procedure 1D_SD_ARB | 92 |
| Figure H.12 – Parameters of the 1D_STEPD procedure | 92 |
| Figure H.13 – Procedure 1D_STEPD..... | 93 |
| Figure H.14 – Parameters of the 1D_UPDATED_REV procedure | 93 |
| Figure H.15 – Parameters of the 1D_UPDATED_IRR procedure | 94 |
| Figure H.16 – Parameters of the 1D_SCALED procedure | 94 |
| Figure H.17 – Lifting implementation for forward half-sample symmetric wavelet transformations | 97 |
| Figure I.1 – Precincts of one reduced resolution (modified Figure B.8 of Rec. ITU-T T.800 ISO/IEC 15444-1) .. | 99 |
| Figure I.2 – Codeblocks and precincts in sub-band b from four different tiles | 100 |
| Figure I.3 – The IDWT_SSO Procedure..... | 103 |
| Figure I.4 – The 2D_SR_SSO procedure | 104 |
| Figure I.5 – Parameters of the 1D_FILTR_SSO procedure..... | 104 |
| Figure I.6 – The FDWT_SSO procedure | 106 |
| Figure I.7 – The 2D_SD_SSO procedure | 107 |
| Figure I.8 – Parameters of the 1D_FILTD_SSO procedure | 108 |
| Figure I.9 – Position of SSO blocks | 109 |
| Figure I.10 – Tiling of the reference grid diagram | 111 |
| Figure J.1 – Inverse multiple component transformation processing | 113 |
| Figure J.2 – Procedure MCO_TRANSFORM..... | 114 |
| Figure J.3 – A single multiple component collection transformation (MCC_TRANS) stage | 115 |
| Figure J.4 – Procedure MCC_TRANS | 116 |
| Figure J.5 – A single component collection transformation (CC_TRANS) stage | 117 |
| Figure J.6 – Procedure CC_TRANS..... | 117 |
| Figure J.7 – SERM implementation of reversible decorrelation transformation | 121 |
| Figure J.8 – SERM implementation of forward reversible decorrelation transformation..... | 122 |
| Figure J.9 – Irreversible dependency transformation..... | 123 |
| Figure J.10 – Forward irreversible dependency transformation | 124 |
| Figure J.11 – Reversible dependency transformation | 125 |
| Figure J.12 – Forward reversible dependency transformation..... | 126 |
| Figure K.1 – Non-linear transformation application during decoding..... | 128 |
| Figure K.2 – Example gamma-type forward non-linear transformation..... | 130 |
| Figure L.1 – Rectangular mask on the reference grid..... | 135 |
| Figure L.2 – Elliptic mask on the reference grid | 135 |
| Figure M.1 – Example fragmented JPX file where all fragments are in the same file | 144 |
| Figure M.2 – Example fragmented JPX file where some fragments are stored in other files or resources | 145 |

| | Page |
|--|-------------|
| Figure M.3 – Example combination of two codestreams into a single compositing layer..... | 146 |
| Figure M.4 – Example of the box description figures | 161 |
| Figure M.5 – Example of the superbox description figures..... | 161 |
| Figure M.6 – Boxes defined within a JPX file..... | 162 |
| Figure M.7 – Organization of the contents of the Reader Requirements box..... | 165 |
| Figure M.8 – Organization of the contents of a Data Reference box..... | 168 |
| Figure M.9 – Organization of the contents of a Fragment Table box | 168 |
| Figure M.10 – Organization of the contents of a Fragment List box..... | 169 |
| Figure M.11 – Organization of the contents of a Fragment table box | 170 |
| Figure M.12 – Organization of the contents of an Image Header box..... | 171 |
| Figure M.13 – Organization of the contents of a Codestream Header box..... | 173 |
| Figure M.14 – Organization of the contents of a Compositing Layer Header box..... | 174 |
| Figure M.15 – Organization of the contents of a Colour Group box | 175 |
| Figure M.16 – Organization of the contents of a Colour Specification box | 176 |
| Figure M.17 – Organization of the contents of the METHDAT field for the Enumerated method..... | 178 |
| Figure M.18 – Organization of the contents of the METHDAT field for the Any ICC method..... | 180 |
| Figure M.19 – Organization of the contents of the METHDAT field for the Vendor Colour method | 180 |
| Figure M.19bis – Organization of the METHDAT field for the Parameterized method | 181 |
| Figure M.20 – Organization of the contents of the EP field for the CIELab (EnumCS = 14)..... | 181 |
| Figure M.21 – Organization of the contents of the EP field for the CIEJab (EnumCS = 19)..... | 183 |
| Figure M.22 – Organization of the contents of an Opacity box..... | 185 |
| Figure M.23 – Organization of the contents of a Codestream Registration box..... | 187 |
| Figure M.23bis – Layout of the Pixel Format Box | 188 |
| Figure M.24 – Organization of the contents of a Composition box..... | 190 |
| Figure M.25 – Organization of the contents of a Composition Options box | 191 |
| Figure M.26 – Organization of the contents of an Instruction Set box | 191 |
| Figure M.27 – Organization of the contents of an INST field within an Instruction Set box | 192 |
| Figure M.28 – Example of ROI specific metadata associated with one or more images..... | 195 |
| Figure M.29 – Example of Multiple XML documents associated with one or more images | 195 |
| Figure M.30 – Example of a Labelled XML document..... | 195 |
| Figure M.31 – Example of a labelled image..... | 195 |
| Figure M.32 – Organization of the contents of an Association box | 196 |
| Figure M.33 – Organization of the contents of a Number List box | 196 |
| Figure M.34 – Organization of the contents of a Label box | 197 |
| Figure M.35 – Organization of the contents of a Binary Filter box..... | 197 |
| Figure M.36 – Organization of the contents of the Desired Reproductions box..... | 198 |
| Figure M.37 – Organization of the contents of the Graphics Technology Standard Output box..... | 198 |
| Figure M.38 – Organization of the contents of the ROI Description box..... | 199 |
| Figure M.39 – Organization of the contents of a Digital Signature box | 202 |
| Figure M.40 – Organization of the contents of a MPEG-7 Binary box | 204 |
| Figure M.41 – Organization of the contents of a Compositing Layer Extensions box | 205 |
| Figure M.42 – Organization of the Compositing Layer Extensions Info box | 207 |
| Figure M.43 – Organization of the contents of a Multiple Codestream box..... | 208 |
| Figure M.44 – Organization of the contents of a Multiple Codestream Offsets box | 208 |

Page

| | |
|--|-----|
| Figure M.45 – Organization of the contents of a Grouping box | 209 |
| Figure M.46 – Organization of the contents of a decomposed XML box | 210 |
| Figure M.47 – Organization of the contents of a XML header box..... | 210 |
| Figure M.48 – Example Box layout for a Decomposed XML box..... | 212 |
| Figure N.1 – Organization of the contents of Image Creation box | 215 |
| Figure N.2 – Organization of the contents of Content Description box | 216 |
| Figure N.3 – Organization of the contents of History box..... | 216 |
| Figure N.4 – Organization of the contents of Intellectual Property Rights box..... | 216 |
| Figure N.5 – Organization of the contents of Image Identifier box..... | 217 |
| Figure N.6 – Schema of the Image Creation metadata | 217 |
| Figure N.7 – Schema of the General Creation Information metadata..... | 218 |
| Figure N.8 – Schema of the Camera Capture metadata | 220 |
| Figure N.9 – Schema of the Device Characterization metadata | 221 |
| Figure N.10 – Schema of the Spatial Frequency Response metadata..... | 223 |
| Figure N.11 – Schema of the Colour Filter Array Pattern metadata..... | 224 |
| Figure N.12 – Schema of the Opto-electronic Conversion Function metadata..... | 225 |
| Figure N.13 – Schema of the Camera Capture Settings metadata | 227 |
| Figure N.14 – Schema of the Scanner Capture metadata..... | 230 |
| Figure N.15 – Schema of the Scanner Settings metadata | 231 |
| Figure N.16 – Schema of the Software Creation metadata | 231 |
| Figure N.17 – Schema of the Captured Item metadata | 232 |
| Figure N.18 – Schema of the Reflection Print metadata..... | 233 |
| Figure N.19 – Schema of the Film metadata | 234 |
| Figure N.20 – Schema of the Content Description metadata..... | 235 |
| Figure N.21 – Schema of the Person Description metadata..... | 236 |
| Figure N.22 – Schema of the Thing Description metadata..... | 237 |
| Figure N.23 – Schema of the Organization Description metadata..... | 238 |
| Figure N.24 – Schema of the Event Description metadata | 239 |
| Figure N.25 – Schema of the Participant metadata..... | 240 |
| Figure N.26 – Schema of the Event Relationship metadata..... | 241 |
| Figure N.27 – Schema of the Audio metadata | 241 |
| Figure N.28 – Schema of the Property metadata | 242 |
| Figure N.29 – Schema of the Dictionary Definition metadata..... | 243 |
| Figure N.30 – Schema of the History metadata | 243 |
| Figure N.31 – Schema of the Processing Summary metadata | 244 |
| Figure N.32 – Schema of the Image Processing Hints metadata | 246 |
| Figure N.33 – Schema of the Previous metadata | 247 |
| Figure N.34 – Schema of the Image Reference metadata | 248 |
| Figure N.35 – Schema of the Intellectual Property Rights metadata | 249 |
| Figure N.36 – Schema of the IPR Names metadata..... | 252 |
| Figure N.37 – Schema of the IPR Description metadata | 252 |
| Figure N.38 – Schema of the IPR Dates metadata..... | 253 |
| Figure N.39 – Schema of the IPR Exploitation metadata | 254 |
| Figure N.40 – Schema of the IPR Management Systems metadata..... | 255 |

| | Page |
|---|------|
| Figure N.41 – Schema of the IPR Identification metadata | 256 |
| Figure N.42 – Schema of the IPR Identifier metadata | 256 |
| Figure N.43 – Schema of the License Plate metadata..... | 257 |
| Figure N.44 – Schema of the IPR Contact Point metadata | 257 |
| Figure N.45 – Schema of the Image Identifier metadata | 258 |
| Figure N.46 – Schema of the non-negative double type..... | 259 |
| Figure N.47 – Schema of the rational type | 259 |
| Figure N.48 – Schema of the string including language attribute type..... | 259 |
| Figure N.49 – Schema of the degree type..... | 260 |
| Figure N.50 – Schema of the half degree type..... | 260 |
| Figure N.51 – Schema of the double size type | 260 |
| Figure N.52 – Schema of the integer size type | 261 |
| Figure N.53 – Schema of the DateTime type | 262 |
| Figure N.54 – Schema of the Address type | 263 |
| Figure N.55 – Schema of the Phone number type | 264 |
| Figure N.56 – Schema of the Email address type | 265 |
| Figure N.57 – Schema of the Web address type..... | 266 |
| Figure N.58 – Schema of the Person type..... | 268 |
| Figure N.59 – Schema of the Organization type..... | 269 |
| Figure N.60 – Schema of the Location type | 270 |
| Figure N.61 – Schema of the Coordinate location element | 271 |
| Figure N.62 – Schema of the Raw GPS Information element | 273 |
| Figure N.63 – Schema of the Raw GPS Information element (continued)..... | 275 |
| Figure N.64 – Schema of the Raw GPS Information element (concluded) | 276 |
| Figure N.65 – Schema of the Direction type | 279 |
| Figure N.66 – Schema of the Position type | 280 |
| Figure N.67 – Schema of the Point type | 280 |
| Figure N.68 – Schema of the Rect type | 281 |
| Figure N.69 – Schema of the Region type | 282 |
| Figure N.70 – Schema of the Product Details type..... | 283 |
| Figure N.71 – Schema of the Language attribute | 283 |
| Figure N.72 – Schema of the Timestamp attribute | 283 |
| Figure N.73 – Schema of the Comment element..... | 284 |
| Figure O.1 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = 31; I_S = 9, d_S() = 320300203$ | 347 |
| Figure O.2 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = \underline{123}; I_0 = 2, d_0() = 31; I_S = 9, d_S() = 320300203$ | 347 |
| Figure O.3 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = 31; I_S = 9, d_S() = 320300203$ | 348 |
| Figure O.4 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = 31; I_S = 9, d_S() = 320300203$ | 348 |
| Figure O.5 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = \underline{31}; I_S = 9, d_S() = \underline{320300203}$ | 348 |
| Figure O.6 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = 31; I_S = 9, d_S() = 320300203$ | 348 |
| Figure O.7 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = \underline{31}; I_S = 9, d_S() = 32\underline{0300203}$ | 349 |
| Figure O.8 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = \underline{31}; I_S = 9, d_S() = 320\underline{300203}$ | 349 |
| Figure O.9 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = \underline{31}; I_S = 9, d_S() = 3203\underline{0203}$ | 349 |

Page

| | |
|--|-----|
| Figure O.10 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = \underline{3}1; I_S = 9, d_S() = 320300\underline{2}03 \dots$ | 349 |
| Figure O.11 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = \underline{3}1; I_S = 9, d_S() = 320300\underline{2}03 \dots$ | 350 |
| Figure O.12 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = \underline{3}1; I_S = 9, d_S() = 320300\underline{2}03 \dots$ | 350 |
| Figure O.13 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = \underline{3}1; I_S = 9, d_S() = 3203002\underline{0}3 \dots$ | 350 |
| Figure O.14 – Sample wavelet decomposition: $N_L = 3; I_R = 3; d_R() = 123; I_0 = 2, d_0() = \underline{3}1; I_S = 9, d_S() = 320300203 \dots$ | 351 |
| Figure O.15 – FBI decomposition: $N_L = 5; I_R = 0; d_R() = 0$ (since $I_R = 0$, I_R and $d_R()$ get reset in Figure F.11 to $I_R = 5$ and $d_R() = 11111$); $I_0 = 4, d_0() = 2321; I_S = 17, d_S() = 111011111111111111 \dots$ | 351 |
| Figure O.16 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = \underline{1}1111; I_0 = 4, d_0() = 2321; I_S = 17, d_S() = 1110111111111111 \dots$ | 353 |
| Figure O.17 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = \underline{1}\underline{1}111; I_0 = 4, d_0() = 2321; I_S = 17, d_S() = 1110111111111111 \dots$ | 354 |
| Figure O.18 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = \underline{1}\underline{1}\underline{1}1; I_0 = 4, d_0() = 2321; I_S = 17, d_S() = 1110111111111111 \dots$ | 355 |
| Figure O.19 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_0 = 4, d_0() = \underline{2}321; I_S = 17, d_S() = \underline{1}1101111111111111 \dots$ | 356 |
| Figure O.20 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_0 = 4, d_0() = \underline{2}\underline{3}21; I_S = 17, d_S() = \underline{1}\underline{1}10111111111111 \dots$ | 357 |
| Figure O.21 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_0 = 4, d_0() = 2\underline{3}21; I_S = 17, d_S() = 1110\underline{1}111111111111 \dots$ | 358 |
| Figure O.22 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_0 = 4, d_0() = 2\underline{3}21; I_S = 17, d_S() = 11101\underline{1}111111111111 \dots$ | 359 |
| Figure O.23 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_0 = 4, d_0() = 2\underline{3}21; I_S = 17, d_S() = 11101\underline{1}\underline{1}1111111111 \dots$ | 360 |
| Figure O.24 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_0 = 4, d_0() = 2\underline{3}21; I_S = 17, d_S() = 111011\underline{1}\underline{1}1111111111 \dots$ | 361 |
| Figure O.25 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_0 = 4, d_0() = 2\underline{3}21; I_S = 17, d_S() = 1110111\underline{1}\underline{1}1111111111 \dots$ | 362 |
| Figure O.26 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_0 = 4, d_0() = 2\underline{3}21; I_S = 17, d_S() = 11101111\underline{1}\underline{1}1111111111 \dots$ | 363 |
| Figure O.27 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_0 = 4, d_0() = 2\underline{3}21; I_S = 17, d_S() = 111011111\underline{1}\underline{1}1111111111 \dots$ | 364 |
| Figure O.28 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_0 = 4, d_0() = 23\underline{2}1; I_S = 17, d_S() = 1110111111\underline{1}\underline{1}1111111111 \dots$ | 365 |
| Figure O.29 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_0 = 4, d_0() = 2321; I_S = 17, d_S() = 11101111111\underline{1}\underline{1}1111111111 \dots$ | 366 |
| Figure O.30 – FBI decomposition: $N_L = 5; I_R = 5$ and $d_R() = 11111; I_0 = 4, d_0() = 232\underline{1}; I_S = 17, d_S() = 111011111111\underline{1}\underline{1}1111111111 \dots$ | 367 |
| Figure O.31 – SPACL decomposition: $N_L = 4; I_0 = 2, d_0() = 21; I_R = 0, I_S = 0 \dots$ | 368 |
| Figure O.32 – Component collection example | 370 |
| Figure O.33 – Original image components | 370 |
| Figure O.34 – Encoder multiple component transformation decisions | 371 |
| Figure O.35 – Decorrelation transformation array (MCC0 component collection 0 parameters) | 372 |
| Figure O.36 – Dependency transformation (MCC0 component collection 1 parameters) | 372 |

| | Page |
|--|------|
| Figure O.37 – Passing through intermediate components (MCC0 component collection 2 parameters) | 372 |
| Figure O.38 – Component collections in MCC0, transformation processing stage 0 | 373 |
| Figure O.39 – Decorrelation transformation array (MCC1 component collection 0 parameters) | 373 |
| Figure O.40 – MCC1 component collection 1 (7 components passed through) | 374 |
| Figure O.41 – Component collections in MCC1, transformation processing stage 1 | 374 |
| Figure O.42 – MCO marker segment for inverse multiple component transformation | 374 |

Introduction

This Recommendation | International Standard defines a set of lossless (bit-preserving) and lossy compression methods for coding continuous-tone, bi-level, grey-scale, colour digital still images, or multi-component images.

This Recommendation | International Standard:

- specifies extended decoding processes for converting compressed image data to reconstructed image data;
- specifies an extended codestream syntax containing information for interpreting the compressed image data;
- specifies an extended file format;
- specifies a container to store image metadata;
- defines a standard set of image metadata;
- provides guidance on extended encoding processes for converting source image data to compressed image data;
- provides guidance on how to implement these processes in practice.

INTERNATIONAL STANDARD ITU-T RECOMMENDATION

Information technology – JPEG 2000 image coding system: Extensions

1 Scope

This Recommendation | International Standard defines a set of lossless (bit-preserving) and lossy compression methods for coding continuous-tone, bi-level, grey-scale, colour digital still images, or multi-component images.

This Recommendation | International Standard:

- specifies extended decoding processes for converting compressed image data to reconstructed image data;
- specifies an extended codestream syntax containing information for interpreting the compressed image data;
- specifies an extended file format;
- specifies a container to store image metadata;
- defines a standard set of image metadata;
- provides guidance on extended encoding processes for converting source image data to compressed image data;
- provides guidance on how to implement these processes in practice.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- Recommendation ITU-T T.81 (1992) | ISO/IEC 10918-1:1994, *Information technology – Digital compression and coding of continuous-tone still images: Requirements and guidelines*.
- Recommendation ITU-T T.82 (1993) | ISO/IEC 11544:1993, *Information technology – Coded representation of picture and audio information – Progressive bi-level image compression*.
- Recommendation ITU-T T.84 (1996) | ISO/IEC 10918-3:1997, *Information technology – Digital compression and coding of continuous-tone still images: Extensions*, including Rec. ITU-T T.84 (1996)/Amd.1 (1999) | ISO/IEC 10918-3:1997/Amd.1:1999, *Information technology – Digital compression and coding of continuous-tone still images: Extensions – Amendment 1: Provisions to allow registration of new compression types and versions in the SPIFF header*.
- Recommendation ITU-T T.800 (2019) | ISO/IEC 15444-1:2019, *Information technology – JPEG 2000 image coding system: Core coding system*.
- Recommendation ITU-T T.805 | ISO/IEC 15444-6, *Information technology – JPEG 2000 image coding system: Compound image file format*.
- Recommendation ITU-T T.814 (2019) | ISO/IEC 15444-15:2019, *Information technology – JPEG 2000 image coding system: High-throughput JPEG 2000*.
- Recommendation ITU-T T.832 (2019) | ISO/IEC 29199-2:2020, *Information technology – JPEG XR image coding system – Image coding specification*.

2.2 Paired Recommendations | International Standards

- Recommendation ITU-T H.273 (in force), *Coding-independent code points for video signal type identification*.

ISO/IEC 23091-2: (in force), *Information technology – Coding-independent code points: Part 2: Video.*

2.3 Additional references

- Recommendation ITU-T T.42 (2003), *Continuous-tone colour representation method for facsimile*.
- Recommendation ITU-T T.45 (2000), *Run-length Colour Encoding*.
- IEC 61966-2-1 (in force), *Multimedia systems and equipment – Colour measurement and management: Part 2-1: Colour management – Default RGB colour space – sRGB*.
- IEC 61966-2-2:2003, *Multimedia systems and equipment – Colour measurement and management – Part 2-2: Colour management – Extended RGB colourspace – scRGB*.
- IETF RFC 1321 (1992), *The MD5 Message-Digest Algorithm*.
- IETF RFC 2630 (1999), *Cryptographic Message Syntax*.
- ISO 3166-1:2020, *Codes for the representation of names of countries and their subdivisions – Part 1: Country codes*.
- ISO 3166-2:2020, *Codes for the representation of names of countries and their subdivisions – Part 2: Country subdivision code*.
- ISO 10126-2:1991, *Banking – Procedures for message encipherment (wholesale) – Part 2: DEA algorithm*.
- ISO 22028-2:2013, *Photography and graphic technology — Extended colour encodings for digital image storage, manipulation and interchange — Part 2: Reference output medium metric RGB colour image encoding (ROMM RGB)*.
- ISO 15076-1:2010, *Image technology colour management – Architecture, profile format and data structure – Part 1: Based on ICC.1:2010*.
- ISO/IEC 23001-1:2006, *Information technology – MPEG systems technologies – Part 1: Binary MPEG format for XML*.
- ISO/IEC 21122-1:2019, *Information technology – JPEG XS low-latency lightweight image coding system – Part 1: Core coding system*.
- ISO/IEC 60559:2020, *Information technology — Microprocessor Systems — Floating-Point arithmetic*.
- ANSI X9.30.2:1997, *Public Key Cryptography using Irreversible Algorithms – Part 2: The Secure Hash Algorithm (SHA-1)*.
https://infostore.saiglobal.com/en-us/standards/ANSI-X9-30-2-1997-1934_SAIG_ABA_ABA_5034/#
- Federal Information Processing Standard Publication (FIPS PUB) 186-4 (2013), *Digital Signature Standard (DSS)*.
<https://nvlpubs.nist.gov/nistpubs/FIPS/NIST.FIPS.186-4.pdf>
- PIMA 7667:2001. *Photography - Electronics still picture imaging - Extended sRGB color encoding e-sRGB*.
https://www.imaging.org/ItemDetail?iProductCode=PIMA7667-2001&Category=DOWNLD_PDF&WebsiteKey=6d978a6f-475d-46cc-bcf2-7a9e3d5f8f82
- W3C Recommendation. *Extensible Markup Language (XML 1.0)*, fifth edition (26 November 2008).
<https://www.w3.org/TR/xml/>
- W3C Recommendation. *Namespaces in XML*, (14 January 1999).
<https://www.w3.org/TR/1999/REC-xml-names-19990114/>
- W3C Recommendation. *XML Schema Part 1: Structures*, second edition (28 October 2004).
<http://www.w3.org/TR/2004/REC-xmleschema-1-20041028/>
- W3C Recommendation. *XML Schema Part 2: Datatypes*, second edition (28 October 2004).
<http://www.w3.org/TR/2004/REC-xmleschema-2-20041028/>