

---

---

**Information technology —  
Telecommunications and information  
exchange between systems — Private  
Integrated Services Network —  
Specification, functional model and  
information flows — Call Priority  
Interruption and Call Priority Interruption  
Protection supplementary services**

*Technologies de l'information — Télécommunications et échange  
d'information entre systèmes — Réseau privé à intégration de  
services — Spécification, modèle fonctionnel et flux d'informations —  
Services supplémentaires d'interruption de priorité d'appel et de  
protection d'interruption de priorité d'appel*

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

Foreword	vi
Introduction	vii
1 Scope	1
2 Conformance	1
3 Normative references	1
4 Terms and definitions	2
4.1 External definitions	2
4.2 Additional network feature	2
4.3 Call, Basic call	2
4.4 Call Priority Interruption Capability Level (CPICL)	2
4.5 Call Priority Interruption Protection Level (CPIPL)	2
4.6 Established call	3
4.7 Impending priority interruption state	3
4.8 Impending priority interruption warning notification	3
4.9 Non-priority call	3
4.10 Priority call	3
4.11 Protected call	3
4.12 Served user	3
4.13 Time to priority interruption	3
4.14 Unprotected call	3
5 List of acronyms	3
6 SS-CPI stage 1 specification	4
6.1 Description	4
6.1.1 General description	4
6.1.2 Qualifications on applicability to telecommunication services	4
6.2 Procedure	4
6.2.1 Provision/withdrawal	4
6.2.2 Normal procedures	4
6.2.3 Exceptional procedures	6
6.3 Interaction with other supplementary services and ANFs	6
6.3.1 Calling Name Identification Presentation (SS-CNIP)	6
6.3.2 Connected Name Identification Presentation (SS-CONP)	6
6.3.3 Completion of Call to Busy Subscriber (SS-CCBS)	6
6.3.4 Completion of Call on No Reply (SS-CCNR)	6
6.3.5 Call Transfer (SS-CT)	6
6.3.6 Call Forwarding Unconditional (SS-CFU)	6
6.3.7 Call Forwarding Busy (SS-CFB)	6
6.3.8 Call Forwarding No Reply (SS-CFNR)	6
6.3.9 Call Deflection (SS-CD)	6
6.3.10 Path Replacement (ANF-PR)	6
6.3.11 Call Offer (SS-CO)	6
6.3.12 Call Intrusion (SS-CI)	6
6.3.13 Do not Disturb (SS-DND)	6
6.3.14 Do not Disturb Override (SS-DNDO)	6
6.3.15 Advice of Charge (SS-AOC)	6

<b>6.3.16</b>	Recall (SS-RE)	<b>6</b>
<b>6.3.17</b>	Call Interception (ANF-CINT)	<b>7</b>
<b>6.3.18</b>	Transit Counter (ANF-TC)	<b>7</b>
<b>6.3.19</b>	Interaction with Wireless Terminal Location Registration (SS-WTLR)	<b>7</b>
<b>6.3.20</b>	Interaction with Wireless Terminal Incoming Call (ANF-WTMI)	<b>7</b>
<b>6.3.21</b>	Interaction with Wireless Terminal Outgoing Call (ANF-WTMO)	<b>7</b>
<b>6.3.22</b>	Interaction with Wireless Terminal Authentication of a WTM user (SS-WTAT)	<b>7</b>
<b>6.3.23</b>	Interaction with Wireless Terminal Authentication of a PISN (SS-WTAN)	<b>7</b>
<b>6.3.24</b>	Message Waiting Indication (SS-MWI)	<b>7</b>
<b>6.3.25</b>	Common Information (ANF-CMN)	<b>7</b>
<b>6.3.26</b>	Call Priority Interruption Protection (SS-CPIP)	<b>7</b>
<b>6.4</b>	Interworking considerations	<b>7</b>
<b>6.5</b>	Overall SDL	<b>7</b>
<b>7</b>	SS-CPIP stage 1 specification	<b>11</b>
<b>7.1</b>	Description	<b>11</b>
<b>7.1.1</b>	General description	<b>11</b>
<b>7.1.2</b>	Qualifications on applicability to telecommunication services	<b>11</b>
<b>7.2</b>	Procedure	<b>11</b>
<b>7.2.1</b>	Provision/withdrawal	<b>11</b>
<b>7.2.2</b>	Normal procedures	<b>11</b>
<b>7.2.3</b>	Exceptional procedures	<b>12</b>
<b>7.3</b>	Interaction with other supplementary services and ANFs	<b>12</b>
<b>7.3.1</b>	Calling Name Identification Presentation (SS-CNIP)	<b>12</b>
<b>7.3.2</b>	Connected Name Identification Presentation (SS-CONP)	<b>12</b>
<b>7.3.3</b>	Completion of Call to Busy Subscriber (SS-CCBS)	<b>12</b>
<b>7.3.4</b>	Completion of Call on No Reply (SS-CCNR)	<b>12</b>
<b>7.3.5</b>	Call Transfer (SS-CT)	<b>12</b>
<b>7.3.6</b>	Call Forwarding Unconditional (SS-CFU)	<b>12</b>
<b>7.3.7</b>	Call Forwarding Busy (SS-CFB)	<b>12</b>
<b>7.3.8</b>	Call Forwarding No Reply (SS-CFNR)	<b>12</b>
<b>7.3.9</b>	Call Deflection (SS-CD)	<b>12</b>
<b>7.3.10</b>	Path Replacement (ANF-PR)	<b>12</b>
<b>7.3.11</b>	Call Offer (SS-CO)	<b>12</b>
<b>7.3.12</b>	Call Intrusion (SS-CI)	<b>12</b>
<b>7.3.13</b>	Do not Disturb (SS-DND)	<b>12</b>
<b>7.3.14</b>	Do not Disturb Override (SS-DNDO)	<b>12</b>
<b>7.3.15</b>	Advice of Charge (SS-AOC)	<b>12</b>
<b>7.3.16</b>	Recall (SS-RE)	<b>13</b>
<b>7.3.17</b>	Call Interception (ANF-CINT)	<b>13</b>
<b>7.3.18</b>	Transit Counter (ANF-TC)	<b>13</b>
<b>7.3.19</b>	Interaction with Wireless Terminal Location Registration (SS-WTLR)	<b>13</b>
<b>7.3.20</b>	Interaction with Wireless Terminal Incoming Call (ANF-WTMI)	<b>13</b>
<b>7.3.21</b>	Interaction with Wireless Terminal Outgoing Call (ANF-WTMO)	<b>13</b>
<b>7.3.22</b>	Interaction with Wireless Terminal Authentication of a WTM user (SS-WTAT)	<b>13</b>
<b>7.3.23</b>	Interaction with Wireless Terminal Authentication of a PISN (SS-WTAN)	<b>13</b>
<b>7.3.24</b>	Message Waiting Indication (SS-MWI)	<b>13</b>
<b>7.3.25</b>	Common Information (ANF-CMN)	<b>13</b>
<b>7.3.26</b>	Call Priority Interruption (SS-CPI)	<b>13</b>
<b>7.4</b>	Interworking considerations	<b>13</b>
<b>7.5</b>	Overall SDL	<b>13</b>
<b>8</b>	SS-CPI stage 2 specification	<b>15</b>

<b>8.1</b>	<b>Functional model</b>	<b>15</b>
<b>8.1.1</b>	<b>Functional model description</b>	<b>15</b>
<b>8.1.2</b>	<b>Description of Functional Entities</b>	<b>15</b>
<b>8.1.3</b>	<b>Relationship of functional model to basic call functional model</b>	<b>16</b>
<b>8.2</b>	<b>Information flows</b>	<b>16</b>
<b>8.2.1</b>	<b>Definition of information flows</b>	<b>16</b>
<b>8.2.2</b>	<b>Relationship of information flows to basic call information flows</b>	<b>18</b>
<b>8.2.3</b>	<b>Information flow sequences</b>	<b>18</b>
<b>8.3</b>	<b>Functional Entity actions</b>	<b>21</b>
<b>8.3.1</b>	<b>Actions of FE1</b>	<b>21</b>
<b>8.3.2</b>	<b>Actions of FE2</b>	<b>21</b>
<b>8.3.3</b>	<b>Actions of FE3</b>	<b>22</b>
<b>8.3.4</b>	<b>Actions of FE4</b>	<b>22</b>
<b>8.3.5</b>	<b>Actions of FE5</b>	<b>22</b>
<b>8.4</b>	<b>Functional entity behaviour</b>	<b>22</b>
<b>8.4.1</b>	<b>Behaviour of FE1</b>	<b>22</b>
<b>8.4.2</b>	<b>Behaviour of FE2</b>	<b>24</b>
<b>8.4.3</b>	<b>Behaviour of FE3</b>	<b>25</b>
<b>8.4.4</b>	<b>Behaviour of FE4</b>	<b>27</b>
<b>8.4.5</b>	<b>Behaviour of FE5</b>	<b>28</b>
<b>8.5</b>	<b>Allocation of Functional Entities to physical equipment</b>	<b>29</b>
<b>8.6</b>	<b>Interworking considerations</b>	<b>29</b>
<b>9</b>	<b>SS-CPIP stage 2 specification</b>	<b>29</b>
<b>9.1</b>	<b>Functional model</b>	<b>29</b>
<b>9.1.1</b>	<b>Functional model description</b>	<b>29</b>
<b>9.1.2</b>	<b>Description of Functional Entities</b>	<b>30</b>
<b>9.1.3</b>	<b>Relationship of functional model to basic call functional model</b>	<b>30</b>
<b>9.2</b>	<b>Information flows</b>	<b>31</b>
<b>9.2.1</b>	<b>Definition of information flows</b>	<b>31</b>
<b>9.2.2</b>	<b>Relationship of information flows to basic call information flows</b>	<b>32</b>
<b>9.2.3</b>	<b>Information flow sequences</b>	<b>32</b>
<b>9.3</b>	<b>Functional Entity actions</b>	<b>35</b>
<b>9.3.1</b>	<b>Actions of FE1</b>	<b>35</b>
<b>9.3.2</b>	<b>Actions of FE2</b>	<b>35</b>
<b>9.3.3</b>	<b>Actions of FE3</b>	<b>35</b>
<b>9.3.4</b>	<b>Actions of FE4</b>	<b>36</b>
<b>9.3.5</b>	<b>Actions of FE5</b>	<b>36</b>
<b>9.4</b>	<b>Functional entity behaviour</b>	<b>36</b>
<b>9.4.1</b>	<b>Behaviour of FE1</b>	<b>37</b>
<b>9.4.2</b>	<b>Behaviour of FE2</b>	<b>38</b>
<b>9.4.3</b>	<b>Behaviour of FE3</b>	<b>39</b>
<b>9.4.4</b>	<b>Behaviour of FE4</b>	<b>40</b>
<b>9.4.5</b>	<b>Behaviour of FE5</b>	<b>41</b>
<b>9.5</b>	<b>Allocation of Functional Entities to physical equipment</b>	<b>42</b>
<b>9.6</b>	<b>Interworking considerations</b>	<b>42</b>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 15991 was prepared by ECMA (as ECMA-263) and was adopted, under a special “fast-track procedure”, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

This second edition cancels and replaces the first edition (ISO/IEC 15991:1998), which has been technically revised.

## Introduction

This International Standard is one of a series of Standards defining services and signalling protocols applicable to Private Integrated Services Networks (PISNs). The series uses ISDN concepts as developed by ITU-T and conforms to the framework of International Standards for Open Systems Interconnection as defined by ISO/IEC.

This International Standard specifies the Call Priority Interruption (CPI) and Call Priority Interruption Protection (CPIP) supplementary services.

This International Standard is based upon the practical experience of ECMA member companies and the results of their active and continuous participation in the work of ISO/IEC JTC 1, ITU-T, ETSI and other international and national standardization bodies. It represents a pragmatic and widely based consensus.

# Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Specification, functional model and information flows — Call Priority Interruption and Call Priority Interruption Protection supplementary services

## 1 Scope

This International Standard specifies the Supplementary Services Call Priority Interruption (SS-CPI) and Call Priority Interruption Protection (SS-CPIP), which are applicable to various basic services supported by Private Integrated Services Networks (PISN). Basic services are specified in ISO/IEC 11574.

NOTE 1 - This edition of this International Standard does not apply to the circuit-mode Multiple Rate Bearer Service.

SS-CPI is a supplementary service that allows a call request for a priority call to proceed successfully in the case that there is no user information channel available. This is accomplished by force releasing an established call of lower priority.

SS-CPIP is a supplementary service that allows for the protection of calls against interruption from other, priority, calls.

SS-CPI and SS-CPIP are described separately because SS-CPI is a service used by a calling user, and SS-CPIP is a service used by either a calling user or a called user.

Supplementary service specifications are produced in three stages, according to the method described in ETS 300 387. This International Standard contains the stage 1 and stage 2 specifications of SS-CPI. The stage 1 specification (clause 6) specifies the general feature principles and capabilities. The stage 2 specification (clause 7) identifies the Functional Entities involved in the supplementary service and the information flows between them.

## 2 Conformance

In order to conform to this International Standard, a stage 3 standard shall specify signalling protocols and equipment behaviour that are capable of being used in a PISN which supports the supplementary service specified in this International Standard. This means that, to claim conformance, a stage 3 standard is required to be adequate for the support of those aspects of clause 6 (stage 1) and clause 7 (stage 2) which are relevant to the interface or equipment to which the stage 3 standard applies.

## 3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 11574:2000, *Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Circuit-mode 64 kbit/s bearer services - Service description, functional capabilities and information flows*

ISO/IEC 11579-1:1994, *Information technology - Telecommunications and information exchange between systems - Private integrated services network - Part 1: Reference configuration for PISN Exchanges (PINX)*

ISO/IEC 13863:1998, *Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Specification, functional model and information flows - Path replacement additional network feature*

ISO/IEC 13865:2003, *Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Specification, functional model and information flows - Call Transfer supplementary service*

ISO/IEC 13866:1995, *Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Specification, functional model and information flows - Call completion supplementary services*

ISO/IEC 13872:2003, *Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Specification, functional model and information flows - Call Diversion supplementary services*



ISO/IEC 15053:2003, *Information technology - Telecommunications and information exchange between systems - Private Integrated Services Network - Specification, functional model and information flows - Call Interception additional network feature*

ETS 300 387:1994, *Private Telecommunication Network (PTN); Method for the specification of basic and supplementary services*

ITU-T Rec. I.112:1993, *Vocabulary of terms for ISDNs*

ITU-T Rec. I.210:1993, *Principles of telecommunication services supported by an ISDN and the means to describe them*

ITU-T Rec. Z.100:1999, *Specification and description language (SDL)*