

This is a preview - [click here to buy the full publication](#)

# INTERNATIONAL STANDARD

# ISO/IEC 16448

Second edition  
2002-04-15

---

---

## Information technology — 120 mm DVD — Read-only disk

*Technologies de l'information — Disque DVD de diamètre 120 mm —  
Disque DVD à lecture seule*

---

---

Reference number  
ISO/IEC 16448:2002(E)



© ISO/IEC 2002

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.ch](mailto:copyright@iso.ch)  
Web [www.iso.ch](http://www.iso.ch)

Printed in Switzerland

## Contents

<b>Section 1 - General</b>	<b>1</b>
<b>1 Scope</b>	<b>1</b>
<b>2 Conformance</b>	<b>1</b>
<b>2.1 Optical Disk</b>	<b>1</b>
<b>2.2 Generating system</b>	<b>1</b>
<b>2.3 Receiving system</b>	<b>1</b>
<b>3 Normative reference</b>	<b>1</b>
<b>4 Terms and definitions</b>	<b>1</b>
<b>4.1 Adhesive layer</b>	<b>2</b>
<b>4.2 Channel bit</b>	<b>2</b>
<b>4.3 Clamping Zone</b>	<b>2</b>
<b>4.4 Digital Sum Value (DSV)</b>	<b>2</b>
<b>4.5 Disk Reference Plane</b>	<b>2</b>
<b>4.6 Dual Layer disk</b>	<b>2</b>
<b>4.7 Dummy substrate</b>	<b>2</b>
<b>4.8 Entrance surface</b>	<b>2</b>
<b>4.9 Optical disk</b>	<b>2</b>
<b>4.10 Physical sector number</b>	<b>2</b>
<b>4.11 Read-only disk</b>	<b>2</b>
<b>4.12 Recorded layer</b>	<b>2</b>
<b>4.13 Reed-Solomon code</b>	<b>2</b>
<b>4.14 Reserved field</b>	<b>2</b>
<b>4.15 Sector</b>	<b>2</b>
<b>4.16 Single Layer disk</b>	<b>2</b>
<b>4.17 Spacer</b>	<b>2</b>
<b>4.18 Substrate</b>	<b>2</b>
<b>4.19 Track</b>	<b>3</b>
<b>4.20 Track pitch</b>	<b>3</b>
<b>4.21 Zone</b>	<b>3</b>
<b>5 Conventions and notations</b>	<b>3</b>
<b>5.1 Representation of numbers</b>	<b>3</b>
<b>5.2 Names</b>	<b>3</b>
<b>6 List of acronyms</b>	<b>3</b>
<b>7 General description of the disk</b>	<b>4</b>
<b>8 General requirements</b>	<b>5</b>
<b>8.1 Environments</b>	<b>5</b>
<b>8.1.1 Test environment</b>	<b>5</b>
<b>8.1.2 Operating environment</b>	<b>6</b>
<b>8.1.3 Storage environment</b>	<b>6</b>
<b>8.1.4 Transportation</b>	<b>6</b>
<b>8.2 Safety requirements</b>	<b>6</b>
<b>8.3 Flammability</b>	<b>6</b>
<b>9 Reference measurement devices</b>	<b>6</b>
<b>9.1 Pick Up Head (PUH)</b>	<b>6</b>
<b>9.2 Measurement conditions</b>	<b>7</b>
<b>9.3 Normalized servo transfer function</b>	<b>8</b>

9.4	Reference Servo for axial tracking	8
9.5	Reference Servo for radial tracking	9
<b>Section 2 - Dimensional, mechanical and physical characteristics of the disk</b>		<b>10</b>
10	<b>Dimensional characteristics</b>	<b>10</b>
10.1	Overall dimensions	10
10.2	First transition area	10
10.3	Second transition area	10
10.4	Clamping Zone	10
10.5	Third transition area	11
10.6	Information Zone	11
10.6.1	Sub-divisions of the Information Zone	11
10.6.2	Track geometry	12
10.6.3	Track modes	12
10.6.4	Channel bit length	12
10.7	Rim area	12
10.8	Remark on tolerances	13
10.9	Runout	13
10.9.1	Axial runout	13
10.9.2	Radial runout	13
10.10	Label	13
11	<b>Mechanical parameters</b>	<b>14</b>
11.1	Mass	14
11.2	Moment of inertia	14
11.3	Dynamic imbalance	14
11.4	Sense of rotation	14
12	<b>Optical parameters</b>	<b>14</b>
12.1	Index of refraction	14
12.2	Thickness of the transparent substrate	14
12.3	Thickness of the spacer of Types C and D	14
12.4	Angular deviation	14
12.5	Birefringence of the transparent substrate	14
12.6	Reflectivity	14
<b>Section 3 - Operational Signals</b>		<b>18</b>
13	<b>High frequency signals (HF)</b>	<b>18</b>
13.1	Modulated amplitude	18
13.2	Signal asymmetry	19
13.3	Cross-track signal	19
13.4	Quality of signals	19
13.4.1	Jitter	19
13.4.2	Random errors	19
13.4.3	Defects	19
14	<b>Servo signals</b>	<b>19</b>
14.1	Differential phase tracking error signal	19
14.2	Tangential push-pull signal	20
<b>Section 4 - Data Format</b>		<b>22</b>
15	<b>General</b>	<b>22</b>
16	<b>Data Frames</b>	<b>22</b>
16.1	Identification Data (ID)	22
16.2	ID Error Detection Code (IED)	23
16.3	Copyright Management Information (CPR_MAI)	24

<b>16.4</b>	<b>Error Detection Code (EDC)</b>	<b>24</b>
<b>17</b>	<b>Scrambled Frames</b>	<b>24</b>
<b>18</b>	<b>ECC Blocks</b>	<b>25</b>
<b>19</b>	<b>Recording Frames</b>	<b>26</b>
<b>20</b>	<b>Modulation</b>	<b>27</b>
<b>21</b>	<b>Physical Sectors</b>	<b>27</b>
<b>22</b>	<b>Suppress control of the d.c. component</b>	<b>29</b>
<b>Section 5 - Format of the Information Zone(s)</b>		<b>30</b>
<b>23</b>	<b>General description of an Information Zone</b>	<b>30</b>
<b>24</b>	<b>Layout of the Information Zone</b>	<b>30</b>
<b>25</b>	<b>Physical Sector numbering</b>	<b>30</b>
<b>26</b>	<b>Lead-in Zone</b>	<b>32</b>
<b>26.1</b>	<b>Initial Zone</b>	<b>33</b>
<b>26.2</b>	<b>Reference Code Zone</b>	<b>33</b>
<b>26.3</b>	<b>Buffer Zone 1</b>	<b>33</b>
<b>26.4</b>	<b>Buffer Zone 2</b>	<b>33</b>
<b>26.5</b>	<b>Control Data Zone</b>	<b>33</b>
<b>26.5.1</b>	<b>Physical format information</b>	<b>34</b>
<b>26.5.2</b>	<b>Disk manufacturing information</b>	<b>35</b>
<b>26.5.3</b>	<b>Content provider information</b>	<b>36</b>
<b>27</b>	<b>Middle Zone</b>	<b>36</b>
<b>28</b>	<b>Lead-out Zone</b>	<b>36</b>
<b>Annexes</b>		
<b>A (normative)</b>	<b>- Measurement of the angular deviation <math>\alpha</math></b>	<b>37</b>
<b>B (normative)</b>	<b>- Measurement of birefringence</b>	<b>39</b>
<b>C (normative)</b>	<b>- Measurement of the differential phase tracking error</b>	<b>41</b>
<b>D (normative)</b>	<b>- Measurement of light reflectance</b>	<b>45</b>
<b>E (normative)</b>	<b>- Tapered cone for disk clamping</b>	<b>47</b>
<b>F (normative)</b>	<b>- Measurement of jitter</b>	<b>48</b>
<b>G (normative)</b>	<b>- 8-to-16 Modulation with RLL (2,10) requirements</b>	<b>51</b>
<b>H (normative)</b>	<b>- Burst Cutting Area (BCA)</b>	<b>61</b>
<b>J (normative)</b>	<b>- Source Identification Code (SID)</b>	<b>66</b>
<b>K (informative)</b>	<b>- Measurement of the thickness of the spacer of Dual Layer disks</b>	<b>69</b>
<b>L (informative)</b>	<b>- Note on the Reference Code</b>	<b>71</b>
<b>M (informative)</b>	<b>- Maximum transfer rate</b>	<b>72</b>
<b>N (informative)</b>	<b>- Disk bonding</b>	<b>73</b>
<b>P (informative)</b>	<b>- Transportation</b>	<b>75</b>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 16448 was prepared by ECMA (as Standard ECMA-267) and was adopted, under a special “fast-track procedure”, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval of national bodies of ISO and IEC.

This second edition cancels and replaces the first edition (ISO/IEC 16448:1999), which has been technically revised.

Annexes A to J form a normative part of this International Standard. Annexes K to P are for information only.

# Information technology — 120 mm DVD — Read-only disk

## Section 1 - General

### 1 Scope

This International Standard specifies the mechanical, physical and optical characteristics of a 120 mm, read-only optical disk to enable the interchange of such disks. It specifies the quality of the recorded signals, the format of the data and the recording method, thereby allowing for information interchange by means of such disks. This disk is identified as DVD - Read-Only Disk.

This International Standard specifies

- four related but different Types of this disk (see clause 7),
- the conditions for conformance,
- the environments in which the disk is to be operated and stored,
- the mechanical and physical characteristics of the disk, so as to provide mechanical interchange between data processing systems,
- the format of the information on the disk, including the physical disposition of the tracks and sectors, the error correcting codes and the coding method used,
- the characteristics of the signals recorded on the disk, enabling data processing systems to read the data from the disk.

This International Standard provides for interchange of disks between disk drives. Together with a standard for volume and file structure, it provides for full data interchange between data processing systems.

### 2 Conformance

#### 2.1 Optical Disk

A claim of conformance shall specify the Type of the disk. An optical disk shall be in conformance with this International Standard if it meets the mandatory requirements specified for its Type.

#### 2.2 Generating system

A generating system shall be in conformance with this International Standard if the optical disk it generates is in accordance with 2.1.

#### 2.3 Receiving system

A receiving system shall be in conformance with this International Standard if it is able to handle all four Types of optical disk according to 2.1.

### 3 Normative reference

The following normative document contains provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent edition of the normative document indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

IEC 60950-1:2001, *Information technology equipment – Safety – Part 1: General requirements*