

INTERNATIONAL STANDARD

ISO/IEC 16500-8

First edition
1999-12-15

Information technology — Generic digital audio-visual systems —

Part 8: Management architecture and protocols

*Technologies de l'information — Systèmes audiovisuels numériques
génériques —*

Partie 8: Architecture et protocoles de gestion

Reference number
ISO/IEC 16500-8:1999(E)



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative References	1
3 Definitions	3
4 Acronyms and abbreviations	4
5 Conventions	7
6 DAVIC System Management Architecture	7
6.1 Scope of DAVIC System Management Architecture	7
6.2 Partitioning	7
6.2.1 Functional OSF Partitioning	7
6.2.2 TMN Logical Layer Partitioning	8
6.2.3 DAVIC Management Scenarios	11
6.3 Interworking Scenarios Between CMIP and SNMP Based Management	16
6.3.1 Integration through the Human-Machine Interface	17
6.3.2 Dual protocol Stacks	18
6.3.3 CMIP-to-SNMP Proxy	18
7 Access Network Management Information Model	20
7.1 Scope of Access Network Management	20
7.2 Network Delivery Systems Architecture and Interfaces	21
7.3 Access Network Management Architecture	21
7.4 Access Network Management Functions	23
7.4.1 Configuration Management Functions.....	24
7.4.2 Fault Management Functions.....	24
7.4.3 Performance Management Functions.....	24
7.5 Access Network Management Protocol Stack	25
7.6 Management Information Model Overview	25
7.6.1 Managed Object Classes	25
7.6.2 Object Class Relationships.....	27
7.6.3 Application of the Model to DAVIC Information Flows	32
7.6.4 Managed Object Class Overview.....	39
7.7 Management Information Details - GDMO & ASN.1 Specification	48
7.7.1 Object Classes.....	48
7.7.2 Packages.....	52
7.7.3 Attributes	52
7.7.4 Name Bindings	56
7.7.5 ASN.1 Productions	60
8 Service Related Control Management Information Model	62
8.1 Introduction	62
8.2 Information Model Motivation	62
8.2.1 Configuration Management	63
8.2.2 Video on Demand Service-Related Control.....	66

8.2.3	Broadcast Service Management in the Delivery System Domain	67
8.2.4	Service Management View	71
8.3	Information Model Overview.....	71
8.3.1	broadbandDrop	72
8.3.2	broadcastProgram.....	72
8.3.3	broadcastProgramFeature.....	73
8.3.4	controlSystem.....	74
8.3.5	cpe	74
8.3.6	cpeAuthorization	75
8.3.7	domain.....	75
8.3.8	serviceConnectionPoint	75
8.3.9	serviceProvider.....	75
8.4	GDMO Information Model	75
8.4.1	Managed Object Classes	76
8.4.2	Conditional Packages	80
8.4.3	Attributes.....	83
8.4.4	Name Bindings.....	91
8.4.5	Actions	95
8.4.6	ASN.1 Module	95
Annex A	(informative) Management protocol independent modeling techniques.....	100
A.1	Introduction	100
A.2	Overview of independent description notations	101
A.3	Examples of notations in use	120
A.4	Summary	126
Bibliography	128

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO/IEC 16500 may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 16500-8 was prepared by DAVIC (Digital Audio-Visual Council) and was adopted, under the PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

ISO/IEC 16500 consists of the following parts, under the general title *Information technology — Generic digital audio-visual systems*:

- *Part 1: System reference models and scenarios*
- *Part 2: System dynamics, scenarios and protocol requirements*
- *Part 3: Contours: Technology domain*
- *Part 4: Lower-layer protocols and physical interfaces*
- *Part 5: High and mid-layer protocols*
- *Part 6: Information representation*
- *Part 7: Basic security tools*
- *Part 8: Management architecture and protocols*
- *Part 9: Usage information protocols*

Annex A of this part of ISO/IEC 16500 is for information only.

Introduction

ISO/IEC 16500 defines the minimum tools and dynamic behavior required by digital audio-visual systems for end-to-end interoperability across countries, applications and services. To achieve this interoperability, it defines the technologies and information flows to be used within and between the major components of generic digital audio-visual systems. Interoperability between these components and between individual sub-systems is assured through specification of tools and specification of dynamic systems behavior at defined reference points. A reference point can comprise one or more logical (non-physical) information-transfer interfaces, and one or more physical signal-transfer interfaces. A logical interface is defined by a set of information flows and associated protocol stacks. A physical interface is an external interface and is fully defined by its physical and electrical characteristics. Accessible reference points are used to determine and demonstrate compliance of a digital audio-visual subsystem with this international standard.

A summary of each part follows.

ISO/IEC 16500-1 (DAVIC 1.3.1a Part 2) defines the normative digital audio-visual systems technical framework. It provides a vocabulary and a Systems Reference Model, which identifies specific functional blocks and information flows, interfaces and reference points.

ISO/IEC 16500-2 (DAVIC 1.3.1a Part 12) defines system dynamic behavior and physical scenarios. It details the locations of the control functional entities along with the normative protocols needed to support the systems behavior. It is structured as a set of protocol walk-throughs, or "*Application Notes*", that rehearse both the steady state and dynamic operation of the system at relevant reference points using specified protocols. Detailed dynamics are given for the following scenarios: video on demand, switched video broadcast, interactive broadcast, and internet access.

ISO/IEC 16500-3 (DAVIC 1.3.1a Part 14) provides the normative definition of DAVIC Technology Contours. These are strict sets of Applications, Functionalities and Technologies which allow compliance and conformance criteria to be easily specified and assessed. This part of ISO/IEC 16500 contains the full details of two contours. These are the Enhanced Digital Broadcast (EDB) and Interactive Digital Broadcast (IDB). ISO/IEC 16500-3 specifies required technologies and is a mandatory compliance document for contour implementations.

ISO/IEC 16500-4 (DAVIC 1.3.1a Part 8) defines the toolbox of technologies used for lower layer protocols and physical interfaces. The tools specified are those required to digitize signals and information in the Core Network and in the Access Network. Each tool is applicable at one or more of the reference points specified within the Delivery System. In addition a detailed specification is provided of the physical interfaces between the Network Interface Unit and the Set Top Unit and of the physical interfaces used to connect Set Top Boxes to various peripheral devices (digital video recorder, PC, printer). The physical Delivery System mechanisms included are copper pairs, coaxial cable, fiber, HFC, MMDS, LMDS, satellite and terrestrial broadcasting.

ISO/IEC 16500-5 (DAVIC 1.3.1a Part 7) defines the technologies used for high and mid-layer protocols for ISO/IEC 16500 digital audio-visual systems. In particular, this part defines the specific protocol stacks and requirements on protocols at specific interfaces for the content, control and management information flows.

ISO/IEC 16500-6 (DAVIC 1.3.1a Part 9) defines what the user will eventually see and hear and with what quality. It specifies the way in which monomedia and multimedia information types are coded and exchanged. This includes the definition of a virtual machine and a set of APIs to support interoperable exchange of program code. Interoperability of applications is achieved, without specifying the internal design of a set top unit, by a normative Reference Decoder Model which defines specific memory and behavior constraints for content decoding. Separate profiles are defined for different sets of multimedia components.

ISO/IEC 16500-7 (DAVIC 1.3.1a Part 10) defines the interfaces and the security tools required for an ISO/IEC 16500 system implementing security profiles. These tools include security protocols which operate across one or both of the defined conditional access interfaces CA0 and CA1. The interface CA0 is to all security and conditional access functions, including the high speed descrambling functions. The interface CA1 is to a tamper resistant device used for low speed cryptographic processing. This cryptographic processing function is implemented in a smart card.

ISO/IEC 16500-8 (DAVIC 1.3.1a Part 6) specifies the information model used for managing ISO/IEC 16500 systems. In particular, this part defines the managed object classes and their associated characteristics for managing the access network and service-related data in the Delivery System. Where these definitions are taken from existing standards, full reference to the required standards is provided. Otherwise a full description is integrated in the text of this part. Usage-related information model is defined in ISO/IEC 16500-9.

ISO/IEC 16500-9 (DAVIC 1.3.1a Part 11) specifies the interface requirements and defines the formats for the collection of usage data used for billing, and other business-related operations such as customer profile maintenance. It also specifies the protocols for the transfer of Usage Information into and out of the ISO/IEC 16500 digital audio-visual system. In summary, flows of audio, video and audio-visual works are monitored at defined usage data collection elements (e.g. servers, elements of the Delivery System, set-top boxes). Information concerning these flows is then collected, processed and passed to external systems such as billing or a rights administration society via a standardised usage data transfer interface.

Additional Information

ISO/IEC TR 16501 is an accompanying Technical Report. Further architectural and conformance information is provided in other non-normative parts of DAVIC 1.3.1a (1999). A summary of these documents is included here for information.

ISO/IEC TR 16501 (DAVIC 1.3.1a Part 1) provides a detailed listing of the functionalities required by users and providers of digital audio-visual applications and systems. It introduces the concept of a contour and defines the IDB (Interactive Digital Broadcast) and EDB (Enhanced Digital Broadcast) functionality requirements which are used to define the normative contour technology toolsets provided in ISO/IEC 16500-3.

DAVIC 1.3.1a Parts 3, 4 and 5 are DAVIC technical reports. They provide additional architectural and other information for the server, the delivery-system, and the Service Consumer systems respectively. Part 3 defines how to load an application, once created, onto a server and gives information and guidance on the protocols transmitted from the set-top user to the server, and those used to control the set-up and execution of a selected application. Part 4 provides an overview of Delivery Systems and describes instances of specific DAVIC networked service architectures. These include physical and wireless networks. Non-networked delivery (e.g. local storage physical media like discs, tapes and CD-ROMs) are not specified. Part 5 provides a Service Consumer systems architecture and a description of the DAVIC Set Top reference points defined elsewhere in the normative parts of the specification.

DAVIC 1.3.1a Part 13 is a DAVIC technical report, which provides guidelines on how to validate the systems, technology tools and protocols through conformance and / or interoperability testing.

Information technology — Generic digital audio-visual systems — Part 8: Management architecture and protocols

1 Scope

This part of ISO/IEC 16500 describes the management architecture and protocol for managing the DAVIC System. The DAVIC system management architecture is the TMN-based (Telecommunication Management Network) architecture defined in ITU-T Recommendation M.3010. This management architecture allows for automatic administration, configuration, monitoring, billing, and maintenance of the Service Provider System, the Delivery System, and the Consumer System over the DAVIC S5 flows. In accordance with DAVIC 1.3.1a Part 4 and ISO/IEC 16500-5, the content of these flows is based on either the CMIP protocol or the SNMP protocol, depending on the complexity of the underlying subsystem or the preference of the network provider. SNMP MIBs (Management Information Base) for managing the STU and the Server have been defined in ISO/IEC 16500-5. Usage related information models have also been defined in ISO/IEC 16500-9 using both CMISE and SNMP. For managing the ATM, SDH/SONET components of the Core Network of the DAVIC Delivery System, CMISE models defined in ITU-T and ATM Forum are recommended in ISO/IEC 16500-5 subclause 10.5.3. Taking into account that the current DAVIC specification for the Access Network is ATM-based¹, this Part of ISO/IEC 16500 defines CMISE information models for managing the DAVIC Access Network and service-related data in the Delivery System. In the future, if DAVIC specifications allow alternative access technologies (such as IP-based), additional system management information models (such as SNMP MIB) may be needed. The management of the coexistence of different access network technologies, using different protocols, could be achieved through interworking tools (i.e., interworking between CMIP and SNMP) as described in subclause 6.4. Tutorial information on a protocol-independent modeling technique is also provided in an informative annex.

This part of ISO/IEC 16500 is organized as follows:

Management Architecture	Clause 6 describes the TMN-based management architecture for DAVIC system management.
Access Network Information Model	Clause 7 defines a CMISE information model for the management of the Access Network.
Service Related Control Information Model	Clause 8 defines a CMISE information model for the management of service-related data in the Delivery System.
Informative Annex A: Protocol Independent Modeling Techniques	This informative annex provides tutorial information of management protocol independent modeling technique.

This part of ISO/IEC 16500 refers to system architecture and interface information that are described in ISO/IEC 16500 parts –1, –5 and –9 and in DAVIC 1.3.1a Part 4: *Delivery system architecture and interface*.

2 Normative References

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC 16500. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO/IEC 16500 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau (TSB) maintains a list of currently valid ITU-T Recommendations.

¹ ATM-based Access Network includes Non-ATM HFC (i.e., Non-ATM at A1 and ATM at A4).

2.1 ISO/IEC and ITU-T normative references

- ITU-T Recommendation G.774, *SDH Management Model for the Network Element View*, 1992 and Corrigendum, 1996.
- ITU-T Recommendation G.774, Corrigendum, 1996.
- ITU-T Recommendation G.774-01, *SDH Performance Monitoring for the Network Element View*, 1994 and Corrigendum, 1996.
- ITU-T Recommendation G.774-06, *SDH Unidirectional Performance Monitoring for the Network Element View*, 1996.
- ITU-T Recommendation I.751, *Asynchronous Transfer Mode (ATM); Management of the network element view*.
- ITU-T Recommendation M.3100, *Generic Network Information Model*, 1995.
- ITU-T Recommendation Q.811 (1993), *Lower layer protocol profiles for the Q3 interface*.
- ITU-T Recommendation Q.812 (1993), *Upper layer protocol profiles for the Q3 interface*.
- ITU-T Recommendation Q.821, *Stage 2 and 3 Functional Descriptions for the Q3 Interface - Alarm Surveillance*, 1992.
- ITU-T Recommendation Q.822, *Stage 2 and 3 Functional Descriptions for the Q3 Interface - Performance Monitoring*, 1994.
- ITU-T Recommendation X.680 (1994) | ISO/IEC 8824-1: 1995, *Information technology - Abstract Syntax Notation 1 (ASN.1): Specification of basic notation*.
- ITU-T Recommendation X.690 (1994), *Information technology - ASN.1 Encoding Rules: Specification of BER, CER, DER.*
- CCITT Recommendation X.700 (1992), *Management framework for Open Systems Interconnection (OSI) for CCITT applications*.
- CCITT Recommendation X.701 (1992), *Information technology – Open Systems Interconnection – Systems management overview*.
- CCITT Recommendation X.711 (1991), *Common management information protocol specification for CCITT applications*.
- ITU-T Recommendation X.721 | ISO/IEC 10165-2:1992, *Information technology - Open Systems Interconnection - Structure of management information: Definition of management information*.
- ITU-T Recommendation X.722 | ISO/IEC 10165-4:1992, *Information technology - Open Systems Interconnection - Structure of management information: Guidelines for the definition of managed objects*.
- ITU-T Recommendation X.745, *Test management function* (1993).

2.2 Additional normative references

The following are additional normative references to the extent specified in Table 7-1.

- ANSI T1.240, *Telecommunications - Operations, Administration, Maintenance and Provisioning (OAM&P) - Generic Network Information Model for Interfaces between Operations Systems and Network Elements*, 1997
- ANSI T1.247, *Telecommunications - Operations, Administration, Maintenance, and Provisioning (OAM&P) Communications - Performance Management Functional Area Services and Information Model for Interfaces Between Operations Systems and Network Elements*, 1997
- ATMF af-nm-0027.000, *CMIP Specification for the M4 Interface*, September, 1995 {#6} available at <ftp://ftp.atmforum.com/pub/approved-specs/af-nm-0027.000.pdf>

- ATMF af-nm-0071.000, *Network Management: AAL Management for the M4 “NE View” Interface*, January, 1997 {#6} available at <ftp://ftp.atmforum.com/pub/approved-specs/af-nm-0071.000.pdf>
- ATMF af-nm-0072.000, *Circuit Emulation Service Interworking Requirements, Logical and CMIP MIB*, January, 1997 {#6} available at <ftp://ftp.atmforum.com/pub/approved-specs/af-nm-0072.000.pdf>
- Bellcore GR-1114-CORE, *Generic Operations Interface Requirements : ATM Information Model*, Issue 3, 1996