This is a preview - click here to buy the full publication

INTERNATIONAL STANDARD

ISO/IEC 16500-9

First edition 1999-12-15

Information technology — Generic digital audio-visual systems —

Part 9:

Usage information protocols

Technologies de l'information — Systèmes audiovisuels numériques génériques —

Partie 9: Protocoles d'informations d'usage



ISO/IEC 16500-9:1999(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

CU	mienis	Page
For	reword	V
Int	roduction	v i
1.	Scope	1
2.	Normative references	1
3.	Definitions	2
4.	Acronyms and abbreviations	3
5.	Conventions	4
6.	Introduction to Usage Information Protocols	4
6.1	Purpose	
6.2	Telecommunications Management Network (TMN)	4
7.	Architecture of Usage Data Management	5
7.1	Usage Data Management Overview	
7.2	Usage Data Management Flows	8
7.3	Usage Data Collection Element	10
7.4	DAVIC System Manager	11
8.	Usage Data Management Functions	11
8.1	Usage Data Generation	11
8.2	Usage Data Accumulation	11
8.3	Usage Data Validation	12
8.4	Usage Data Assembly	12
8.5	Usage Data Formatting	12
8.6	Usage Data Correlation Support	12
8.7	Usage Data Collection Administration	13
9.	Usage Data Collection Interface	13
9.1	Protocol stack	
	9.1.1 SNMPv1	
9.2	Usage Data Structures	
, . <u> </u>	9.2.1 SNMP MIB	
	9.2.2 CMIP Managed object classes	
	9.2.3 Packages	
	9.2.5 Actions	
	9.2.6 Notifications	
	9.2.7 Name Bindings	76

	9.2.8	ASN.1 Defined Types Module	76
10.	Usa	age Data Transfer Interface	85
10.1		Interactive Usage Data Transfer Interface	86
10.2	2	Bulk Usage Data Transfer Interface	86
	10.2.1	Bulk Usage Data Recording	86
	10.2.2	File structure	87
	10.2.3	Protocol stack	91
	10.2.4	FTP Options	91
	10.2.5	File-naming Conventions	92
	10.2.6	File Transfer Procedures	93
	10.2.7	File Storage	94
	10.2.8	Removable Medium	
Bib	liogra	phy	95

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO/IEC 16500 may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 16500-9 was prepared by DAVIC (Digital Audio-Visual Council) and was adopted, under the PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, Information technology, in parallel with its approval by national bodies of ISO and IEC.

ISO/IEC 16500 consists of the following parts, under the general title Information technology — Generic digital audio-visual systems:

- Part 1: System reference models and scenarios
- Part 2: System dynamics, scenarios and protocol requirements
- Part 3: Contours: Technology domain
- Part 4: Lower-layer protocols and physical interfaces
- Part 5: High and mid-layer protocols
- Part 6: Information representation
- Part 7: Basic security tools
- Part 8: Management architecture and protocols
- Part 9: Usage information protocols

Introduction

ISO/IEC 16500 defines the minimum tools and dynamic behavior required by digital audio-visual systems for end-to-end interoperability across countries, applications and services. To achieve this interoperability, it defines the technologies and information flows to be used within and between the major components of generic digital audio-visual systems. Interoperability between these components and between individual subsystems is assured through specification of tools and specification of dynamic systems behavior at defined reference points. A reference point can comprise one or more logical (non-physical) information-transfer interfaces, and one or more physical signal-transfer interfaces. A logical interface is defined by a set of information flows and associated protocol stacks. A physical interface is an external interface and is fully defined by its physical and electrical characteristics. Accessible reference points are used to determine and demonstrate compliance of a digital audio-visual subsystem with this international standard.

A summary of each part follows.

ISO/IEC 16500-1 (DAVIC 1.3.1a Part 2) defines the normative digital audio-visual systems technical framework. It provides a vocabulary and a Systems Reference Model, which identifies specific functional blocks and information flows, interfaces and reference points.

ISO/IEC 16500-2 (DAVIC 1.3.1a Part 12) defines system dynamic behavior and physical scenarios. It details the locations of the control functional entities along with the normative protocols needed to support the systems behavior. It is structured as a set of protocol walk-throughs, or "Application Notes", that rehearse both the steady state and dynamic operation of the system at relevant reference points using specified protocols. Detailed dynamics are given for the following scenarios: video on demand, switched video broadcast, interactive broadcast, and internet access.

ISO/IEC 16500-3 (DAVIC 1.3.1a Part 14) provides the normative definition of DAVIC Technology Contours. These are strict sets of Applications, Functionalities and Technologies which allow compliance and conformance criteria to be easily specified and assessed. This part of ISO/IEC 16500 contains the full details of two contours. These are the Enhanced Digital Broadcast (EDB) and Interactive Digital Broadcast (IDB). ISO/IEC 16500-3 specifies required technologies and is a mandatory compliance document for contour implementations.

ISO/IEC 16500-4 (DAVIC 1.3.1a Part 8) defines the toolbox of technologies used for lower layer protocols and physical interfaces. The tools specified are those required to digitize signals and information in the Core Network and in the Access Network. Each tool is applicable at one or more of the reference points specified within the Delivery System. In addition a detailed specification is provided of the physical interfaces between the Network Interface Unit and the Set Top Unit and of the physical interfaces used to connect Set Top Boxes to various peripheral devices (digital video recorder, PC, printer). The physical Delivery System mechanisms included are copper pairs, coaxial cable, fiber, HFC, MMDS, LMDS, satellite and terrestrial broadcasting.

ISO/IEC 16500-5 (DAVIC 1.3.1a Part 7) defines the technologies used for high and mid-layer protocols for ISO/IEC 16500 digital audio-visual systems. In particular, this part defines the specific protocol stacks and requirements on protocols at specific interfaces for the content, control and management information flows.

ISO/IEC 16500-6 (DAVIC 1.3.1a Part 9) defines what the user will eventually see and hear and with what quality. It specifies the way in which monomedia and multimedia information types are coded and exchanged. This includes the definition of a virtual machine and a set of APIs to support interoperable exchange of program code. Interoperability of applications is achieved, without specifying the internal design of a set top unit, by a normative Reference Decoder Model which defines specific memory and behavior constraints for content decoding. Separate profiles are defined for different sets of multimedia components.

ISO/IEC 16500-7 (DAVIC 1.3.1a Part 10) defines the interfaces and the security tools required for an ISO/IEC 16500 system implementing security profiles. These tools include security protocols which operate across one or both of the defined conditional access interfaces CA0 and CA1. The interface CA0 is to all security and conditional access functions, including the high speed descrambling functions. The interface CA1 is to a tamper resistant device used for low speed cryptographic processing. This cryptographic processing function is implemented in a smart card.

ISO/IEC 16500-8 (DAVIC 1.3.1a Part 6) specifies the information model used for managing ISO/IEC 16500 systems. In particular, this part defines the managed object classes and their associated characteristics for managing the access network and service-related data in the Delivery System. Where these definitions are taken from existing standards, full reference to the required standards is provided. Otherwise a full

description is integrated in the text of this part. Usage-related information model is defined in ISO/IEC 16500-9.

ISO/IEC 16500-9 (DAVIC 1.3.1a Part 11) specifies the interface requirements and defines the formats for the collection of usage data used for billing, and other business-related operations such as customer profile maintenance. It also specifies the protocols for the transfer of Usage Information into and out of the ISO/IEC 16500 digital audio-visual system. In summary, flows of audio, video and audio-visual works are monitored at defined usage data collection elements (e.g. servers, elements of the Delivery System, set-top boxes). Information concerning these flows is then collected, processed and passed to external systems such as billing or a rights administration society via a standardised usage data transfer interface.

Additional Information

ISO/IEC TR 16501 is an accompanying Technical Report. Further architectural and conformance information is provided in other non-normative parts of DAVIC 1.3.1a (1999). A summary of these documents is included here for information.

ISO/IEC TR 16501 (DAVIC 1.3.1a Part 1) provides a detailed listing of the functionalities required by users and providers of digital audio-visual applications and systems. It introduces the concept of a contour and defines the IDB (Interactive Digital Broadcast) and EDB (Enhanced Digital Broadcast) functionality requirements which are used to define the normative contour technology toolsets provided in ISO/IEC 16500-3.

DAVIC 1.3.1a Parts 3, 4 and 5 are DAVIC technical reports. They provide additional architectural and other information for the server, the delivery-system, and the Service Consumer systems respectively. Part 3 defines how to load an application, once created, onto a server and gives information and guidance on the protocols transmitted from the set-top user to the server, and those used to control the set-up and execution of a selected application. Part 4 provides an overview of Delivery Systems and describes instances of specific DAVIC networked service architectures. These include physical and wireless networks. Non-networked delivery (e.g. local storage physical media like discs, tapes and CD-ROMs) are not specified. Part 5 provides a Service Consumer systems architecture and a description of the DAVIC Set Top reference points defined elsewhere in the normative parts of the specification.

DAVIC 1.3.1a Part 13 is a DAVIC technical report, which provides guidelines on how to validate the systems, technology tools and protocols through conformance and / or interoperability testing.

Information technology — Generic digital audio-visual systems — Part 9: Usage information protocols

1. Scope

This part of ISO/IEC 16500 provides the interface requirements for Usage Information provided by the DAVIC System to support External Support Systems (ESS) such as billing systems, pricing systems and market research systems. DAVIC Elements that need to communicate with External Support Systems shall conform to this specification. It is not required that all DAVIC Elements communicate with External Support Systems.

2. Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC 16500. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO/IEC 16500 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau (TSB) maintains a list of currently valid ITU-T Recommendations.

2.1 ISO/IEC and ITU-T normative references

ITU-T Recommendation M.3100, Generic Network Information Model, 1995

ITU-T Recommendation Q.2931, Broadband integrated services digital Network – Digital subscriber signalling system no.2 (DSS2) – User-network interface (UNI) – Layer 3 specification for basic call/connection control, 1995

CCITT Recommendation X.680 (1994) | ISO/IEC 8824-1:1995, Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation.

CCITT Recommendation X.690 (1994) | ISO/IEC 8825-1:1995, Information technology – ASN.1 encoding rules: Specification of Basic Encoding Rules (BER), Canonical Encoding Rules (CER) and Distinguished Encoding Rules (DER).

CCITT Recommendation X.721 (1992) | ISO/IEC 10165-2:1992, Information technology – Open Systems Interconnection – Structure of management information: Definition of management information.

CCITT Recommendation X.730 (1992) \mid ISO/IEC 10164-1:1993, Information technology – Open Systems Interconnection – Systems management: Object management function.

CCITT Recommendation X.731 (1992) | ISO/IEC 10164-2:1993, Information technology – Open Systems Interconnection – Systems management: State management function.

CCITT Recommendation X.733 (1992) | ISO/IEC 10164-4:1993, Information technology – Open Systems Interconnection – Systems management: Alarm reporting function.

CCITT Recommendation X.734 (1992) | ISO/IEC 10164-5:1993, Information technology – Open Systems Interconnection – Systems management: Event report management function.

CCITT Recommendation X.735 (1992) | ISO/IEC 10164-6:1993, Information technology – Open Systems Interconnection – Systems management: Log control function.

CCITT Recommendation X.742 (1992) | ISO/IEC 10164-10:1995, Information technology – Open Systems Interconnection – Systems management: Usage metering function for accounting purposes.

CCITT Recommendation X.746 (1995) | ISO/IEC 10164-15:1995, Information technology – Open Systems Interconnection – Systems management: Scheduling function.

2.2 Other normative references

RFC 791, Internet Protocol (IP).

RFC 793, Transmission Control Protocol (TCP).

RFC 959, File Transfer Protocol (FTP).

 $RFC\ 1155, \textit{Structure and Identification of Management Information for TCP/IP-based Internets}.$

RFC 1157, A Simple Network Management Protocol (SNMP).