
**Information technology — Data
interchange on 120 mm and 80 mm
optical disk using +RW format —
Capacity: 4,7 Gbytes and 1,46 Gbytes per
side (recording speed up to 4X)**

*Technologies de l'information — Échange de données sur disques
optiques de 120 mm et 80 mm en utilisant le format +RW — Capacité:
4,7 Go et 1,46 Go par face (vitesse d'enregistrement inférieure ou égale
à 4X)*

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	vii
Introduction	viii
1 Scope	1
2 Conformance	1
2.1 Optical disk.....	1
2.2 Generating system.....	1
2.3 Receiving system.....	2
2.4 Compatibility statement	2
3 Normative references	2
4 Terms and definitions	2
5 Conventions and notations	4
5.1 Representation of numbers	4
5.2 Names	4
6 Abbreviated terms	5
7 General description of the optical disk	6
8 General Requirements	7
8.1 Environments	7
8.1.1 Test environment.....	7
8.1.2 Operating environment	7
8.1.3 Storage environment.....	7
8.1.4 Transportation.....	7
8.2 Safety requirements	8
8.3 Flammability	8
9 Reference Drive.....	8
9.1 Optical system	8
9.2 Optical beam	9
9.3 Read channel 1.....	9
9.4 Disk clamping.....	9
9.5 Rotation of the disk	10
9.6 Wobble channel (Read channel 2)	10
9.7 Tracking channel (Read channel 2)	11
9.8 Reference servo systems	11
9.8.1 Normalized servo transfer function	11
9.8.2 Reference Servo for Axial Tracking	11
9.8.3 Reference Servo for Radial Tracking.....	12
10 Dimensional characteristics	14
10.1 Reference Planes	14
10.2 Overall dimensions.....	15
10.3 First transition area	15
10.4 Second transition area	16
10.5 Clamping Zone	16
10.6 Third transition area	16
10.7 Information Zone.....	16
10.8 Rim area	17
10.9 Remark on tolerances	17
11 Mechanical characteristics	17

11.1	Mass	17
11.2	Moment of inertia	17
11.3	Dynamic imbalance.....	17
11.4	Axial runout	17
11.5	Radial runout	17
12	Optical characteristics in the Information Zone	18
12.1	Index of refraction	18
12.2	Thickness of the substrate.....	18
12.3	Reflectivity	19
12.4	Birefringence	19
12.5	Angular deviation	19
13	Data format	19
13.1	Data Frames.....	20
13.1.1	Identification Data (ID)	20
13.1.2	ID Error Detection Code (IED)	21
13.1.3	RSV	22
13.1.4	Error Detection Code (EDC).....	22
13.2	Scrambled Frames	22
13.3	ECC Blocks	23
13.4	Recording Frames.....	24
13.5	Modulation and NRZI conversion.....	25
13.6	Physical Sectors	26
13.7	Layout of a Recording UNit (RUN).....	27
13.7.1	Recording Unit position	28
13.8	d.c. component suppression control.....	28
14	Track format.....	29
14.1	Track shape	29
14.2	Track path	30
14.3	Track pitch	30
14.4	Track layout	30
14.4.1	ADIP information	30
14.4.2	Physical format information in ADIP.....	33
15	General description of the Information Zone	50
16	Layout of the Information Zone	51
16.1	Physical Sector Numbers (PSNs).....	51
17	Lead-in Zone	52
17.1	Initial Zone	52
17.2	Inner Disk Test Zone	52
17.3	Inner Drive Test Zone	52
17.4	Guard Zone 1	52
17.5	Reserved Zone 1	53
17.6	Reserved Zone 2	53
17.7	Inner Disk Identification Zone.....	53
17.8	Reserved Zone 3	54
17.9	Reference Code Zone	54
17.10	Buffer Zone 1	54
17.11	Control Data Zone	54
17.11.1	Physical format information.....	54
17.11.2	Disk manufacturing information.....	56
17.11.3	Content provider information	56
17.12	Buffer Zone 2	56
18	Data Zone	56
19	Lead-out Zone.....	56
19.1	Buffer Zone 3	57
19.2	Outer Disk Identification Zone	57
19.3	Guard Zone 2	57

19.4	Reserved Zone 4	57
19.5	Outer Drive Test Zone	57
19.6	Outer Disk Test Zone	57
19.7	Guard Zone 3	58
20	Assignment of Logical Sector Numbers (LSNs)	58
21	Formatting	58
21.1	Pre-formatting	59
21.1.1	Verification	59
21.2	Background formatting	59
21.2.1	Initialization	59
21.2.2	De-icing	59
21.2.3	Finalization	60
21.2.4	Verification (optional)	60
21.3	Sequential recording without formatting	60
22	Disk Control Blocks	61
22.1	General format of Disk Control Blocks	61
22.2	Format of the Formatting DCB (FDCB)	63
22.3	Format of the Write inhibit DCB (WDCB)	67
23	General	69
24	Method of testing	69
24.1	Environment	69
24.2	Reference Drive	69
24.2.1	Optics and mechanics	69
24.2.2	Read power	69
24.2.3	Read channels	70
24.2.4	Tracking	70
24.3	Definition of signals	70
25	Characteristics of the groove signals	71
25.1	Phase depth	71
25.2	Push-pull signal	71
25.3	Track Cross signal	71
25.4	Normalized wobble signal	71
25.5	Characteristics of the wobble	72
26	Method of testing	72
26.1	Environment	72
26.2	Reference Drive	72
26.2.1	Optics and mechanics	72
26.2.2	Read power	72
26.2.3	Read channels	72
26.2.4	Tracking	73
26.2.5	Scanning velocity	73
26.3	Write conditions	73
26.3.1	Write pulse waveform	73
26.3.2	Write power	73
26.4	Measurement conditions	74
27	Characteristics of the recorded signals	74
27.1	Channel bit length	74
27.2	Definition of signals	74
27.2.1	High frequency signals (HF)	74
27.2.2	Modulated amplitude	75
27.2.3	Signal asymmetry	75
27.2.4	Normalized Slicing Level jump	75
27.2.5	Jitter	75
27.2.6	Track Cross signal	76
27.3	Read stability	76

28	Additional testing conditions	76
28.1	Test environment	76
28.1.1	Optics	76
28.2	Definition of signals	76
28.2.1	Modulated amplitude	77
28.2.2	Signal asymmetry	77
28.2.3	Jitter	77
28.2.4	Track Cross signal	77
28.2.5	Differential phase tracking error signal	77
28.2.6	Tangential push-pull signal	78
29	Quality of the recording layer	79
29.1	Defects	79
29.2	Data errors	79
30	Method of testing	80
30.1	Environment	80
30.2	Reference Drive	80
30.2.1	Optics and mechanics	80
30.2.2	Read power	80
30.2.3	Read channels	80
30.2.4	Error correction	80
30.2.5	Tracking	80
31	Minimum quality of a Recording Unit	81
31.1	Tracking	81
31.2	User-written data	81
Annex A	(normative) 80 mm disk	82
Annex B	(normative) Structure for Extended format information in the Data Zone	85
Annex C	(normative) Measurement of light reflectivity	88
Annex D	(normative) Measurement of birefringence	91
Annex E	(normative) Measuring conditions for operation signals	94
Annex F	(normative) Measurement of the differential phase tracking error	97
Annex G	(normative) The write pulse wave form for testing	101
Annex H	(normative) 8-to-16 Modulation	104
Annex I	(normative) Optimum Power Control	113
Annex J	(normative) Logical to Physical address translation	118
Annex K	(informative) Measurement of the groove wobble amplitude	119
Annex L	(informative) Transportation	121
Annex M	(informative) Defect Management and Physical Formatting	122
Annex N	(informative) Video Content Protection System	123
Annex O	(informative) How to use the Physical format information in ADIP	124
Annex P	(informative) Values to be Implemented in Existing and Future Specifications	126
	Bibliography	129

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 17341 was prepared by Ecma International (as ECMA-337) and was adopted, under a special “fast-track procedure”, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

This fourth edition cancels and replaces the third edition (ISO/IEC 17341:2006), which has been technically revised.

Introduction

Ecma Technical Committee TC31 was established in 1984 for the standardization of optical disks and optical disk cartridges (ODC). Since its establishment, the Committee has made major contributions to ISO/IEC toward the development of International Standards for 80 mm, 90 mm, 120 mm, 300 mm, and 356 mm media. Numerous standards have been developed by TC31 and published by Ecma, almost all of which have also been adopted by ISO/IEC under the fast-track procedure as International Standards.

In February 2002, a group of companies proposed that TC31 develop a standard for 120 mm rewritable optical disks using phase change recording technology and based on ISO/IEC 16448 and ISO/IEC 16969. TC31 adopted this project and started the work that resulted in the first edition of ISO/IEC 17341.

This International Standard specifies two Types of rewritable optical disks: one (Type S) making use of recording on only a single side of the disk and yielding a nominal capacity of 4,7 Gbytes or 1,46 Gbytes per disk and the other (Type D) making use of recording on both sides of the disk and yielding a nominal capacity of 9,4 Gbytes or 2,92 Gbytes per disk.

In April 2003, a proposal was made to TC31 to update ISO/IEC 17341 for recording speeds up to four times the reference velocity. TC31 adopted this project, which resulted in the second edition of ISO/IEC 17341.

In February 2005 a proposal was made to TC31 to update ISO/IEC 17341 to facilitate the application of the Video Content Protection System.

This International Standard, taken together with a standard for volume and file structure, such as for instance developed in Ecma Technical Committee TC15, provides the requirements for information interchange between systems.

Information technology — Data interchange on 120 mm and 80 mm optical disk using +RW format — Capacity: 4,7 Gbytes and 1,46 Gbytes per side (recording speed up to 4X)

1 Scope

This International Standard specifies the mechanical, physical and optical characteristics of 120 mm rewritable optical disks with capacities of 4,7 Gbytes and 9,4 Gbytes. It specifies the quality of the recorded and unrecorded signals, the format of the data and the recording method, thereby allowing for information interchange by means of such disks. The data can be written, read and overwritten many times using the phase change method. These disks are identified as +RW.

This International Standard also specifies 80 mm disks with capacities of 1,46 Gbytes and 2,92 Gbytes. These disks have the same characteristics as the 120 mm disks, except for some parameters related to the smaller dimensions. All parameters unique for the 80 mm disks are specified in Annex A.

This International Standard specifies the following:

- two related but different Types of this disk (see Clause 7);
- the conditions for conformance;
- the environments in which the disk is to be tested, operated and stored;
- the mechanical, physical and dimensional characteristics of the disk, so as to provide mechanical interchange between data processing systems;
- the format of the information on the disk, including the physical disposition of the tracks and sectors, the error correcting codes and the coding method;
- the characteristics of the signals recorded on the disk, thus enabling data processing systems to read the data from the disk.

This International Standard provides for the interchange of disks between optical disk drives. Together with a standard for volume and file structure, it provides for full data interchange between data processing systems.

2 Conformance

2.1 Optical disk

A claim of conformance with this International Standard shall specify the Type implemented. An optical disk is in conformance with this International Standard if it meets all mandatory requirements specified for its Type.

2.2 Generating system

A generating system is in conformance with this International Standard if the optical disk it generates is in accordance with 2.1.

2.3 Receiving system

A receiving system is in conformance with this International Standard if it is able to handle both Types of optical disk according to 2.1.

2.4 Compatibility statement

A claim of conformance by a generating or receiving system with this International Standard shall include a statement listing any other standards supported. This statement shall specify the numbers of the standards, the optical disk types supported (where appropriate) and whether support includes reading only or both reading and writing.

3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 4873:1991, *Information technology — ISO 8-bit code for information interchange — Structure and rules for implementation*

ISO/IEC 16448:2002, *Information technology — 120 mm DVD — Read-only disk*

ECMA-287, *Safety of electronic equipment* (2002)