
**Information technology — Data
interchange on 120 mm and 80 mm
optical disk using +R format — Capacity:
4,7 Gbytes and 1,46 Gbytes per side
(recording speed up to 16X)**

*Technologies de l'information — Échange de données sur disques
optiques de 120 mm et 80 mm en utilisant le format +R — Capacité: 4,7
Go et 1,46 Go par face (vitesse d'enregistrement inférieure ou égale à
16X)*

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	viii
Introduction	ix
1 Scope	1
2 Conformance	1
2.1 Optical disk.....	1
2.2 Generating system.....	1
2.3 Receiving system.....	2
2.4 Compatibility statement	2
3 Normative references	2
4 Terms and definitions	2
5 Conventions and notations	4
5.1 Representation of numbers	4
5.2 Names	5
6 Abbreviated terms	5
7 General description of the optical disk	6
8 General Requirements	7
8.1 Environments	7
8.1.1 Test environment.....	7
8.1.2 Operating environment	7
8.1.3 Storage environment.....	7
8.1.4 Transportation.....	7
8.2 Safety requirements	8
8.3 Flammability	8
8.4 Light fastness.....	8
9 Reference Drive.....	8
9.1 Optical system	8
9.2 Optical beam	9
9.3 Read channel 1.....	9
9.4 Disk clamping.....	9
9.5 Rotation of the disk	10
9.6 Wobble channel (Read channel 2)	10
9.7 Tracking channel (Read channel 2)	11
9.8 Reference servo systems	11
9.8.1 Normalized servo transfer function	11
9.8.2 Reference Servo for Axial Tracking.....	11
9.8.3 Reference Servo for Radial Tracking.....	12
10 Dimensional characteristics	14
10.1 Reference Planes	14
10.2 Overall dimensions.....	15
10.3 First transition area	15
10.4 Second transition area	16
10.5 Clamping Zone	16
10.6 Third transition area	16
10.7 Information Zone.....	16
10.8 Rim Area	17
10.9 Remark on tolerances	17

11	Mechanical characteristics	17
11.1	Mass	17
11.2	Moment of inertia	17
11.3	Dynamic imbalance.....	17
11.4	Axial runout	17
11.4.1	Tracking requirements at the Reference velocity (CLV)	17
11.4.2	Tracking requirements at 3 000 RPM (CAV)	18
11.5	Radial runout	18
11.5.1	Tracking requirements at the Reference velocity (CLV)	18
11.5.2	Tracking requirements at 3 000 RPM (CAV)	19
12	Optical characteristics in the Information Zone	19
12.1	Index of refraction	19
12.2	Thickness of the substrate.....	19
12.3	Reflectivity	20
12.4	Birefringence	20
12.5	Angular deviation.....	20
13	Data format	21
13.1	Data Frames.....	21
13.1.1	Identification Data (ID)	22
13.1.2	ID Error Detection Code (IED)	22
13.1.3	RSV	23
13.1.4	Error Detection Code (EDC)	23
13.2	Scrambled Frames	23
13.3	ECC Blocks	24
13.4	Recording Frames.....	25
13.5	Modulation and NRZI conversion	26
13.6	Physical Sectors	27
13.7	Layout of a Recording UNit (RUN).....	28
13.7.1	Recording Unit position	29
13.8	d.c. component suppression control.....	29
14	Track format.....	30
14.1	Track shape	30
14.2	Track path	31
14.3	Track pitch	31
14.4	Track layout	31
14.4.1	ADIP information.....	31
14.4.2	Physical format information in ADIP	34
15	General description of the Information Zone	56
16	Layout of the Information Zone of a Single-session disk.....	56
16.1	Physical Sector Numbers (PSNs).....	56
17	Inner Drive Area	57
17.1	Initial Zone	58
17.2	Inner Disk Test Zone.....	58
17.3	Count Zone Run-in.....	58
17.4	Inner Disk Count Zone	58
17.5	Inner Disk Administration Zone.....	59
17.6	Table of Contents (TOC) Zone	59
17.6.1	Table of Contents Blocks	60
17.6.2	Recorded Area Indicators (optional).....	62
18	Lead-in Zone	63
18.1	Guard Zone 1	63
18.2	Reserved Zone 1	63
18.3	Reserved Zone 2	63
18.4	Inner Disk Identification Zone.....	64
18.5	Reserved Zone 3	64
18.6	Reference Code Zone	64

18.7	Buffer Zone 1	64
18.8	Control Data Zone	64
18.8.1	Physical format information	64
18.8.2	Disk manufacturing information	66
18.8.3	Content provider information	66
18.9	Buffer Zone 2	66
19	Data Zone	67
20	Lead-out Zone	67
20.1	Buffer Zone 3	67
20.2	Outer Disk Identification Zone	67
20.3	Guard Zone 2	67
21	Outer Drive Area	68
21.1	Outer Disk Administration Zone	68
21.2	Outer Disk Count Zone	68
21.3	Outer Disk Test Zone	69
21.4	Guard Zone 3	69
22	Multi-session Layout	69
22.1	Intro	70
22.1.1	Buffer Zone A	71
22.1.2	Inner Session Identification Zone	71
22.1.3	Session Control Data Zone	71
22.1.4	Buffer Zone B	71
22.2	Data Zone	71
22.3	Closure	71
22.3.1	Buffer Zone C	71
22.3.2	Outer Session Identification Zone	71
23	Sequential recording in Fragments	71
23.1	Opening a Session	72
23.1.1	Incomplete Fragment	72
23.1.2	Reserved Fragments	72
23.1.3	Recording User Data in Fragments	73
23.1.4	Closing a Fragment	73
23.2	Closing a Session	74
23.2.1	Lead-in/Intro Zone	74
23.2.2	Closure Zone	74
23.3	Finalizing the disk	75
24	Assignment of Logical Sector Numbers (LSNs)	75
25	Disk Control Blocks	75
25.1	General format of Disk Control Blocks	75
25.2	Format of the Session DCB (SDCB)	77
25.2.1	Session Items	79
26	General	80
27	Method of testing	81
27.1	Environment	81
27.2	Reference Drive	81
27.2.1	Optics and mechanics	81
27.2.2	Read power	81
27.2.3	Read channels	81
27.2.4	Tracking	81
27.3	Definition of signals	81
28	Characteristics of the groove signals	82
28.1	Phase depth	82
28.2	Push-pull signal	82
28.3	Track Cross signal	83
28.4	Normalized wobble signal	83

28.5	Characteristics of the wobble	83
29	Method of testing	83
29.1	Environment	83
29.2	Reference Drive	84
29.2.1	Optics and mechanics	84
29.2.2	Read power	84
29.2.3	Read channels	84
29.2.4	Tracking	84
29.2.5	Scanning velocity	84
29.3	Write conditions	84
29.3.1	Write pulse waveform	84
29.3.2	Write power	85
29.3.3	Write power dependency on wavelength	86
29.3.4	Write power window	86
29.4	Measurement conditions	87
30	Characteristics of the recorded signals	87
30.1	Channel bit length	87
30.2	Definition of signals	87
30.2.1	High frequency signals (HF)	87
30.2.2	Modulated amplitude	87
30.2.3	Signal asymmetry	88
30.2.4	Normalized Slicing Level jump	88
30.2.5	Jitter	88
30.2.6	Track Cross signal	89
30.3	Read stability	89
31	Additional testing conditions	89
31.1	Test environment	89
31.1.1	Optics	89
31.2	Definition of signals	89
31.2.1	Modulated amplitude	90
31.2.2	Signal asymmetry	90
31.2.3	Jitter	90
31.2.4	Track Cross signal	90
31.2.5	Differential phase tracking error signal	90
31.2.6	Tangential push-pull signal	91
32	Quality of the recording layer	92
32.1	Defects	92
32.2	Data errors	92
33	Method of testing	93
33.1	Environment	93
33.2	Reference Drive	93
33.2.1	Optics and mechanics	93
33.2.2	Read power	93
33.2.3	Read channels	93
33.2.4	Error correction	93
33.2.5	Tracking	93
34	Minimum quality of a Recording Unit	94
34.1	Tracking	94
34.2	User-written data	94
Annex A	(normative) 80 mm +R disk	95
Annex B	(normative) Structure for Extended format information in the Data Zone	98
Annex C	(normative) Measurement of light reflectivity	101
Annex D	(normative) Measurement of birefringence	103
Annex E	(normative) Measuring conditions for operation signals	106

Annex F (normative) Measurement of the differential phase tracking error	109
Annex G (normative) The write pulse wave form for testing	113
Annex H (normative) 8-to-16 Modulation	121
Annex I (normative) Optimum Power Control and Recording Conditions	130
Annex J (informative) Running OPC	133
Annex K (informative) Wavelength dependency	134
Annex L (informative) Explanation about the usage of the reference servos	138
Annex M (informative) Measurement of the groove wobble amplitude	145
Annex N (informative) Light fastness of the disk	147
Annex O (informative) Transportation	148
Annex P (informative) Video Content Protection System	149
Annex Q (informative) How to use the Physical format information in ADIP	150
Annex R (informative) Values to be implemented in Existing and Future Specifications	152
Bibliography	155

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 17344 was prepared by Ecma International (as ECMA-349) and was adopted, under a special “fast-track procedure”, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

This fourth edition cancels and replaces the third edition (ISO/IEC 17344:2006), which has been technically revised.

Introduction

Ecma Technical Committee TC31 was established in 1984 for the standardization of Optical Disks and Optical Disk Cartridges (ODC). Since its establishment, the Committee has made major contributions to ISO/IEC toward the development of International Standards for 80 mm, 90 mm, 120 mm, 300 mm, and 356 mm media. Numerous standards have been developed by TC31 and published by Ecma, almost all of which have also been adopted by ISO/IEC under the fast-track procedure as International Standards.

In April 2003, a group of companies proposed that TC31 develop a standard for 120 mm recordable optical disks using the WORM recording technology and based on ISO/IEC 16448 and ISO/IEC 17341. TC31 adopted this project and started the work that resulted in the first edition of ISO/IEC 17344.

This International Standard specifies two Types of recordable optical disks: one (Type S) making use of recording on only a single side of the disk and yielding a nominal capacity of 4,7 Gbytes or 1,46 Gbytes per disk and the other (Type D) making use of recording on both sides of the disk and yielding a nominal capacity of 9,4 Gbytes or 2,92 Gbytes per disk.

In December 2003, a proposal was made to TC31 to update ISO/IEC 17344 for recording speeds up to eight times the reference velocity. TC31 adopted this project, which resulted in the second edition of ISO/IEC 17344.

In February 2005, a proposal was made to TC31 to update ISO/IEC 17344 for recording speeds up to 16 times the reference velocity and to facilitate the application of the Video Content Protection System.

This International Standard, taken together with a standard for volume and file structure, such as for instance developed in Ecma Technical Committee TC15, provides the requirements for information interchange between systems.

Information technology — Data interchange on 120 mm and 80 mm optical disk using +R format — Capacity: 4,7 Gbytes and 1,46 Gbytes per side (recording speed up to 16X)

1 Scope

This International Standard specifies the mechanical, physical and optical characteristics of 120 mm recordable optical disks with capacities of 4,7 Gbytes and 9,4 Gbytes. It specifies the quality of the recorded and unrecorded signals, the format of the data and the recording method, thereby allowing for information interchange by means of such disks. The data can be written once and read many times using a non-reversible method. These disks are identified as +R.

This International Standard also specifies 80 mm disks with capacities of 1,46 Gbytes and 2,92 Gbytes. These disks have the same characteristics as the 120 mm disks, except for some parameters related to the smaller dimensions. All parameters unique for the 80 mm disks are specified in Annex A.

This International Standard specifies the following:

- two related but different Types of this disk (see Clause 7);
- the conditions for conformance;
- the environments in which the disk is to be tested, operated and stored;
- the mechanical, physical and dimensional characteristics of the disk, so as to provide mechanical interchange between data processing systems;
- the format of the information on the disk, including the physical disposition of the tracks and sectors, the error correcting codes and the coding method;
- the characteristics of the signals recorded on the disk, thus enabling data processing systems to read the data from the disk.

This International Standard provides for the interchange of disks between optical disk drives. Together with a standard for volume and file structure, it provides for full data interchange between data processing systems.

2 Conformance

2.1 Optical disk

A claim of conformance with this International Standard specifies the Type implemented. An optical disk is in conformance with this International Standard if it meets all mandatory requirements specified for its Type.

2.2 Generating system

A generating system is in conformance with this International Standard if the optical disk it generates is in accordance with 2.1.

2.3 Receiving system

A receiving system is in conformance with this International Standard if it is able to handle both Types of optical disk according to 2.1.

2.4 Compatibility statement

A claim of conformance by a generating or receiving system with this International Standard shall include a statement listing any other standards supported. This statement shall specify the numbers of the standards, the optical disk types supported (where appropriate) and whether support includes reading only or both reading and writing.

3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 4873:1991, *Information technology — ISO 8-bit code for information interchange — Structure and rules for implementation*

ISO/IEC 16448:2002, *Information technology — 120 mm DVD — Read-only disk*

ECMA-287, *Safety of electronic equipment* (2002)