

INTERNATIONAL STANDARD

ISO/IEC 17592

First edition
2004-07-15

Information technology — 120 mm (4,7 Gbytes per side) and 80 mm (1,46 Gbytes per side) DVD rewritable disk (DVD-RAM)

*Technologies de l'information — Disque DVD réenregistrable
(DVD-RAM) de 120 mm (4,7 Go par face) et 80 mm (1,46 Go par face)*

Reference number
ISO/IEC 17592:2004(E)



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO/IEC 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Section 1 - General	1
1 Scope	1
2 Conformance	1
2.1 Optical Disk	1
2.2 Generating system	1
2.3 Receiving system	2
3 Normative references	2
4 Terms and definitions	2
5 Conventions and notations	4
5.1 Representation of numbers	4
5.2 Names	4
6 List of acronyms	4
7 General description of the optical disk	5
8 General requirements	6
8.1 Environments	6
8.1.1 Test environment	6
8.1.2 Operating environment	6
8.1.3 Storage environment	6
8.1.4 Transportation	6
8.2 Safety requirement	6
8.3 Flammability	6
9 Reference Drive	7
9.1 Optical Head	7
9.2 Read channels	8
9.3 Rotation speed	8
9.4 Disk clamping	8
9.5 Normalized servo transfer function	8
9.6 Reference Servo for axial tracking	8
9.7 Reference Servo for radial tracking	10
Section 2 - Dimensional, mechanical and physical characteristics of the disk	11
10 Dimensional characteristics	11
10.1 Overall dimensions	12
10.2 First transition area	13
10.3 Second transition area	13
10.4 Clamping Zone	13
10.5 Third transition area	13
10.6 Rim area	14
10.7 Remark on tolerances	14
10.8 Label	14
11 Mechanical characteristics	14
11.1 Mass	14
11.2 Moment of inertia	14
11.3 Dynamic imbalance	15
11.4 Sense of rotation	15
11.5 Runout	15
11.5.1 Axial runout	15

11.5.2	Radial runout.....	15
12	Optical characteristics.....	15
12.1	Index of refraction.....	15
12.2	Thickness of the transparent substrate	15
12.3	Angular deviation.....	15
12.4	Birefringence of the transparent substrate.....	16
12.5	Reflectivity	16
Section 3 - Format of information.....		17
13	Data format.....	17
13.1	Data Frames.....	17
13.1.1	Data ID	18
13.1.2	Data ID Error Detection code (IED)	18
13.1.3	Reserved bytes	19
13.1.4	Error Detection Code (EDC)	19
13.2	Scrambled Frames	19
13.3	ECC Blocks.....	20
13.4	Recording Frames	21
13.5	Recording code and NRZI conversion	22
13.6	Recorded Data Field.....	23
13.7	DC component suppress Control (DCC).....	24
13.7.1	DCC for the data in the Rewritable Area.....	24
13.7.2	DCC for the data in the Embossed Area	24
13.7.3	PID and PED recording.....	25
14	Track format.....	25
14.1	Track shape.....	25
14.2	Track path	25
14.3	Track pitch.....	26
14.4	Track layout.....	26
14.5	Rotation speed.....	26
14.6	Radial alignment	28
14.7	Sector number.....	28
15	Sector format	29
15.1	Sector layout	29
15.1.1	Sector layout in the Rewritable Area	29
15.1.2	Sector layout in the Embossed Area	30
15.2	VFO fields	30
15.3	Address Mark (AM).....	31
15.4	Physical ID (PID) fields	31
15.5	PID Error Detection code (PED) fields	32
15.6	Postamble 1 and Postamble 2 (PA 1, PA 2) fields	32
15.7	Mirror field	34
15.8	Gap field	34
15.9	Guard 1 field	34
15.10	Pre-Synchronous code (PS) field.....	34
15.11	Data field.....	34
15.12	Postamble 3 (PA 3) field	34
15.13	Guard 2 field	34
15.14	Recording polarity randomization.....	35
15.15	Buffer field.....	35
16	Format of the Information Zone.....	35
16.1	Division of the Information Zone.....	35
16.2	Lead-in Zone.....	38
16.2.1	Structure of Lead-in Zone	38
16.2.2	Initial Zone.....	39
16.2.3	Reference Code Zone.....	39
16.2.4	Buffer Zone 1	39
16.2.5	Buffer Zone 2	39

16.2.6	Control Data Zone	39
16.2.7	Connection Zone	52
16.2.8	Guard Track Zones 1 and 2	53
16.2.9	Disk Test Zone	53
16.2.10	Drive Test Zone	53
16.2.11	Disk Identification Zone.....	54
16.2.12	DMA 1 and DMA 2	56
16.3	Data Zone	56
16.3.1	Structure of Data Zone and of the Defect Management Areas (DMAs).....	56
16.3.2	Guard Track Zones.....	57
16.3.3	Partitioning.....	57
16.3.4	Number of blocks in the supplementary spare area	60
16.4	Lead-out Zone.....	61
16.4.1	Structure of Lead-out Zone.....	61
16.4.2	DMA 3 and DMA 4	61
16.4.3	Reserved Zone	61
16.4.4	Guard Track Zone 1	61
16.4.5	Drive Test Zone	61
16.4.6	Disk Test Zone	61
16.4.7	Guard Track Zone 2	62
17	Defect management.....	62
17.1	Defect Management Areas (DMAs)	62
17.2	Disk Definition Structure (DDS).....	63
17.3	Spare sectors.....	65
17.4	Slipping Algorithm	66
17.5	Linear Replacement Algorithm.....	67
17.6	Primary Defect List (PDL)	68
17.7	Secondary Defect List (SDL).....	69
17.8	Formatting of the disk.....	72
17.8.1	Initialization	72
17.8.2	Re-initialization	73
17.8.3	Data field number resulting from Initialization and Re-initialization	73
17.9	Write procedure.....	74
17.10	Read procedure.....	74
17.10.1	Read procedure.....	74
17.10.2	Blank ECC Block.....	74
Section 4 - Characteristics of embossed information.....		75
18	Method of testing	75
18.1	Environment.....	75
18.2	Reference Drive	75
18.2.1	Optics and mechanics.....	75
18.2.2	Read power.....	75
18.2.3	Read channels	75
18.2.4	Tracking channel	75
18.2.5	Tracking	75
18.3	Definition of signals.....	75
19	Signals from lands and grooves	80
19.1	Push-pull signal.....	80
19.2	Divided push-pull signal.....	80
19.3	On-track signal	80
19.4	Phase depth.....	81
19.5	Wobble signal	81
20	Signals from Header fields	81
20.1	VFO 1 and VFO 2	82
20.2	Address Mark, PID, PED and Postamble	82
20.3	Signals from Header 1, Header 2, Header 3 and Header 4.....	83
20.4	Phase depth.....	84

21	Signals from Embossed Area	84
21.1	High Frequency (HF) signal	84
21.1.1	Modulated amplitude	84
21.1.2	Signal asymmetry	84
21.1.3	Cross-track signal	84
21.2	Jitter	84
21.3	Servo signal	84
21.3.1	Differential phase tracking error signal	85
21.3.2	Tangential push-pull signal	85
Section 5 - Characteristics of the recording layer		87
22	Method of testing	87
22.1	Environment	87
22.2	Reference Drive	87
22.2.1	Optics and mechanics	87
22.2.2	Read power	87
22.2.3	Read channel	87
22.2.4	Tracking	87
22.3	Write conditions	87
22.3.1	Write pulse	87
22.3.2	Write power	88
22.3.3	Adaptive write control table	89
22.3.4	Adaptive write pulse control mode	90
22.4	Definition of signals	90
23	Write characteristics	91
23.1	Modulated amplitude and Signal asymmetry	91
23.2	Jitter	91
Section 6 - Characteristics of user data		92
24	Method of testing	92
Annex A (normative) Measurement of the angular deviation α		93
Annex B (normative) Measurement of birefringence		95
Annex C (normative) Measurement of the differential phase tracking error		97
Annex D (normative) Reflectivity calibration and measuring method		101
Annex E (normative) Tapered cone for disk clamping		103
Annex F (normative) Measuring conditions for the operation signals		104
Annex G (normative) 8-to-16 Recording code with RLL (2,10) requirements		106
Annex H (normative) Definition of the write pulse		116
Annex J (normative) Burst Cutting Area (BCA)		119
Annex K (informative) Guideline for randomization of the Gap length, the Guard 1 length and the recording polarity		127
Annex L (informative) Transportation		128
Annex M (informative) Guideline for sector replacement		129

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 17592 was prepared by Ecma International (as ECMA-330) and was adopted, under a special “fast-track procedure”, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

Information technology — 120 mm (4,7 Gbytes per side) and 80 mm (1,46 Gbytes per side) DVD rewritable disk (DVD-RAM)

Section 1 - General

1 Scope

This International Standard specifies the mechanical, physical and optical characteristics of an optical disk, identified as DVD Rewritable Disk (DVD-RAM), to enable interchange of such disks. It specifies the quality of the recorded signals, the format of the data and the recording method, thereby allowing for information interchange by means of such disks. The data can be written, read and overwritten many times using the phase change method. Two Types are specified that differ only by their diameter of 120 mm and 80 mm, and the resulting difference of capacity.

This International Standard specifies

- two related but different Types of this disk (see clause 7),
- the conditions for conformance,
- the environments in which the disk is to be tested, operated and stored,
- the mechanical, physical and dimensional characteristics of the disk, so as to provide mechanical interchange between data processing systems,
- the format of the information on the disk, including the physical disposition of the tracks and sectors, the error correcting codes and the coding method,
- the characteristics of the signals recorded on the disk, thus enabling data processing systems to read the data from the disk.

This International Standard provides for the interchange of disks between optical disk drives. Together with a standard for volume and file structure, it provides for full data interchange between data processing systems. The optical disks specified by this International Standard may be enclosed in cases according to ISO/IEC 17594 as specified therein.

2 Conformance

2.1 Optical Disk

A claim of conformance with this International Standard shall specify the Type implemented. An optical disk shall be in conformance with this International Standard if it meets all mandatory requirements specified for this Type.

2.2 Generating system

A generating system shall be in conformance with this International Standard if the optical disk it generates is in accordance with 2.1.

2.3 Receiving system

A receiving system shall be in conformance with this International Standard if it is able to handle both Types of optical disk according to 2.1.

3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 10646-1:2000, *Information technology — Universal Multiple-Octet Coded Character Set (UCS) — Part 1: Architecture and Basic Multilingual Plane*

ISO/IEC 17594:2004, *Information technology — Cases for 120 mm and 80 mm DVD-RAM disks*

ECMA-287:2002, *Safety of electronic equipment*