

This is a preview - [click here to buy the full publication](#)



ISO/IEC 29341-8-21

Edition 1.0 2008-11

# INTERNATIONAL STANDARD

---

**Information technology – UPnP Device Architecture –  
Part 8-21: Internet Gateway Device Control Protocol – Wireless Local Area  
Network Configuration Service**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE



---

ICS 35.200

ISBN 978-2-88910-891-6

## CONTENTS

FOREWORD .....	6
ORIGINAL UPNP DOCUMENTS (informative) .....	8
<b>1. Overview and Scope .....</b>	<b>10</b>
<b>2. Service Modeling Definitions .....</b>	<b>10</b>
2.1. ServiceType .....	10
2.2. State Variables .....	10
2.2.1. InsecureOOBAccessEnabled .....	12
2.2.2. SSID .....	12
2.2.3. BSSID .....	12
2.2.4. BeaconType .....	13
2.2.5. BeaconAdvertisementEnabled .....	13
2.2.6. RadioEnabled .....	13
2.2.7. LocationDescription .....	13
2.2.8. RegulatoryDomain .....	14
2.2.9. TotalPSKFailures .....	14
2.2.10. TotalIntegrityFailures .....	14
2.2.11. Channel .....	14
2.2.12. PossibleChannels .....	14
2.2.13. ChannelsInUse .....	14
2.2.14. DeviceOperationMode .....	15
2.2.15. DistanceFromRoot .....	15
2.2.16. PeerBSSID .....	15
2.2.17. BasicDataTransmitRates .....	15
2.2.18. OperationalDataTransmitRates .....	15
2.2.19. PossibleDataTransmitRates .....	16
2.2.20. AutoRateFallBackEnabled .....	16
2.2.21. TotalBytesSent .....	16
2.2.22. TotalBytesReceived .....	16
2.2.23. TotalPacketsSent .....	16
2.2.24. TotalPacketsReceived .....	16
2.2.25. TotalAssociations .....	16
2.2.26. AssociatedDeviceMACAddress .....	16
2.2.27. AssociatedDeviceIPAddress .....	16
2.2.28. AssociatedDeviceAuthState .....	17
2.2.29. AuthenticationServiceMode .....	17
2.2.30. WEPKeyIndex .....	17
2.2.31. WEPKey .....	17
2.2.32. KeyPassphrase .....	17
2.2.33. WEPEncryptionLevel .....	18
2.2.34. PreSharedKey .....	18
2.2.35. PreSharedKeyIndex .....	18
2.2.36. BasicEncryptionModes .....	18
2.2.37. BasicAuthenticationMode .....	19
2.2.38. WPAEncryptionModes .....	19
2.2.39. WPAAuthenticationMode .....	19
2.2.40. IEEE11iEncryptionModes .....	20
2.2.41. IEEE11iAuthenticationMode .....	20
2.2.42. LastRequestedUnicastCipher .....	20
2.2.43. LastRequestedMulticastCipher .....	20
2.2.44. LastPMKId .....	21
2.3. Eventing and Moderation .....	21
2.3.1. Event Model .....	21
2.4. Actions .....	21
2.4.1. SetInsecureOutOfBandAccessMode .....	23
2.4.2. GetInsecureOutOfBandAccessMode .....	23

2.4.3.	SetSSID .....	24
2.4.4.	GetSSID .....	24
2.4.5.	GetBSSID .....	25
2.4.6.	SetBeaconType.....	25
2.4.7.	GetBeaconType .....	26
2.4.8.	SetBeaconAdvertisement .....	26
2.4.9.	GetBeaconAdvertisement .....	27
2.4.10.	SetRadioMode.....	27
2.4.11.	GetRadioMode .....	28
2.4.12.	SetLocationDescription .....	28
2.4.13.	GetLocationDescription .....	29
2.4.14.	SetRegulatoryDomain .....	29
2.4.15.	GetRegulatoryDomain .....	30
2.4.16.	GetFailureStatusInfo .....	30
2.4.17.	SetChannel.....	31
2.4.18.	GetChannelInfo .....	31
2.4.19.	GetChannelsInUse.....	32
2.4.20.	SetDeviceOperationMode .....	32
2.4.21.	GetDeviceOperationMode .....	33
2.4.22.	SetDataTransmitRates .....	34
2.4.23.	GetDataTransmitRateInfo .....	35
2.4.24.	SetAutoRateFallBackMode .....	35
2.4.25.	GetAutoRateFallBackMode.....	36
2.4.26.	GetByteStatistics .....	36
2.4.27.	GetPacketStatistics .....	37
2.4.28.	GetByteStatsForAssociatedDev .....	37
2.4.29.	GetPacketStatsForAssociatedDev .....	38
2.4.30.	GetTotalAssociations .....	38
2.4.31.	GetGenericAssociatedDeviceInfo .....	39
2.4.32.	GetSpecificAssociatedDeviceInfo .....	39
2.4.33.	GetSpecificAssociatedDev11iInfo .....	40
2.4.34.	SetAuthenticationServiceMode .....	41
2.4.35.	GetAuthenticationServiceMode .....	41
2.4.36.	SetSecurityKeys .....	42
2.4.37.	GetSecurityKeys .....	43
2.4.38.	SetDefaultWEPKeyIndex .....	43
2.4.39.	GetDefaultWEPKeyIndex .....	44
2.4.40.	SetPreSharedKey.....	44
2.4.41.	GetPreSharedKey .....	45
2.4.42.	SetBasBeaconSecurityProperties .....	45
2.4.43.	GetBasBeaconSecurityProperties .....	46
2.4.44.	SetWPABeaconSecurityProperties .....	46
2.4.45.	GetWPABeaconSecurityProperties.....	47
2.4.46.	Set11iBeaconSecurityProperties.....	48
2.4.47.	Get11iBeaconSecurityProperties .....	48
2.4.48.	FactoryDefaultReset.....	49
2.4.49.	ResetAuthentication .....	49
2.4.50.	Non-Standard Actions Implemented by a UPnP Device Vendor.....	49
2.4.51.	Common Error Codes .....	50
2.5.	Theory of Operation .....	51
2.5.1.	Initialization of the AP Device.....	51
2.5.2.	Operation of the AP Device .....	51
<b>3.</b>	<b>XML Service Description .....</b>	<b>58</b>
<b>4.</b>	<b>Test.....</b>	<b>71</b>

## LIST OF TABLES

Table 1: State Variables .....	11
Table 2: Event Moderation.....	21
Table 3: Actions .....	22
Table 4: Arguments for SetInsecureOutOfBandAccessMode .....	23
Table 5: Arguments for SetInsecureOutOfBandAccessMode .....	23
Table 6: Arguments for SetSSID .....	24
Table 7: Arguments for GetSSID .....	24
Table 8: Arguments for GetBSSID .....	25
Table 9: Arguments for SetBeaconType .....	25
Table 10: Arguments for GetBeaconType .....	26
Table 11: Arguments for SetBeaconAdvertisement .....	26
Table 12: Arguments for GetBeaconAdvertisement.....	27
Table 13: Arguments for SetRadioMode .....	27
Table 14: Arguments for GetRadioMode.....	28
Table 15: Arguments for SetLocationDescription .....	28
Table 16: Arguments for GetLocationDescription.....	29
Table 17: Arguments for SetRegulatoryDomain.....	29
Table 18: Arguments for GetRegulatoryDomain .....	30
Table 19: Arguments for GetFailureStatusInfo.....	30
Table 20: Arguments for SetChannel .....	31
Table 21: Arguments for GetChannelInfo.....	31
Table 22: Arguments for GetChannelsInUse.....	32
Table 23: Arguments for SetDeviceOperationMode.....	33
Table 24: Arguments for GetDeviceOperationMode .....	34
Table 25: Arguments for SetDataTransmitRates .....	34
Table 26: Arguments for GetDataTransmitRateInfo.....	35
Table 27: Arguments for SetAutoRateFallBackMode.....	35
Table 28: Arguments for GetAutoRateFallBackMode .....	36
Table 29: Arguments for GetByteStatistics.....	36
Table 30: Arguments for GetPacketStatistics.....	37
Table 31: Arguments for GetByteStatsForAssociatedDev .....	37
Table 32: Arguments for GetPacketStatsForAssociatedDev .....	38
Table 33: Arguments for GetTotalAssociations .....	38
Table 34: Arguments for GetGenericAssociatedDeviceInfo.....	39
Table 35: Arguments for GetSpecificAssociatedDeviceInfo.....	40
Table 36: Arguments for GetSpecificAssociatedDeviceInfo.....	40
Table 37: Arguments for SetAuthenticationServiceMode.....	41
Table 38: Arguments for GetAuthenticationServiceMode .....	41
Table 39: Arguments for SetSecurityKeys.....	42

Table 40: Arguments for GetSecurityKeys .....	43
Table 41: Arguments for SetDefaultWEPKeyIndex .....	43
Table 42: Arguments for GetDefaultWEPKeyIndex .....	44
Table 43: Arguments for SetPreSharedKey .....	44
Table 44: Argument for GetPreSharedKey .....	45
Table 45: Arguments for SetBasBeaconSecurityProperties .....	45
Table 46: Arguments for GetBasBeaconSecurityProperties .....	46
Table 47: Arguments for SetWPABeaconSecurityProperties .....	47
Table 48: Arguments for GetWPABeaconSecurityProperties .....	47
Table 49: Arguments for Set11iBeaconSecurityProperties .....	48
Table 50: Arguments for Get11iBeaconSecurityProperties .....	48
Table 51: Common Error Codes for all actions .....	50

## **INFORMATION TECHNOLOGY – UPNP DEVICE ARCHITECTURE –**

### **Part 8-21: Internet Gateway Device Control Protocol – Wireless Local Area Network Configuration Service**

#### **FOREWORD**

- 1) ISO (International Organization for Standardization) and IEC (International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards. Their preparation is entrusted to technical committees; any ISO and IEC member body interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with ISO and IEC also participate in this preparation.
- 2) In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.
- 3) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO member bodies.
- 4) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 5) In order to promote international uniformity, IEC and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 6) ISO and IEC provide no marking procedure to indicate their approval and cannot be rendered responsible for any equipment declared to be in conformity with an ISO/IEC publication.
- 7) All users should ensure that they have the latest edition of this publication.
- 8) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 9) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

IEC and ISO draw attention to the fact that it is claimed that compliance with this document may involve the use of patents as indicated below.

ISO and IEC take no position concerning the evidence, validity and scope of the putative patent rights. The holders of the putative patent rights have assured IEC and ISO that they are willing to negotiate free licences or licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statements of the holders of the putative patent rights are registered with IEC and ISO.

Intel Corporation has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Intel Corporation  
Standards Licensing Department  
5200 NE Elam Young Parkway  
MS: JFS-98  
USA – Hillsboro, Oregon 97124

Microsoft Corporation has informed IEC and ISO that it has patent applications or granted patents as listed below:

6101499 / US; 6687755 / US; 6910068 / US; 7130895 / US; 6725281 / US; 7089307 / US; 7069312 / US;  
10/783 524 / US

Information may be obtained from:

Microsoft Corporation  
One Microsoft Way  
USA – Redmond WA 98052

Philips International B.V. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Philips International B.V. – IP&S  
High Tech campus, building 44 3A21  
NL – 5656 Eindhoven

NXP B.V. (NL) has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

NXP B.V. (NL)  
High Tech campus 60  
NL – 5656 AG Eindhoven

Matsushita Electric Industrial Co. Ltd. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Matsushita Electric Industrial Co. Ltd.  
1-3-7 Shiromi, Chuoh-ku  
JP – Osaka 540-6139

Hewlett Packard Company has informed IEC and ISO that it has patent applications or granted patents as listed below:

5 956 487 / US; 6 170 007 / US; 6 139 177 / US; 6 529 936 / US; 6 470 339 / US; 6 571 388 / US; 6 205  
466 / US

Information may be obtained from:

Hewlett Packard Company  
1501 Page Mill Road  
USA – Palo Alto, CA 94304

Samsung Electronics Co. Ltd. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Digital Media Business, Samsung Electronics Co. Ltd.  
416 Maetan-3 Dong, Yeongtang-Gu,  
KR – Suwon City 443-742

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 29341-8-21 was prepared by UPnP Implementers Corporation and adopted, under the PAS procedure, by joint technical committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

The list of all currently available parts of the ISO/IEC 29341 series, under the general title *Universal plug and play (UPnP) architecture*, can be found on the IEC web site.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

## ORIGINAL UPnP DOCUMENTS (informative)

Reference may be made in this document to original UPnP documents. These references are retained in order to maintain consistency between the specifications as published by ISO/IEC and by UPnP Implementers Corporation. The following table indicates the original UPnP document titles and the corresponding part of ISO/IEC 29341:

UPnP Document Title	ISO/IEC 29341 Part
UPnP Device Architecture 1.0	ISO/IEC 29341-1
UPnP Basic:1 Device	ISO/IEC 29341-2
UPnP AV Architecture:1	ISO/IEC 29341-3-1
UPnP MediaRenderer:1 Device	ISO/IEC 29341-3-2
UPnP MediaServer:1 Device	ISO/IEC 29341-3-3
UPnP AVTransport:1 Service	ISO/IEC 29341-3-10
UPnP ConnectionManager:1 Service	ISO/IEC 29341-3-11
UPnP ContentDirectory:1 Service	ISO/IEC 29341-3-12
UPnP RenderingControl:1 Service	ISO/IEC 29341-3-13
UPnP MediaRenderer:2 Device	ISO/IEC 29341-4-2
UPnP MediaServer:2 Device	ISO/IEC 29341-4-3
UPnP AV Datastructure Template:1	ISO/IEC 29341-4-4
UPnP AVTransport:2 Service	ISO/IEC 29341-4-10
UPnP ConnectionManager:2 Service	ISO/IEC 29341-4-11
UPnP ContentDirectory:2 Service	ISO/IEC 29341-4-12
UPnP RenderingControl:2 Service	ISO/IEC 29341-4-13
UPnP ScheduledRecording:1	ISO/IEC 29341-4-14
UPnP DigitalSecurityCamera:1 Device	ISO/IEC 29341-5-1
UPnP DigitalSecurityCameraMotionImage:1 Service	ISO/IEC 29341-5-10
UPnP DigitalSecurityCameraSettings:1 Service	ISO/IEC 29341-5-11
UPnP DigitalSecurityCameraStillImage:1 Service	ISO/IEC 29341-5-12
UPnP HVAC_System:1 Device	ISO/IEC 29341-6-1
UPnP HVAC_ZoneThermostat:1 Device	ISO/IEC 29341-6-2
UPnP ControlValve:1 Service	ISO/IEC 29341-6-10
UPnP HVAC_FanOperatingMode:1 Service	ISO/IEC 29341-6-11
UPnP FanSpeed:1 Service	ISO/IEC 29341-6-12
UPnP HouseStatus:1 Service	ISO/IEC 29341-6-13
UPnP HVAC_SetpointSchedule:1 Service	ISO/IEC 29341-6-14
UPnP TemperatureSensor:1 Service	ISO/IEC 29341-6-15
UPnP TemperatureSetpoint:1 Service	ISO/IEC 29341-6-16
UPnP HVAC_UserOperatingMode:1 Service	ISO/IEC 29341-6-17
UPnP BinaryLight:1 Device	ISO/IEC 29341-7-1
UPnP DimmableLight:1 Device	ISO/IEC 29341-7-2
UPnP Dimming:1 Service	ISO/IEC 29341-7-10
UPnP SwitchPower:1 Service	ISO/IEC 29341-7-11
UPnP InternetGatewayDevice:1 Device	ISO/IEC 29341-8-1
UPnP LANDevice:1 Device	ISO/IEC 29341-8-2
UPnP WANDevice:1 Device	ISO/IEC 29341-8-3
UPnP WANConnectionDevice:1 Device	ISO/IEC 29341-8-4
UPnP WLANAccessPointDevice:1 Device	ISO/IEC 29341-8-5
UPnP LANHostConfigManagement:1 Service	ISO/IEC 29341-8-10
UPnP Layer3Forwarding:1 Service	ISO/IEC 29341-8-11
UPnP LinkAuthentication:1 Service	ISO/IEC 29341-8-12
UPnP RadiusClient:1 Service	ISO/IEC 29341-8-13
UPnP WANCableLinkConfig:1 Service	ISO/IEC 29341-8-14
UPnP WANCommonInterfaceConfig:1 Service	ISO/IEC 29341-8-15
UPnP WANDSLLinkConfig:1 Service	ISO/IEC 29341-8-16
UPnP WANEthernetLinkConfig:1 Service	ISO/IEC 29341-8-17
UPnP WANIPConnection:1 Service	ISO/IEC 29341-8-18
UPnP WANPOTSLinkConfig:1 Service	ISO/IEC 29341-8-19
UPnP WANPPPoEConnection:1 Service	ISO/IEC 29341-8-20
UPnP WLANConfiguration:1 Service	ISO/IEC 29341-8-21
UPnP Printer:1 Device	ISO/IEC 29341-9-1
UPnP Scanner:1.0 Device	ISO/IEC 29341-9-2
UPnP ExternalActivity:1 Service	ISO/IEC 29341-9-10
UPnP Feeder:1.0 Service	ISO/IEC 29341-9-11
UPnP PrintBasic:1 Service	ISO/IEC 29341-9-12
UPnP Scan:1 Service	ISO/IEC 29341-9-13
UPnP QoS Architecture:1.0	ISO/IEC 29341-10-1
UPnP QoSDevice:1 Service	ISO/IEC 29341-10-10
UPnP QoSManager:1 Service	ISO/IEC 29341-10-11
UPnP QoSPolicyHolder:1 Service	ISO/IEC 29341-10-12
UPnP QoS Architecture:2	ISO/IEC 29341-11-1
UPnP QoS v2 Schema Files	ISO/IEC 29341-11-2



<b>UPnP Document Title</b>	<b>ISO/IEC 29341 Part</b>
UPnP QosDevice:2 Service	ISO/IEC 29341-11-10
UPnP QosManager:2 Service	ISO/IEC 29341-11-11
UPnP QosPolicyHolder:2 Service	ISO/IEC 29341-11-12
UPnP RemoteUIClientDevice:1 Device	ISO/IEC 29341-12-1
UPnP RemoteUIServerDevice:1 Device	ISO/IEC 29341-12-2
UPnP RemoteUIClient:1 Service	ISO/IEC 29341-12-10
UPnP RemoteUIServer:1 Service	ISO/IEC 29341-12-11
UPnP DeviceSecurity:1 Service	ISO/IEC 29341-13-10
UPnP SecurityConsole:1 Service	ISO/IEC 29341-13-11

# 1. Overview and Scope

This service definition is compliant with the UPnP Device Architecture version 1.0.

This service enables the **control, monitoring and configuration of IEEE 802.11 Wireless Access Points for the unmanaged network space, namely residential and small office LANs**. It focuses on the core elements required for setting up wireless networks, configuring wireless security, diagnosing and monitoring usage problems, and setting location-specific information elements.

Its intent is to simplify the setup experience, secure wireless networks and provide the framework for diagnosing and monitoring problems on wireless networks.

This service-type enables the following functions:

- Remote setup and configuration of the **basic parameters of a wireless access point** including: SSID, radio channel configuration, wireless access point mode and others.
- Remote setup and configuration of **wireless authentication** for WPA, 11i and WEP based security.
- Remote configuration and **provisioning of location** specific information.
- Remote **diagnostics and monitoring** of wireless networks.