

This is a preview - [click here to buy the full publication](#)



ISO/IEC 29341-9-12

Edition 1.0 2008-11

INTERNATIONAL STANDARD

**Information technology – UPnP Device Architecture –
Part 9-12: Imaging Device Control Protocol – Print Basic Service**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

R

ICS 35.200

ISBN 978-2-88910-896-1

CONTENTS

FOREWORD	4
ORIGINAL UPNP DOCUMENTS (informative)	6
1. Overview and Scope	8
2. Service Modeling Definitions	8
2.1. ServiceType	8
2.2. Terminology.....	8
2.2.1. Conformance Terminology	8
2.2.2. Other terminology	8
2.2.3. Notation: use of quotation marks	9
2.3. References	9
2.4. Intent of a Print Job	10
2.4.1. Production vs. Layout Job Attributes.....	10
2.4.2. Precedence of Production vs. Layout Job Attributes	10
2.5. State Variables	11
2.5.1. Derived data types	11
2.6. Service State Table	12
2.6.1. The Printer's supported and default values	12
2.6.2. The Distinguished Value used to avoid action override of PDL	13
2.6.3. Purposes of the SST State Variables	13
2.6.4. <i>PrinterName</i>	15
2.6.5. <i>PrinterLocation</i>	16
2.6.6. <i>DeviceId</i>	16
2.6.7. <i>PrinterState</i>	16
2.6.8. <i>PrinterStateReasons</i>	17
2.6.9. <i>XHTMLImageSupported</i>	18
2.6.10. <i>ColorSupported</i>	18
2.6.11. <i>JobIdList</i>	19
2.6.12. <i>JobId</i>	19
2.6.13. <i>JobEndState</i>	19
2.6.14. <i>JobName</i>	20
2.6.15. <i>JobOriginatingUserName</i>	20
2.6.16. <i>DocumentFormat</i>	20
2.6.17. <i>Copies</i>	21
2.6.18. <i>Sides</i>	21
2.6.19. <i>NumberUp</i>	21
2.6.20. <i>OrientationRequested</i>	22
2.6.21. <i>MediaSize</i>	22
2.6.22. <i>MediaType</i>	23
2.6.23. <i>PrintQuality</i>	24
2.6.24. <i>DataSink</i>	25
2.6.25. <i>JobMediaSheetsCompleted</i>	25
2.7. Eventing and Moderation	26
2.7.1. Event Model	26
2.7.2. Synchronization of Evented Variables	26
2.8. Actions	30
2.8.1. <i>CreateJob</i>	30
2.8.2. <i>CancelJob</i>	32
2.8.3. <i>GetPrinterAttributes</i>	32
2.8.4. <i>GetJobAttributes</i>	33
2.8.5. HTTP Post	34
2.8.6. Non-Standard Actions Implemented by a UPnP Vendor	35
2.8.7. Common Error Codes	35

2.9. Theory of Operation	36
2.9.1. Jobs	36
2.9.2. Actions	37
2.9.3. Events	37
2.9.4. Security	37
2.9.5. Localization	37
2.9.6. IPP Data Type mapping to UPnP Data Types	38
3. XML Service Description	39

LIST OF TABLES

Table 1: Precedence of Production and Layout Job Attributes.....	11
Table 2: State Variables	14
Table 2.1: allowedValueList for <i>PrinterState</i>	17
Table 2.2: allowedValueList for <i>PrinterStateReasons</i>	18
Table 2.3: allowedValueList for <i>XHTMLImageSupported</i>	18
Table 2.4: allowedValueList for <i>ColorSupported</i>	19
Table 2.5: allowedValueList for <i>DocumentFormat</i>	20
Table 2.6: allowedValueList for <i>Sides</i>	21
Table 2.7: allowedValueList for <i>NumberUp</i>	22
Table 2.8: allowedValueList for <i>OrientationRequested</i>	22
Table 2.9: allowedValueList for <i>MediaSize</i>	23
Table 2.10: allowedValueList for <i>MediaType</i>	24
Table 2.11: allowedValueList for <i>PrintQuality</i>	25
Table 3: Event Moderation.....	26
Table 4: Synchronization of Evented Variables	28
Table 5.: Transition Actions Used in Table 4.....	29
Table 6: Actions	30
Table 7: Arguments for <i>CreateJob</i>	31
Table 8: Arguments for <i>CancelJob</i>	32
Table 9: Arguments for <i>GetPrinterAttributes</i>	33
Table 10: Arguments for <i>GetJobAttributes</i>	34
Table 11: Common Error Codes.....	35
Table 12: Basic IPP data type mappings.....	38
Table 13: Derived data type mappings	38
Table 14: Structured Data Type mapping.....	38

LIST OF FIGURES

Figure 1 - Printer Device and Services	36
--	----

INFORMATION TECHNOLOGY – UPNP DEVICE ARCHITECTURE –

Part 9-12: Imaging Device Control Protocol – Print Basic Service

FOREWORD

- 1) ISO (International Organization for Standardization) and IEC (International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards. Their preparation is entrusted to technical committees; any ISO and IEC member body interested in the subject dealt with may participate in this preparatory work. International governmental and non-governmental organizations liaising with ISO and IEC also participate in this preparation.
- 2) In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.
- 3) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC and ISO member bodies.
- 4) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 5) In order to promote international uniformity, IEC and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.
- 6) ISO and IEC provide no marking procedure to indicate their approval and cannot be rendered responsible for any equipment declared to be in conformity with an ISO/IEC publication.
- 7) All users should ensure that they have the latest edition of this publication.
- 8) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.
- 9) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

IEC and ISO draw attention to the fact that it is claimed that compliance with this document may involve the use of patents as indicated below.

ISO and IEC take no position concerning the evidence, validity and scope of the putative patent rights. The holders of the putative patent rights have assured IEC and ISO that they are willing to negotiate free licences or licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statements of the holders of the putative patent rights are registered with IEC and ISO.

Intel Corporation has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Intel Corporation
Standards Licensing Department
5200 NE Elam Young Parkway
MS: JFS-98
USA – Hillsboro, Oregon 97124

Microsoft Corporation has informed IEC and ISO that it has patent applications or granted patents as listed below:

6101499 / US; 6687755 / US; 6910068 / US; 7130895 / US; 6725281 / US; 7089307 / US; 7069312 / US;
10/783 524 / US

Information may be obtained from:

Microsoft Corporation
One Microsoft Way
USA – Redmond WA 98052

Philips International B.V. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Philips International B.V. – IP&S
High Tech campus, building 44 3A21
NL – 5656 Eindhoven

NXP B.V. (NL) has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

NXP B.V. (NL)
High Tech campus 60
NL – 5656 AG Eindhoven

Matsushita Electric Industrial Co. Ltd. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Matsushita Electric Industrial Co. Ltd.
1-3-7 Shiromi, Chuoh-ku
JP – Osaka 540-6139

Hewlett Packard Company has informed IEC and ISO that it has patent applications or granted patents as listed below:

5 956 487 / US; 6 170 007 / US; 6 139 177 / US; 6 529 936 / US; 6 470 339 / US; 6 571 388 / US; 6 205
466 / US

Information may be obtained from:

Hewlett Packard Company
1501 Page Mill Road
USA – Palo Alto, CA 94304

Samsung Electronics Co. Ltd. has informed IEC and ISO that it has patent applications or granted patents.

Information may be obtained from:

Digital Media Business, Samsung Electronics Co. Ltd.
416 Maetan-3 Dong, Yeongtang-Gu,
KR – Suwon City 443-742

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC and ISO shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 29341-9-12 was prepared by UPnP Implementers Corporation and adopted, under the PAS procedure, by joint technical committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

The list of all currently available parts of the ISO/IEC 29341 series, under the general title *Universal plug and play (UPnP) architecture*, can be found on the IEC web site.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

ORIGINAL UPnP DOCUMENTS (informative)

Reference may be made in this document to original UPnP documents. These references are retained in order to maintain consistency between the specifications as published by ISO/IEC and by UPnP Implementers Corporation. The following table indicates the original UPnP document titles and the corresponding part of ISO/IEC 29341:

UPnP Document Title	ISO/IEC 29341 Part
UPnP Device Architecture 1.0	ISO/IEC 29341-1
UPnP Basic:1 Device	ISO/IEC 29341-2
UPnP AV Architecture:1	ISO/IEC 29341-3-1
UPnP MediaRenderer:1 Device	ISO/IEC 29341-3-2
UPnP MediaServer:1 Device	ISO/IEC 29341-3-3
UPnP AVTransport:1 Service	ISO/IEC 29341-3-10
UPnP ConnectionManager:1 Service	ISO/IEC 29341-3-11
UPnP ContentDirectory:1 Service	ISO/IEC 29341-3-12
UPnP RenderingControl:1 Service	ISO/IEC 29341-3-13
UPnP MediaRenderer:2 Device	ISO/IEC 29341-4-2
UPnP MediaServer:2 Device	ISO/IEC 29341-4-3
UPnP AV Datastructure Template:1	ISO/IEC 29341-4-4
UPnP AVTransport:2 Service	ISO/IEC 29341-4-10
UPnP ConnectionManager:2 Service	ISO/IEC 29341-4-11
UPnP ContentDirectory:2 Service	ISO/IEC 29341-4-12
UPnP RenderingControl:2 Service	ISO/IEC 29341-4-13
UPnP ScheduledRecording:1	ISO/IEC 29341-4-14
UPnP DigitalSecurityCamera:1 Device	ISO/IEC 29341-5-1
UPnP DigitalSecurityCameraMotionImage:1 Service	ISO/IEC 29341-5-10
UPnP DigitalSecurityCameraSettings:1 Service	ISO/IEC 29341-5-11
UPnP DigitalSecurityCameraStillImage:1 Service	ISO/IEC 29341-5-12
UPnP HVAC_System:1 Device	ISO/IEC 29341-6-1
UPnP HVAC_ZoneThermostat:1 Device	ISO/IEC 29341-6-2
UPnP ControlValve:1 Service	ISO/IEC 29341-6-10
UPnP HVAC_FanOperatingMode:1 Service	ISO/IEC 29341-6-11
UPnP FanSpeed:1 Service	ISO/IEC 29341-6-12
UPnP HouseStatus:1 Service	ISO/IEC 29341-6-13
UPnP HVAC_SetpointSchedule:1 Service	ISO/IEC 29341-6-14
UPnP TemperatureSensor:1 Service	ISO/IEC 29341-6-15
UPnP TemperatureSetpoint:1 Service	ISO/IEC 29341-6-16
UPnP HVAC_UserOperatingMode:1 Service	ISO/IEC 29341-6-17
UPnP BinaryLight:1 Device	ISO/IEC 29341-7-1
UPnP DimmableLight:1 Device	ISO/IEC 29341-7-2
UPnP Dimming:1 Service	ISO/IEC 29341-7-10
UPnP SwitchPower:1 Service	ISO/IEC 29341-7-11
UPnP InternetGatewayDevice:1 Device	ISO/IEC 29341-8-1
UPnP LANDevice:1 Device	ISO/IEC 29341-8-2
UPnP WANDevice:1 Device	ISO/IEC 29341-8-3
UPnP WANConnectionDevice:1 Device	ISO/IEC 29341-8-4
UPnP WLANAccessPointDevice:1 Device	ISO/IEC 29341-8-5
UPnP LANHostConfigManagement:1 Service	ISO/IEC 29341-8-10
UPnP Layer3Forwarding:1 Service	ISO/IEC 29341-8-11
UPnP LinkAuthentication:1 Service	ISO/IEC 29341-8-12
UPnP RadiusClient:1 Service	ISO/IEC 29341-8-13
UPnP WANCableLinkConfig:1 Service	ISO/IEC 29341-8-14
UPnP WANCommonInterfaceConfig:1 Service	ISO/IEC 29341-8-15
UPnP WANDSLLinkConfig:1 Service	ISO/IEC 29341-8-16
UPnP WANEthernetLinkConfig:1 Service	ISO/IEC 29341-8-17
UPnP WANIPConnection:1 Service	ISO/IEC 29341-8-18
UPnP WANPOTSLinkConfig:1 Service	ISO/IEC 29341-8-19
UPnP WANPPPoEConnection:1 Service	ISO/IEC 29341-8-20
UPnP WLANConfiguration:1 Service	ISO/IEC 29341-8-21
UPnP Printer:1 Device	ISO/IEC 29341-9-1
UPnP Scanner:1.0 Device	ISO/IEC 29341-9-2
UPnP ExternalActivity:1 Service	ISO/IEC 29341-9-10
UPnP Feeder:1.0 Service	ISO/IEC 29341-9-11
UPnP PrintBasic:1 Service	ISO/IEC 29341-9-12
UPnP Scan:1 Service	ISO/IEC 29341-9-13
UPnP QoS Architecture:1.0	ISO/IEC 29341-10-1
UPnP QoSDevice:1 Service	ISO/IEC 29341-10-10
UPnP QoSManager:1 Service	ISO/IEC 29341-10-11
UPnP QoSPolicyHolder:1 Service	ISO/IEC 29341-10-12
UPnP QoS Architecture:2	ISO/IEC 29341-11-1
UPnP QOS v2 Schema Files	ISO/IEC 29341-11-2

UPnP Document Title	ISO/IEC 29341 Part
UPnP QosDevice:2 Service	ISO/IEC 29341-11-10
UPnP QosManager:2 Service	ISO/IEC 29341-11-11
UPnP QosPolicyHolder:2 Service	ISO/IEC 29341-11-12
UPnP RemoteUIClientDevice:1 Device	ISO/IEC 29341-12-1
UPnP RemoteUIServerDevice:1 Device	ISO/IEC 29341-12-2
UPnP RemoteUIClient:1 Service	ISO/IEC 29341-12-10
UPnP RemoteUIServer:1 Service	ISO/IEC 29341-12-11
UPnP DeviceSecurity:1 Service	ISO/IEC 29341-13-10
UPnP SecurityConsole:1 Service	ISO/IEC 29341-13-11

1. Overview and Scope

This service definition is compliant with the UPnP Device Architecture version 1.0.

This service-type enables the following functions:

- *Printing*

This service template does not address:

- *Faxing*

2. Service Modeling Definitions

2.1. ServiceType

A service that is compliant with this template is identified with the following service type: **urn:schemas-upnp-org:service:PrintBasic:1**.

2.2. Terminology

This section defines terms that are used throughout this specification. These terms are always capitalized in order to indicate that they have the meaning defined in this section.

2.2.1. Conformance Terminology

The following terms have special meaning relating to conformance and so are always indicated in all capital letters:

- MUST - This word, or the term "REQUIRED", mean that the definition is an absolute requirement of the specification.
- MUST NOT - This phrase means that the definition is an absolute prohibition of the specification.
- SHOULD - This word, or the adjective "RECOMMENDED", mean that there may exist valid reasons in particular circumstances to ignore a particular item, but the full implications must be understood and carefully weighed before choosing a different course.
- SHOULD NOT - This phrase, or the phrase "NOT RECOMMENDED" mean that there may exist valid reasons in particular circumstances when the particular behavior is acceptable or even useful, but the full implications should be understood and the case carefully weighed before implementing any behavior described with this label.
- MAY - This word, or the adjective "OPTIONAL", mean that an item is truly optional. One vendor may choose to include the item because a particular marketplace requires it or because the vendor feels that it enhances the product while another vendor may omit the same item. An implementation which does not include a particular option MUST be prepared to interoperate with another implementation which does include the option, though perhaps with reduced functionality. An implementation which does include a particular option MUST be prepared to interoperate with another implementation which does not include the option

2.2.2. Other terminology

This document uses the terminology defined in the UPnP Device Architecture document, such as: action, SST variable, and action parameter. This sub-section defines the following additional terms which are capitalized in order to indicate their specific meaning as defined in this section.

- Print Service (or Printer) - the UPnP entity that accepts actions from UCP (clients), returns responses, and sends events.

- b) PDL Data Stream - the stream of data to be printed as represented in a specified document format.
- c) Production Job Attributes - job attributes that are not inherent to the PDL Data Stream and so the UCP MAY override the PDL Data Stream instructions, if any, by supplying corresponding IN parameters when submitting the job (see section 2.4).
- d) Layout Job Attributes - job attributes that are inherent to the PDL Data Stream and *cannot* be overridden by supplying corresponding IN parameters when submitting the job (see section 2.4).
- e) Comma Separated Value (CSV) - a variable that contains multiple string values separated by the US-ASCII COMMA (',') character (see section 2.5.1.1).
- f) Distinguished Value – a special value defined by this specification for some action IN parameters. Use of Distinguished Value IN parameter allows a PDL Data Stream corresponding value to take effect when it would normally be overridden by the IN parameter. In the case where the Distinguished Value is absent in the PDL data stream and the IN parameter value is specified as 'device-setting', the Service uses its <defaultValue> value for the IN parameter. See section 2.6.2.
- g) Tracked Job - a UPnP or non-UPnP job that is visible to a UPnP control point, i.e., has a JobId and appears in the JobIdList, and on which the control point can perform any of the Job operations defined in this document.
- h) Untracked Job - a non-UPnP job that is not visible to a UPnP control point, i.e., does not have a JobId and does not appear in the JobIdList, and on which the control point cannot perform any of the Job operations defined in this document.

2.2.3. Notation: use of quotation marks

Throughout this document, single quotes (') are used around literal string and integer values in running text, but not in Tables. The single quotes are not part of the values. Double quotes (") are used around words in running text to indicate special English meanings. Variable names, parameters names, and action names are not quoted.

2.3. References

This section lists the references that this document refers to and the tag inside square brackets that is used for each such reference:

[DEVICE] - UPnP Device Architecture, version 1.0.

[HTTP] - RFC 2616 "Hypertext Transfer Protocol -- HTTP/1.1", R. Fielding, J. Gettys, J. Mogul, H. Frystyk, L. Masinter, P. Leach, T. Berners-Lee. June 1999. (Format: TXT=422317, PS=5529857, PDF=550558 bytes) (Obsoletes RFC2068) (Updated by RFC2817) (Status: DRAFT STANDARD)

[MODEL] - RFC 2566 "Internet Printing Protocol/1.0 Model and Semantics", March 1999 and RFC 2911 "Internet Printing Protocol/1.1 Model and Semantics", September 2000, standards. Available at: <http://www.ietf.org>

[PWG5101.1] *IEEE-ISTO 5101.1-2001 Media Standardized Names <work in progress>*, <ftp://ftp.pwg.org/pub/pwg/standards/pwg5101.1.pdf>, .doc, .rtf for standardized names

[UPnP-ENHANCED] - Albright, S., Hastings, T., Zehler, P., and G Shults, "PrintEnhancedLayout:0.10 Service Template For UPnP Version 1.0", work in progress, TBD, 2001.

[XHTML-PRINT] - "XHTML (tm) - Print", version 0.60, May 11, 2001, <work in progress>, Available at: <ftp://ftp.lexmark.com/pub/standards/xhtmll-print.pdf>

[MULTIPLEXED] - R. Herriot, "The MIME Application/Multiplexed Content-type", June 26, 2001, available at: <http://search.ietf.org/internet-drafts/draft-herriot-application-multiplexed-04.txt> (Subsequent versions, if any, will be available from the same location with the "04" incremented, and eventually as an information RFC.)