

This is a preview - click here to buy the full publication

# INTERNATIONAL STANDARD

**ISO/IEC**  
**8326**

Second edition  
1996-09-15

---

---

## **Information technology — Open Systems Interconnection — Session service definition**

*Technologies de l'information — Interconnexion de systèmes ouverts  
(OSI) — Définition du service de session*



Reference number  
ISO/IEC 8326:1996(E)

## Contents

	<i>Page</i>
SECTION 1 – GENERAL.....	1
1 Scope.....	1
2 Normative references .....	1
2.1 Identical Recommendations   International Standards .....	1
2.2 Paired Recommendations   International Standards equivalent in technical content .....	2
3 Definitions.....	2
3.1 Reference Model definitions .....	2
3.2 Service convention definitions.....	2
3.3 Session service definitions .....	2
4 Abbreviations .....	3
4.1 Data units .....	3
4.2 Miscellaneous .....	3
4.3 Service variables .....	3
5 Conventions.....	3
6 Model of the session service .....	4
6.1 Model of the layer service.....	4
6.2 Model of session connectionless-mode transmission.....	4
7 Overview of the session service .....	4
7.1 General overview .....	4
7.2 Token concept.....	4
7.3 Synchronization and dialogue unit concepts.....	5
7.4 Activity concept.....	5
7.5 Resynchronization.....	6
7.6 Negotiation.....	6
7.6.1 Negotiation of functional units .....	6
7.6.2 Negotiation of initial token settings .....	7
7.6.3 Negotiation of initial synchronization point serial number.....	7
8 Phases and services of the session service .....	7
8.1 Session connection establishment phase.....	7
8.2 Data transfer phase.....	7
8.3 Session connection release phase.....	9

© ISO/IEC 1996

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

9	Functional units and subsets.....	9
9.1	Functional units.....	9
9.1.1	Kernel functional unit .....	10
9.1.2	Negotiated release functional unit.....	10
9.1.3	Half-duplex functional unit.....	11
9.1.4	Duplex functional unit .....	11
9.1.5	Expedited data functional unit .....	11
9.1.6	Typed data functional unit .....	11
9.1.7	Capability data exchange functional unit.....	11
9.1.8	Minor synchronize functional unit.....	11
9.1.9	Symmetric synchronize functional unit .....	11
9.1.10	Data separation functional unit .....	11
9.1.11	Major synchronize functional unit .....	11
9.1.12	Resynchronize functional unit .....	11
9.1.13	Exceptions functional unit .....	11
9.1.14	Activity management functional unit.....	11
9.2	Subsets .....	12
10	Quality of session service.....	12
10.1	Determination of QOS .....	12
10.2	Session connection QOS negotiation procedures .....	13
10.3	Definition of QOS parameters .....	14
10.3.1	Session connection establishment delay .....	14
10.3.2	Session connection establishment failure probability .....	14
10.3.3	Throughput.....	15
10.3.4	Transit delay.....	15
10.3.5	Residual error rate.....	15
10.3.6	Transfer failure probability .....	16
10.3.7	Session connection release delay .....	16
10.3.8	Session connection release failure probability .....	17
10.3.9	Session connection protection.....	17
10.3.10	Priority .....	17
10.3.11	Session connection resilience.....	17
10.3.12	Extended control parameter .....	17
10.3.13	Optimized dialogue transfer.....	17
<b>SECTION 2 – DEFINITION OF CONNECTION-ORIENTED SESSION SERVICE PRIMITIVES .....</b>		<b>18</b>
11	Introduction to session service primitives .....	18
11.1	Summary of primitives.....	18
11.2	Token restrictions on sending primitives .....	20
11.3	Sequencing of primitives .....	21
11.4	Synchronization point serial number management.....	21
11.4.1	Management of single serial synchronization point numbers.....	22
11.4.2	Management of symmetric serial number synchronization point numbers .....	24
12	Session connection establishment phase .....	27
12.1	Session connection service.....	27
12.1.1	Function .....	27
12.1.2	Types of primitives and their parameters.....	27
12.1.3	Sequence of primitives.....	30
13	Data transfer phase .....	30
13.1	Normal data transfer service .....	30
13.1.1	Function .....	30

13.1.2	Types of primitives and their parameters .....	30
13.1.3	Sequence of primitives .....	30
13.2	Expedited data transfer service .....	31
13.2.1	Function .....	31
13.2.2	Types of primitives and their parameters .....	31
13.2.3	Sequence of primitives .....	31
13.3	Typed data transfer service .....	32
13.3.1	Function .....	32
13.3.2	Types of primitives and their parameters .....	32
13.3.3	Sequence of primitives .....	32
13.4	Capability data exchange service .....	32
13.4.1	Function .....	32
13.4.2	Types of primitives and their parameters .....	32
13.4.3	Sequence of primitives .....	33
13.5	Give tokens service .....	33
13.5.1	Function .....	33
13.5.2	Types of primitives and their parameters .....	33
13.5.3	Sequence of primitives .....	34
13.6	Please tokens service .....	34
13.6.1	Function .....	34
13.6.2	Types of primitives and their parameters .....	34
13.6.3	Sequence of primitives .....	35
13.7	Give control service .....	35
13.7.1	Function .....	35
13.7.2	Types of primitives and their parameters .....	35
13.7.3	Sequence of primitives .....	36
13.8	Minor synchronization point service .....	36
13.8.1	Function .....	36
13.8.2	Types of primitives and their parameters .....	37
13.8.3	Sequence of primitives .....	37
13.9	Major synchronization point service .....	38
13.9.1	Function .....	38
13.9.2	Types of primitives and their parameters .....	39
13.9.3	Sequence of primitives .....	39
13.10	Resynchronize service .....	40
13.10.1	Function .....	40
13.10.2	Types of primitives and their parameters .....	41
13.10.3	Sequence of primitives .....	42
13.11	P-exception reporting service .....	43
13.12	U-exception-reporting service .....	44
13.13	Activity start service .....	46
13.14	Activity resume service .....	47
13.15	Activity interrupt service .....	48
13.16	Activity discard service .....	49
13.17	Activity end service .....	51
14	Session connection release phase .....	52
14.1	Orderly release service .....	52
14.2	U-abort service .....	53
14.3	P-abort service .....	54
15	Sequences of primitives .....	55
15.1	State tables .....	55
15.2	Sequences of primitives at one session connection end-point .....	55

This is a preview - click here to buy the full publication

16	Collision .....	55
16.1	Collision as viewed by the SS-user.....	55
16.2	Collision resolution by the SS-provider.....	55
SECTION 3 – DEFINITION OF CONNECTIONLESS-MODE SESSION SERVICE PRIMITIVES .....		57
17	S-UNIT-DATA .....	57
17.1	Function .....	57
17.2	Types of Primitives and Parameters.....	57
17.3	Sequence of Primitives.....	58
Annex A	– State tables .....	59
A.1	General.....	59
A.2	Notation for state tables .....	59
A.3	Conventions for entries in state tables .....	59
A.4	Actions to be taken by the SS-user .....	60
A.5	Definitions of sets and variables .....	60

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 8326 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 21, *Open Systems Interconnection, data management and open distributed processing*, in collaboration with ITU-T. The identical text is published as ITU-T Recommendation X.215.

This second edition cancels and replaces the first edition (ISO 8326:1987), which has been technically revised. It also incorporates Amendment 4:1992.

Annex A forms an integral part of this International Standard.


## Introduction

This Recommendation | International Standard is one of a set of Recommendations | International Standards produced to facilitate the interconnection of computer systems.

This Recommendation | International Standard is related to other Recommendations | International Standards in the set as defined by the Reference Model for Open Systems Interconnection. The Reference Model subdivides the area of standardization for interconnection into a series of layers of specification, each of manageable size.

The purpose of this Recommendation | International Standard is to define the service provided to the Presentation Layer at the boundary between the Session and Presentation Layers of the Reference Model. The session service is provided by the session protocol making use of the services available from the Transport Layer. This Recommendation | International Standard also defines the session service characteristics which the presentation protocol may exploit. The relationship between the Recommendations | International Standards for the session service, session protocol, transport service, and the presentation protocol is illustrated in Figure Intro.1 below.

It is recognized that, with respect to session Quality of Service (described in clause 10), work is still in progress to provide an integrated treatment of QOS across all of the layers of the OSI Reference Model and to ensure that the individual treatments in each layer service satisfy overall QOS objectives in a consistent manner. As a consequence, an addendum may be added to this Recommendation | International Standard at a later time which reflects further QOS developments and integration.



**Figure Intro. 1 – Relationship of this Recommendation | International Standard to other OSI Standards**

**INTERNATIONAL STANDARD****ITU-T RECOMMENDATION****INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION –  
SESSION SERVICE DEFINITION****SECTION 1 – GENERAL****1 Scope**

This Recommendation | International Standard defines in an abstract way the externally visible service provided by the OSI Session Layer in terms of:

- a) the primitive actions and events of the service;
- b) the parameter data associated with each primitive action and event;
- c) the relationship between, and the valid sequence of these actions and events.

The service defined in this Recommendation | International Standard is that which is provided by the OSI session protocol (in conjunction with the transport service) and which may be used by the OSI presentation protocol.

This Recommendation | International Standard does not specify individual implementations or products, nor does it constrain the implementation of entities and interfaces within a computer system. There is, therefore, no conformance to this Recommendation | International Standard.

The text pertaining to the symmetric synchronization functional unit is not applicable to the support of ITU-T applications.

**2 Normative references**

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and International Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and International Standards listed below. Members of ISO and IEC maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

**2.1 Identical Recommendations | International Standards**

- ITU-T Recommendation X.200 (1994) | ISO/IEC 7498-1:1994, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*.
- ITU-T Recommendation X.210 (1993) | ISO/IEC 10731:1994, *Information technology – Open Systems Interconnection – Basic Reference Model: Conventions for the definition of OSI services*.
- ITU-T Recommendation X.214 (1993) | ISO/IEC 8072:1994, *Information technology – Open Systems Interconnection – Transport service definition*.
- ITU-T Recommendation X.225 (1995) | ISO/IEC 8327-1:1996, *Information technology – Open Systems Interconnection – Connection-oriented Session protocol: Protocol specification*.



- ITU-T Recommendation X.226 (1994) | ISO/IEC 8823-1:1994, *Information technology – Open Systems Interconnection – Connection-oriented presentation protocol: Protocol specification.*
- ITU-T Recommendation X.235 (1995) | ISO/IEC 9548-1:1995, *Information technology – Open Systems Interconnection – Connectionless Session protocol: Protocol specification.*

## 2.2 Paired Recommendations | International Standards equivalent in technical content

- CCITT Recommendation X.650 (1992), *Open Systems Interconnection (OSI) – Reference Model for naming and addressing.*  
ISO 7498-3:1989, *Information processing systems – Open Systems Interconnection – Basic Reference Model – Part 3: Naming and addressing.*