

This is a preview - [click here to buy the full publication](#)

INTERNATIONAL STANDARD

ISO/IEC 8327-1

Second edition
1996-09-15

Information technology — Open Systems Interconnection — Connection-oriented Session protocol: Protocol specification

*Technologies de l'information — Interconnexion de systèmes ouverts
(OSI) — Protocole de session en mode orienté connexion: Spécification du
protocole*



Reference number
ISO/IEC 8327-1:1996(E)

Contents

	<i>Page</i>
SECTION 1 – GENERAL.....	1
1 Scope.....	1
2 Normative references.....	1
2.1 Identical Recommendations International Standards.....	1
2.2 Paired Recommendations International Standards equivalent in technical content.....	2
2.3 Additional References.....	2
3 Definitions.....	2
3.4 Session protocol definitions.....	3
4 Abbreviations.....	4
4.1 Data units.....	4
4.2 SPDU fields.....	4
4.3 Timer variables.....	4
4.4 Miscellaneous.....	4
4.5 Local variables.....	5
5 Overview of the session protocol.....	5
5.1 Model of the session layer.....	5
5.2 Services provided by the session layer.....	6
5.3 Services assumed from the transport layer.....	7
5.4 Functions of the session layer.....	7
5.5 Protocol version numbers.....	9
5.6 Functional units.....	9
5.7 Tokens.....	12
5.8 Negotiation.....	13
5.9 Local variables.....	14
SECTION 2 – SESSION PROTOCOL SPECIFICATION.....	16
6 Use of the transport service.....	16
6.1 Assignment of a session connection to the transport connection.....	16
6.2 Reuse of the transport connection.....	17
6.3 Use of transport normal data.....	17
6.4 Use of transport expedited data.....	22
6.5 Flow control.....	22
6.6 Transport disconnection.....	22

© ISO/IEC 1996

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

7	Elements of procedure related to SPDUs	23
7.1	CONNECT SPDU	23
7.2	OVERFLOW ACCEPT SPDU	25
7.3	CONNECT DATA OVERFLOW SPDU	25
7.4	ACCEPT SPDU	25
7.5	REFUSE SPDU	28
7.6	FINISH SPDU	28
7.7	DISCONNECT SPDU	29
7.8	NOT FINISHED SPDU	29
7.9	ABORT SPDU	30
7.10	ABORT ACCEPT SPDU	31
7.11	DATA TRANSFER SPDU	32
7.11.1	Content of DATA TRANSFER SPDU	32
7.11.2	Sending the DATA TRANSFER SPDU	32
7.11.3	Receiving the DATA TRANSFER SPDU	32
7.12	EXPEDITED SPDU	33
7.12.1	Content of EXPEDITED SPDU	33
7.12.2	Sending the EXPEDITED SPDU	33
7.12.3	Receiving the EXPEDITED SPDU	33
7.13	TYPED DATA SPDU	33
7.13.1	Content of TYPED DATA SPDU	33
7.13.2	Sending the TYPED DATA SPDU	34
7.13.3	Receiving the TYPED DATA SPDU	34
7.14	CAPABILITY DATA SPDU	34
7.14.1	Content of CAPABILITY DATA SPDU	34
7.14.2	Sending the CAPABILITY DATA SPDU	34
7.14.3	Receiving the CAPABILITY DATA SPDU	34
7.15	CAPABILITY DATA ACK SPDU	34
7.15.1	Content of CAPABILITY DATA ACK SPDU	34
7.15.2	Sending the CAPABILITY DATA ACK SPDU	34
7.15.3	Receiving the CAPABILITY DATA ACK SPDU	35
7.16	GIVE TOKENS SPDU	35
7.16.1	Content of GIVE TOKENS SPDU	35
7.16.2	Sending the GIVE TOKENS SPDU	35
7.16.3	Receiving the GIVE TOKENS SPDU	35
7.17	PLEASE TOKENS SPDU	35
7.17.1	Content of PLEASE TOKENS SPDU	35
7.17.2	Sending the PLEASE TOKENS SPDU	36
7.17.3	Receiving the PLEASE TOKENS SPDU	36
7.18	GIVE TOKENS CONFIRM SPDU	36
7.18.1	Content of GIVE TOKENS CONFIRM SPDU	36
7.18.2	Sending the GIVE TOKENS CONFIRM SPDU	36
7.18.3	Receiving the GIVE TOKENS CONFIRM SPDU	36
7.19	GIVE TOKENS ACK SPDU	36
7.19.1	Content of GIVE TOKENS ACK SPDU	36
7.19.2	Sending the GIVE TOKENS ACK SPDU	36
7.19.3	Receiving the GIVE TOKENS ACK SPDU	36
7.20	MINOR SYNC POINT SPDU	36
7.20.1	Content of MINOR SYNC POINT SPDU	37
7.20.2	Sending the MINOR SYNC POINT SPDU	37
7.20.3	Receiving the MINOR SYNC POINT SPDU	37

7.21	MINOR SYNC ACK SPDU	37
7.21.1	Content of MINOR SYNC ACK SPDU	37
7.21.2	Sending the MINOR SYNC ACK SPDU	37
7.21.3	Receiving the MINOR SYNC ACK SPDU	38
7.22	MAJOR SYNC POINT SPDU	38
7.22.1	Content of MAJOR SYNC POINT SPDU	38
7.22.2	Sending the MAJOR SYNC POINT SPDU	38
7.22.3	Receiving the MAJOR SYNC POINT SPDU	38
7.23	MAJOR SYNC ACK SPDU	39
7.23.1	Content of MAJOR SYNC ACK SPDU	39
7.23.2	Sending the MAJOR SYNC ACK SPDU	39
7.23.3	Receiving the MAJOR SYNC ACK SPDU	39
7.24	RESYNCHRONIZE SPDU	39
7.24.1	Content of RESYNCHRONIZE SPDU	40
7.24.2	Sending/receiving the RESYNCHRONIZE SPDU without symmetric synchronization.	40
7.24.2.1	Sending the RESYNCHRONIZE SPDU without symmetric synchronization	40
7.24.2.2	Receiving the RESYNCHRONIZE SPDU without symmetric synchronization	41
7.24.2.3	Resynchronization contention without symmetric synchronization	41
7.24.3	Sending/receiving the RESYNCHRONIZE SPDU with symmetric synchronization	42
7.24.3.1	Sending the RESYNCHRONIZE SPDU with symmetric synchronization	42
7.24.3.2	Receiving the RESYNCHRONIZE SPDU with symmetric synchronization	42
7.24.3.3	Resynchronization contention with symmetric synchronization	43
7.25	RESYNCHRONIZE ACK SPDU	44
7.25.1	Content of RESYNCHRONIZE ACK SPDU	44
7.25.2	Sending/receiving the RESYNCHRONIZE ACK SPDU without symmetric synchronization	45
7.25.2.1	Sending the RESYNCHRONIZE ACK SPDU without symmetric synchronization	45
7.25.2.2	Receiving the RESYNCHRONIZE ACK SPDU without symmetric synchronization	45
7.25.3	Sending/receiving the RESYNCHRONIZE ACK SPDU with symmetric synchronization	45
7.25.3.1	Sending the RESYNCHRONIZE ACK SPDU with symmetric synchronization	45
7.25.3.2	Receiving the RESYNCHRONIZE ACK SPDU with symmetric synchronization	45
7.26	PREPARE SPDU	46
7.26.1	Content of PREPARE SPDU	46
7.26.2	Sending the PREPARE SPDU	46
7.26.3	Receiving the PREPARE SPDU	46
7.27	EXCEPTION REPORT SPDU	47
7.27.1	Content of EXCEPTION REPORT SPDU	47
7.27.2	Sending the EXCEPTION REPORT SPDU	47
7.27.3	Receiving the EXCEPTION REPORT SPDU	47
7.28	EXCEPTION DATA SPDU	48
7.28.1	Content of EXCEPTION DATA SPDU	48
7.28.2	Sending the EXCEPTION DATA SPDU	48
7.28.3	Receiving the EXCEPTION DATA SPDU	48
7.29	ACTIVITY START SPDU	48
7.29.1	Content of ACTIVITY START SPDU	49
7.29.2	Sending the ACTIVITY START SPDU	49
7.29.3	Receiving the ACTIVITY START SPDU	49
7.30	ACTIVITY RESUME SPDU	49
7.30.1	Content of ACTIVITY RESUME SPDU	49

7.30.2	Sending the ACTIVITY RESUME SPDU	49
7.30.3	Receiving the ACTIVITY RESUME SPDU	50
7.31	ACTIVITY INTERRUPT SPDU.....	50
7.31.1	Content of ACTIVITY INTERRUPT SPDU.....	50
7.31.2	Sending the ACTIVITY INTERRUPT SPDU.....	50
7.31.3	Receiving the ACTIVITY INTERRUPT SPDU.....	50
7.32	ACTIVITY INTERRUPT ACK SPDU	50
7.32.1	Content of ACTIVITY INTERRUPT ACK SPDU	50
7.32.2	Sending the ACTIVITY INTERRUPT ACK SPDU	51
7.32.3	Receiving the ACTIVITY INTERRUPT ACK SPDU	51
7.33	ACTIVITY DISCARD SPDU	51
7.33.1	Content of ACTIVITY DISCARD SPDU	51
7.33.2	Sending the ACTIVITY DISCARD SPDU	51
7.33.3	Receiving the ACTIVITY DISCARD SPDU	51
7.34	ACTIVITY DISCARD ACK SPDU.....	51
7.34.1	Content of ACTIVITY DISCARD ACK SPDU.....	52
7.34.2	Sending the ACTIVITY DISCARD ACK SPDU.....	52
7.34.3	Receiving the ACTIVITY DISCARD ACK SPDU.....	52
7.35	ACTIVITY END SPDU	52
7.35.1	Content of ACTIVITY END SPDU	52
7.35.2	Sending the ACTIVITY END SPDU	52
7.35.3	Receiving the ACTIVITY END SPDU	52
7.36	ACTIVITY END ACK SPDU.....	53
7.36.1	Content of ACTIVITY END ACK SPDU.....	53
7.36.2	Sending the ACTIVITY END ACK SPDU.....	53
7.36.3	Receiving the ACTIVITY END ACK SPDU.....	53
7.37	Additional Elements of Procedure for Segmented SSDUs.....	53
7.37.1	Content of the SPDU	54
7.37.2	Sending the SPDU	54
7.37.3	Receiving the SPDU	54
8	Structure and encoding of SPDUs.....	55
8.1	TSDU structure	55
8.2	SPDU structure	56
8.2.1	SPDUs	57
8.2.2	PGI units	57
8.2.3	PI units	57
8.2.4	Identifier fields.....	57
8.2.5	Length indicator field.....	57
8.2.6	Parameter fields	57
8.2.7	Parameter values	58
8.2.8	User information fields	58
8.3	SPDU identifiers and associated parameter fields	58
8.3.1	CONNECT (CN) SPDU	58
8.3.2	OVERFLOW ACCEPT (OA) SPDU	62
8.3.3	CONNECT DATA OVERFLOW (CDO) SPDU	62
8.3.4	ACCEPT (AC) SPDU.....	63
8.3.5	REFUSE (RF) SPDU.....	66
8.3.6	FINISH (FN) SPDU.....	67
8.3.7	DISCONNECT (DN) SPDU.....	68
8.3.8	NOT FINISHED (NF) SPDU	68
8.3.9	ABORT (AB) SPDU.....	69
8.3.10	ABORT ACCEPT (AA) SPDU	70
8.3.11	DATA TRANSFER (DT) SPDU.....	70
8.3.12	EXPEDITED (EX) SPDU	70

8.3.13	TYPED DATA (TD) SPDU	71
8.3.14	CAPABILITY DATA (CD) SPDU	71
8.3.15	CAPABILITY DATA ACK (CDA) SPDU	72
8.3.16	GIVE TOKENS (GT) SPDU	72
8.3.17	PLEASE TOKENS (PT) SPDU	73
8.3.18	GIVE TOKENS CONFIRM (GTC) SPDU	74
8.3.19	GIVE TOKENS ACK (GTA) SPDU	74
8.3.20	MINOR SYNC POINT (MIP) SPDU	74
8.3.21	MINOR SYNC ACK (MIA) SPDU	75
8.3.22	MAJOR SYNC POINT (MAP) SPDU	75
8.3.23	MAJOR SYNC ACK (MAA) SPDU	76
8.3.24	RESYNCHRONIZE (RS) SPDU	77
8.3.25	RESYNCHRONIZE ACK (RA) SPDU	78
8.3.26	PREPARE (PR) SPDU	79
8.3.27	EXCEPTION REPORT (ER) SPDU	80
8.3.28	EXCEPTION DATA (ED) SPDU	80
8.3.29	ACTIVITY START (AS) SPDU	81
8.3.30	ACTIVITY RESUME (AR) SPDU	82
8.3.31	ACTIVITY INTERRUPT (AI) SPDU	83
8.3.32	ACTIVITY INTERRUPT ACK (AIA) SPDU	84
8.3.33	ACTIVITY DISCARD (AD) SPDU	84
8.3.34	ACTIVITY DISCARD ACK (ADA) SPDU	85
8.3.35	ACTIVITY END (AE) SPDU	85
8.3.36	ACTIVITY END ACK (AEA) SPDU	86
8.4	Additional encoding rules for segmented SSDUs	86
8.4.1	First SPDU in sequence	86
8.4.2	Subsequent SPDUs in a sequence	86
SECTION 3 – CONFORMANCE		88
9	Conformance to this Recommendation International Standard	88
9.1	Static conformance requirements	88
9.2	Dynamic conformance requirements	89
9.3	Protocol Implementation Conformance Statement	89
Annex A – State tables		90
A.1	General	90
A.2	Notation for state tables	90
A.3	Conventions for entries in state tables	90
A.4	Actions to be taken by the SPM	91
A.4.1	Invalid intersections	91
A.4.2	Valid intersections	91
A.4.3	Receipt of SPDUs	91
A.5	Definitions of sets and variables	92
A.5.1	Functional units	92
A.5.2	Tokens	93
A.5.3	SET of tokens	94
A.5.4	Variables	94
A.5.4.1	TEXP	94
A.5.4.2	Vact	94
A.5.4.3	Vnextact	94
A.5.4.4	Vrsp and Vrspb	95
A.5.4.5	Vrsps, Vrspr, Vspnbs, and Vrspb	95
A.5.4.6	SPMwinner	95
A.5.4.7	Vtca	96
A.5.4.8	Vtrr	96
A.5.4.9	Vcoll	97
A.5.4.10	Vdnr	97
A.5.4.11	V(A)	97

This is a preview - click here to buy the full publication

A.5.4.12	V(M)	97
A.5.4.13	V(R)	97
A.5.4.14	Vsc	97
A.5.4.15	V(Ado).....	97
A.5.4.16	V(Adi).....	97
A.5.4.17	V(As), V(Ar).....	97
A.5.4.18	V(Ms), V(Mr)	98
A.5.4.19	V(Rs), V(Rr).....	98
A.5.4.20	Discard-rcv-flow – Discard-snd-flow	98
Annex B – PGIs and PIs reserved for use by Recommendation T.62		162
Annex C – Relationship to Recommendation T.62 encoding		163
Annex D – Differences between Protocol Version 1 and Protocol Version 2.....		166

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 8327-1 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 21, *Open Systems Interconnection, data management and open distributed processing*, in collaboration with ITU-T. The identical text is published as ITU-T Recommendation X.225.

This second edition cancels and replaces the first edition (ISO 8327:1987), which has been technically revised. It also incorporates Amendment 3:1992.

ISO/IEC 8327 consists of the following parts, under the general title *Information technology — Open Systems Interconnection — Connection-oriented Session protocol*:

- *Part 1: Protocol specification*
- *Part 2: Protocol Implementation Conformance Statement (PICS) proforma*

Annexes A to C form an integral part of this part of ISO/IEC 8327. Annex D is for information only.

Introduction

This Recommendation | International Standard is one of a set of Recommendations | International Standards produced to facilitate the interconnection of computer systems. The set of Recommendations | International Standards covers the services and protocols required to achieve such interconnection.

This Recommendation | International Standard is positioned with respect to other related Recommendations | International Standards by the layers defined in the Reference Model for Open Systems Interconnection (see ITU-T Rec. X.200 | ISO/IEC 7498-1). It is most closely related to and lies within the field of application of the Session Service Definition (see ITU-T Rec. X.215 | ISO/IEC 8326). It also uses and references the Transport Service Definition (see ITU-T Rec. X.214 | ISO/IEC 8072), whose provisions it assumes in order to accomplish the aims of the session protocol. The interrelationship of these Recommendations | International Standards is depicted in Figure Intro. 1.

This Recommendation | International Standard specifies a single protocol with a common encoding.

It is intended that the session protocol should be general enough to cater for the total range of session service users without restricting future extensions.

The protocol is structured so that subsets of protocol can be defined.

The primary aim of this Recommendations | International Standards is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer session entities at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- a) as a guide for implementors and designers;
- b) for use in the testing and procurement of equipment;
- c) as a part of an agreement for the admittance of systems into the open systems environment;
- d) as a refinement to the understanding of OSI.

It is expected that the initial users of this Recommendation | International Standard will be designers and implementors of equipment and the Recommendation | International Standard contains, in Notes or in annexes, guidance on the implementation of the procedures defined in this Recommendation | International Standard.

It should be noted that, as the number of valid protocol sequences is very large, it is not possible with current technology to verify that an implementation will operate the protocol defined in this Recommendation | International Standard correctly under all circumstances. It is possible by means of testing to establish confidence that an implementation correctly operates the protocol in a representative sample of circumstances. It is, however, intended that this Recommendation | International Standard can be used in circumstances where two implementations fail to communicate in order to determine whether one or both have failed to operate the protocol correctly.

The variations and options available within this Recommendation | International Standard are essential as they enable a session service to be provided for a wide variety of applications. Thus, a minimally conforming implementation will not be suitable for use in all possible circumstances. It is important, therefore, to qualify all references to this Recommendation | International Standard with statements of the options provided or required or with statements of the intended purpose of provision or use.




Figure Intro. 1 – Relationship between the connectionless session protocol and adjacent services

This is a preview - [click here to buy the full publication](#)

This page intentionally left blank

INTERNATIONAL STANDARD**ITU-T RECOMMENDATION****INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION –
CONNECTION-ORIENTED SESSION PROTOCOL: PROTOCOL SPECIFICATION****SECTION 1 – GENERAL****1 Scope**

This Recommendation | International Standard specifies:

- a) procedures for a single protocol for the transfer of data and control information from one session entity to a peer session entity;
- b) the means of selecting the functional units to be used by the session entities;
- c) the structure and encoding of the session protocol data units used for the transfer of data and control information;

The procedures are defined in terms of:

- a) the interactions between peer session entities through the exchange of session protocol data units;
- b) the interactions between a session entity and the session service user in the same system through the exchange of session service primitives;
- c) the interactions between a session entity and the transport service provider through the exchange of transport service primitives.

These procedures are applicable to instances of communication between systems which support the session layer of the OSI Reference Model and which wish to interconnect in an open systems environment.

This Recommendation | International Standard also specifies conformance requirements for systems implementing these procedures. It does not contain tests which can be used to demonstrate this conformance.

The text pertaining to the symmetric synchronization functional unit is not applicable to the support of ITU-T applications.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and International Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and International Standards listed below. Members of ISO and IEC maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

2.1 Identical Recommendations | International Standards

- ITU-T Recommendation X.200 (1994) | ISO/IEC 7498-1:1994, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*.
- ITU-T Recommendation X.214 (1993) | ISO/IEC 8072:1994, *Information technology – Open Systems Interconnection – Transport service definition*.

- ITU-T Recommendation X.215 (1995) | ISO/IEC 8326:1996, *Information technology – Open Systems Interconnection – Session service definition*.
- ITU-T Recommendation X.245 (1995) | ISO/IEC 8327-2:¹⁾, *Information technology – Open Systems Interconnection – Connection-oriented Session protocol: Protocol Implementation Conformance Statement (PICS) proforma*.

2.2 Paired Recommendations | International Standards equivalent in technical content

- CCITT Recommendation X.290 (1992), *OSI conformance testing methodology and framework for protocol Recommendations for CCITT applications – General concepts*.
ISO/IEC 9646-1:1994, *Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 1: General concepts*.
- CCITT Recommendation X.291 (1992), *OSI conformance testing methodology and framework for protocol Recommendations for CCITT applications – Abstract test suite specification*.
ISO/IEC 9646-2:1994, *Information technology – Open Systems Interconnection – Conformance testing methodology and framework – Part 2: Abstract Test Suite specification*.

2.3 Additional References

- ITU-T Recommendation T.62 (1993), *Control procedures for teletex and Group 4 facsimile services*.

NOTE – ITU-T Recommendation T.62 is not essential for the application of this Recommendation | International Standard, but is included in the list of references as it has been referred to, for information, in relation to interworking with the ITU-T Telematic services (see Annexes B and C).

¹⁾ To be published.