

---

---

**Information technology — Smart  
transducer interface for sensors and  
actuators —**

**Part 4:  
Mixed-mode communication protocols  
and Transducer Electronic Data Sheet  
(TEDS) formats**

*Technologies de l'information — Interface de transducteurs intelligente  
pour capteurs et actionneurs —*

*Partie 4: Protocoles de communication en mode mixte et formats des  
feuilles de données électroniques du transducteur (TEDS)*



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat, the IEC Central Office and IEEE do not accept any liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies and IEEE members. In the unlikely event that a problem relating to it is found, please inform the ISO Central Secretariat or IEEE at the address given below.

**COPYRIGHT PROTECTED DOCUMENT**

© IEEE 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO or IEEE at the respective address below.

ISO copyright office  
Case postale 56 CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Institute of Electrical and Electronics Engineers, Inc.  
3 Park Avenue, New York NY 10016-5997, USA  
E-mail [stds.ipr@ieee.org](mailto:stds.ipr@ieee.org)  
Web [www.ieee.org](http://www.ieee.org)

ISO version published 2010  
Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

The main task of ISO/IEC JTC 1 is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is called to the possibility that implementation of this standard may require the use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. ISO/IEEE is not responsible for identifying essential patents or patent claims for which a license may be required, for conducting inquiries into the legal validity or scope of patents or patent claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance or a Patent Statement and Licensing Declaration Form, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from ISO or the IEEE Standards Association.

ISO/IEC/IEEE 21451-4 was prepared by the Technical Committee on Sensor Technology of the IEEE Instrumentation and Measurement Society of the IEEE (as IEEE Std 1451.4-2004). It was adopted by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 31, *Automatic identification and data capture techniques*, in parallel with its approval by the ISO/IEC national bodies, under the “fast-track procedure” defined in the Partner Standards Development Organization cooperation agreement between ISO and IEEE. IEEE is responsible for the maintenance of this document with participation and input from ISO/IEC national bodies.

(blank page)

IEEE Std 1451.4™-2004

IEEE Standards

# 1451.4™

## IEEE Standard for A Smart Transducer Interface for Sensors and Actuators—Mixed-Mode Communication Protocols and Transducer Electronic Data Sheet (TEDS) Formats

---

**IEEE Instrumentation and Measurement Society**

Sponsored by the  
Technical Committee on Sensor Technology TC-9



3 Park Avenue, New York, NY 10016-5997, USA

15 December 2004

Print: SH95225  
PDF: SS95225

(blank page)

Recognized as an  
American National Standard (ANSI)

IEEE Std 1451.4™-2004

# IEEE Standard for a Smart Transducer Interface for Sensors and Actuators—Mixed-Mode Communication Protocols and Transducer Electronic Data Sheet (TEDS) Formats

Sponsor

**Technical Committee on Sensor Technology**  
of the  
**IEEE Instrument and Measurement Society**

Approved 25 August 2004  
**American National Standards Institute**

Approved 25 March 2004  
**IEEE-SA Standards Board**

**Abstract:** This standard defines the protocol and interface that allows analog transducers to communicate digital information with an IEEE 1451 object. It also defines the format of the Transducer TEDS. The Transducer TEDS is based on the IEEE 1451.2™ TEDS. The standard does not specify the transducer design, signal conditioning, or the specific use of the TEDS.

**Keywords:** appended TEDS, basic TEDS, device configuration file, family code, IEEE 1451.4 interface, IEEE 1451.4 transducer, mixed-mode Interface (MMI), mixed-mode transducer (MMXD-CR), network capable application processor (NCAP), plug-and-play, smart transducer, TEDS, template, template ID, transducer electronic data sheet (TEDS), template description language, transparent protocol, template description language, tbom schema, transducer block

---

The Institute of Electrical and Electronics Engineers, Inc.  
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2004 by the Institute of Electrical and Electronics Engineers, Inc.  
All rights reserved. Published 14 December 2004. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

1-Wire & MicroLAN are trademarks of Maxim-Dallas Semiconductor Corporation.

Print: ISBN 0-7381-4007-4 SH95225  
PDF: ISBN 0-7381-4008-2 SS95225

*No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.*

**IEEE Standards** documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied “**AS IS.**”

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon the advice of a competent professional in determining the exercise of reasonable care in any given circumstances.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board  
445 Hoes Lane  
P.O. Box 1331  
Piscataway, NJ 08855-1331USA

**NOTE**—Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE shall not be responsible for identifying patents for which a license may be required by an IEEE standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention.

Authorization to photocopy portions of any individual standard for internal or personal use is granted by the Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.



## Introduction

[This introduction is not part of IEEE Std 1451.4-2004, IEEE Standard for a Smart Transducer Interface for Sensors and Actuators—Mixed-Mode Communication Protocols and Transducer Electronic Data Sheet (TEDS) Formats.]

The main objectives of this standard are to

- Enable plug-and-play at the transducer level by providing a common IEEE 1451.4 Transducer communication interface compatible with legacy transducers.
- Enable and simplify the creation of smart transducers.
- Facilitate the support of multiple networks.
- Simplify the setup and maintenance of instrumentation systems.
- Provide a bridge between the legacy instrumentation systems and the smart mixed-mode transducers.
- Enable implementation of smart transducers with minimal use of memory.

There was previously no defined common digital communication interface standard between mixed-mode transducers and network capable application processors (NCAPs). Each transducer manufacturer defined its own interface. Consequently, transducer manufacturers could not support all of the control networks for which their products might be suitable. A universally accepted mixed-mode transducer interface standard will facilitate the development of compliant smart sensors and actuators and could lead to lower development costs. This common interface allows the transducer manufacturers to support multiple control networks easily and helps to preserve the user's investment if it becomes necessary to migrate to a different network standard. In addition, this standard will make systems much easier to implement and use.

This standard simplifies the development of smart mixed-mode transducers by defining hardware and software blocks that are independent of specific control networks. The standard describes the following:

- An IEEE 1451.4 Transducer containing a Mixed-Mode Interface (MMI) and a transducer electronic data sheet (TEDS).
- The MMI, which is a master-slave, multidrop, serial connection. It requires a master device to initiate each transaction with each slave or node according to a defined digital communication protocol. The MMI may contain circuitry to detect and report a hotswap of transducers. The MMI may use either separate digital and analog connections, or two wires for power supply and time-shared analog signal and digital TEDS data. The MMI is used to access the TEDS.
- The TEDS, which is fixed and dynamic data, contained in one or more memory nodes on the MMI.
- A template, which is a software object describing the data structure of TEDS. It is implemented in the Template Description Language and resides in the Transducer Block.
- The Template Description Language, which is a scripted and tagged language providing a standard method to describe the functionality of IEEE 1451.4 Transducer.
- A Transducer Block, which is a software object describing the IEEE 1451.4 Transducer. It resides in the NCAP, which is the master device (e.g., an instrument or data acquisition system). The Transducer Block is used to access, decode, and encode TEDS using the TDL.

Furthermore, the Working Group has defined a set of TEDS templates for various transducers to facilitate the creation of sensor systems containing plug-and-play smart transducers.

The IEEE 1451.4 Transducer provides a self-describing capability, via the TEDS. The TEDS contains fields that describe the identity, type, operation, and attributes of the transducer. The IEEE 1451.4 Transducer is a sensor or actuator with one or more addressable devices, referred to as nodes, on a 2-conductor digital bus. The TEDS is required to be either physically, or virtually, associated with the IEEE 1451.4 Transducer. The resulting hardware partition encapsulates the measurement aspects inside the IEEE 1451.4 Transducer, while the application related aspects may reside either in the NCAP or in the TEDS.

The IEEE 1451.4 Transducer is a sensor or actuator with one, or more, addressable devices, which herein will be referred to as nodes, containing TEDS.

A digital communication protocol is defined for transactions on the bus. The transactions are as follows:

- Read (Read TEDS)
- Write (Write TEDS)
- Configure (Set Gain, Change Mode, Set Filter)
- Check status (Read Settings)

The IEEE 1451.4 MMI may be used for control networks and data acquisition in a variety of applications, such as portable instruments and data acquisition plug-in cards for PCs.

The Transducer Block object located in the NCAP describes the behavior of the IEEE 1451.4 Transducer. It interprets TEDS data according to the data structure defined in templates. Further processing of the data may take place both in the NCAP and in other processors in larger systems. The NCAP includes an IEEE 1451.1 object model with an IEEE 1451.4 Transducer Block.

The standard does not constrain competitive differentiation in areas of quality, feature set, and cost, and at the same time, offers the opportunity to design to a common interface, which can be used in a wide variety of applications.

## Acknowledgements

The working group would like to acknowledge the following individuals who made special contributions to the development of this standard:

Steven Chen, Former Chair, who proposed the mixed-mode transducer interface concept and initiated the development of the standard.

Jørgen Bække, Former Vice Chair, who was instrumental in getting the 2-conductor bus interface and transducer description language concept accepted by the group.

The IEEE has defined a common digital communication interface standard for mixed-mode transducers utilizing a single wire serial bus technology developed by Maxim/Dallas Semiconductor Corporation.

## Notice to users

### Errata

Errata, if any, for this and all other standards can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/updates/errata/index.html>. Users are encouraged to check this URL for errata periodically.

### Interpretations

Current interpretations can be accessed at the following URL: <http://standards.ieee.org/reading/ieee/interp/index.html>.

## Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE shall not be responsible for identifying patents or patent applications for which a license may be required to implement an IEEE standard or for conducting inquiries into the legal validity or scope of those patents that are brought to its attention. A patent holder or patent applicant has filed a statement of assurance that it will grant licenses under these rights without compensation or under reasonable rates and nondiscriminatory, reasonable terms and conditions to applicants desiring to obtain such licenses. The IEEE makes no representation as to the reasonableness of rates, terms, and conditions of the license agreements offered by patent holders or patent applicants. Further information may be obtained from the IEEE Standards Department.

## Contents

1.	Overview.....	1
	1.1 Scope.....	2
	1.2 Purpose.....	2
	1.3 Conformance, shall, should, may, and can .....	2
2.	References.....	2
3.	Definitions and abbreviations .....	3
	3.1 Terms .....	3
	3.2 Abbreviations.....	6
4.	IEEE 1451.4 Transducer.....	7
	4.1 Foundation .....	7
	4.2 IEEE 1451.4 Transducer configuration .....	8
	4.3 Compliance with this standard, IEEE Std 1451.4-2004 .....	9
5.	Transducer Electronic Data Sheet.....	10
	5.1 Basic TEDS.....	10
	5.2 IEEE, User, and Manufacturer TEDS.....	11
	5.3 Data format and templates .....	11
	5.4 Nodes, addresses, Family Codes, URN, and CRC .....	13
	5.5 Data transmission.....	14
	5.6 Structure of the TEDS data system.....	14
6.	Templates.....	15
	6.1 Overview.....	15
	6.2 Discovery of the transducer(s) present .....	16
	6.3 Identification of transducers and their nodes .....	16
	6.4 Assembling the Transducer TEDS .....	19
	6.5 Parsing the Transducer TEDS.....	20
7.	Template Description Language (TDL) .....	22
	7.1 Overview.....	22
	7.2 Identification commands.....	23
	7.3 Control commands.....	27
	7.4 Property commands (%) .....	30
8.	Mixed Mode Transducer Interface (MMI) specification.....	56
	8.1 Introduction.....	56
	8.2 Analog Mode .....	59
	8.3 Digital Mode .....	60
	8.4 Line definitions .....	60
	8.5 MMI digital Data Transmission Protocol .....	61

9.	Transducer Block specification .....	67
9.1	Overview .....	68
9.2	TBOM specification .....	72
9.3	Common Object Interface (COI) specification.....	89
9.4	TEDS Service .....	102
9.5	IEEE 1451.4 Transducer Block general interface .....	104
	Annex A (normative) IEEE standard templates .....	126
	Annex B (normative) Property definitions .....	147
	Annex C (informative) TDL formal grammar .....	286
	Annex D (informative) Template file checksum example.....	321
	Annex E (informative) Family Codes.....	324
	Annex F (informative) IEEE 1451.4 XML device description schema.....	339
	Annex G (informative) Communication with nodes in sensors on remote locations .....	343
	Annex H (normative) Procedures for adding new IEEE templates and TDL items and to get URNs .....	377
	Annex I (informative) IEEE P1451.4, version 0.9, and beta information .....	378
	Annex J (normative) IEEE 1451.4 Manufacturer IDs and model numbers.....	380
	Annex K (normative) IEEE 1451.4 TBOM schema.....	383
	Annex L (normative) IEEE 1451.4 Transducer Block IEEE 1451.1 adapter definition .....	409
	Annex M (informative) Bibliography.....	430
	Annex B (informative) IEEE list of participants .....	431

This is a preview - click here to buy the full publication

# IEEE Standard for a Smart Transducer Interface for Sensors and Actuators—Mixed-Mode Communication Protocols and Transducer Electronic Data Sheet (TEDS) Formats

## 1. Overview

This standard is divided into nine clauses. Clause 1 provides the scope of this standard. Clause 2 lists references to other standards that are useful in applying this standard. Clause 3 provides definitions that are either not found in other standards or have been modified for use with this standard. Clause 4 describes the IEEE 1451.4™ Interface and the IEEE 1451.4 Transducer and levels of compliance with this standard. Clause 5 describes the TEDS. Clause 6 describes the usage of the template structure. Clause 7 describes the syntax and semantics of the language used in the templates. Clause 8 describes the Mixed-Mode Transducer Interface (MMI) that ensures the robust transfer of an analog transducer signal and the digital TEDS data. Clause 9 describes the Transducer Block, which is the collective logic required to manage the transducer bus and all external components.

This standard also contains several annexes. Annex A lists the IEEE templates. Annex B lists the definitions of properties used in templates. Annex C contains the Template Description Language (TDL) formal grammar. Annex D gives a template file checksum example. Annex E gives information about the Family Code in the Unique Registration Number (URN). Annex F gives the Device Configuration File format needed for a parser to be able to understand Family Codes and act accordingly. Annex G contains an XML device description schema to be used to add support for new devices. Annex G contains information about the transparent protocol facilitating the communication with 2-conductor bus devices. Annex H describes the procedure for adding new IEEE templates and TDL items. Annex I contains information about the early draft of the standard IEEE P1451.4, version 0.9. Annex J lists the IEEE 1451.4 Manufacturer IDs. Annex K gives the IEEE 1451.4 Transducer Block Object Model (TBOM) schema. Annex L defines the Transducer Block adapter class that shall be used to represent transducers adhering to IEEE 1451.4 within an IEEE 1451.1™ environment.<sup>1</sup> Annex M is the bibliography.

<sup>1</sup>Information on references can be found in Clause 2.

## 1.1 Scope

This standard defines the protocol and interface that allows analog transducers to communicate digital information with an IEEE 1451 object. It also defines the format of the Transducer TEDS. The Transducer TEDS is based on the IEEE 1451.2™ TEDS. The standard does not specify the transducer design, signal conditioning, or the specific use of the TEDS.

## 1.2 Purpose

An independent and openly defined standard for MMI and TEDS serves the following purposes:

- Provide interoperability, which enables plug-and-play capability
- Simplify the implementation of mixed-mode smart transducer systems
- Accelerate the emergence and acceptance of the MMI and TEDS

## 1.3 Conformance, shall, should, may, and can

Several keywords are used to differentiate among various levels of requirements, as follows:

The word *shall* is used to indicate mandatory requirements strictly to be followed in order to conform to the standard and from which no deviation is permitted (*shall* equals *is required to*).

The word *should* is used to indicate that among several possibilities one is recommended as particularly suitable, without mentioning or excluding others; or that a certain course of action is preferred but not necessarily required; or that (in the negative form) a certain course of action is deprecated but not prohibited (*should* equals *is recommended that*).

The word *may* is used to indicate a course of action permissible within the limits of the standard (*may* equals *is permitted*).

The word *can* is used for statements of possibility and capability, whether material, physical, or causal (*can* equals *is able to*).

## 2. References

This standard shall be used in conjunction with the following standards publications. When the following standards are superseded by an approved revision, the revision shall apply.

ANSI X3.4-2000, US-ASCII. Coded Character Sets—7-Bit American Standard Code for Information Interchange.<sup>2</sup>

IEEE Std 754™-1985 (Reaff 1990), IEEE Standard for Binary Floating-Point Arithmetic.<sup>3,4</sup>

IEEE Std 1451.1-1999, IEEE Standard for a Smart Transducer Interface for Sensors and Actuators—Network Capable Application Processor (NCAP) Information Model.

<sup>2</sup>ANSI publications are available from the Sales Department, American National Standards Institute, 25 West 43rd Street, 4th Floor, New York, NY 10036, USA (<http://www.ansi.org/>).

<sup>3</sup>The IEEE standards or products referred to in this clause are trademarks of the Institute of Electrical and Electronics Engineers, Inc.

<sup>4</sup>IEEE publications are available from the Institute of Electrical and Electronics Engineers, Inc., 445 Hoes Lane, Piscataway, NJ 08854, USA (<http://standards.ieee.org/>).



IEEE Std 1451.2-1997, IEEE Standard for a Smart Transducer Interface for Sensors and Actuators—Transducer to Microprocessor Communication Protocols and Transducer Electronic Data Sheet (TEDS) Formats.

ISO/IEC 10646-1:2000, Information technology—Universal Multiple-Octet Coded Character Set (UCS)—Part 1: Architecture and Basic Multilingual Plane.<sup>5</sup>

Le Système international d’unités (SI), The International System of Units (SI), 7th Edition (1998), with Supplement 2000.<sup>6</sup>

---

<sup>5</sup>ISO/IEC publications are available from the ISO Central Secretariat, Case Postale 56, 1 rue de Varembe, CH-1211, Genève 20, Switzerland/Suisse (<http://www.iso.ch/>). ISO/IEC publications are also available in the United States from Global Engineering Documents, 15 Inverness Way East, Englewood, CO 80112, USA (<http://global.ihs.com/>). Electronic copies are available in the United States from the American National Standards Institute, 25 West 43rd Street, 4th Floor, New York, NY 10036, USA (<http://www.ansi.org/>).

<sup>6</sup>This publication is available from the Bureau International des Poids et Mesures, Pavillion de Breteuil F, 92312 Sèvres, Cedex, France (<http://www1.bipm.org/en/publications/brochure/>).